RYOBI®

PRODUCT CATALOGUE 2023

CONTENTS OF PRODUCT CATALOGUE 2023

HANDYLINE DIY TOOLS	3
CORDED POWER TOOLS	14
CORDLESS POWER TOOLS	67
ONE-PLUS 18V CORDLESS / BRUSHLESS UNIVERSAL POWER PLATFORM	69
HEAVY DUTY – INDUSTRIAL POWER TOOLS	115
MACHINERY	129
CLEANING EQUIPMENT	145
OTHER TOOLS AND MEASURING EQUIPMENT	158
GARDENING EQUIPMENT	172
WELDING	214
#RYOBIKNOWS	
ABOUT US	
BRANCHES	

RYOBI®



GUARANTEE
1-YEAR
GUARANTEE

HANDYLINE DIY TOOLS

HSD-360



CORDLESS SCREWDRIVER

- Compact design
- Soft grip handle
- 2-position twist handle
- LED light to illuminate work area
- Charging & battery capacity indicator

MODEL NUMBER	BATTERY	NO LOAD SPEED	NETT WEIGHT
HSD-360	3.6V Li-ion, 600mAh	250min-1	0.3kg

HLD-120



12V CORDLESS DRILL – 10MM LI-ION CHARGER AND BATTERY

- 21+1 torque setting with variable speed to suit a variety of work
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area
- Keyless chuck for quick and easy changes
- Li-ion battery and belt hook for increased portability and versatility

MODEL NUMBER	DRILL CHUCK CAPACITY	ROTATION SPEED	DRILLING CAPACITIES	MAX. TORQUE	CLUTCH	BATTERY	CHARGE TIME	NETT WEIGHT
HLD-120	10mm	0 – 700min-1	Steel: 8mm Wood: 16mm	12Nm	21 + 1	12V Li-ion, 1 300mAh	3 – 5hrs	1.0kg

HANDYLINE DIY TOOLS

HLD-180



18V CORDLESS DRILL – 10MM LI-ION CHARGER AND BATTERY

- Variable speed with 21+1 Torque setting to suit a variety of work
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area and belt hook for increased portability

MODEL NUMBER	DRILL CHUCK CAPACITY	ROTATION LOAD SPEED	DRILLING CAPACITIES	MAX. TORQUE	NETT WEIGHT
HLD-180	10mm	0 – 550min-1	Wood: 22mm, Steel: 8mm	20Nm	1.2kg

HLD-180K



12V CORDLESS DRILL KIT – 10MM LI-ION CHARGER AND BATTERY

- Keyless chuck for quick and easy bit changes
- Reversing mode to unjam drill bits
- Easy Switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications

MODEL NUMBER	CHUCK CAPACITY	DRILLING CAPACITIES	CLUTCH	ROATION SPEED	BATTERY	CHARGING TIME	NETT WEIGHT
HLD-180K	10mm	Wood: 22mm, Steel: 8mm	21 +1	0 - 650min-1	18V Li-ion, 1300mAh	3 - 5hrs	2.0kg

RYOBI.

HANDYLINE DIY TOOLS

HG-650



650W ANGLE GRINDER - 115MM

- Lock-on Switch for easy operation
- 2-Position handle design providing user comfort for left and right handed use
- Spindle lock and lock nut spanner for faster and easier wheel changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	GRINDING WHEEL	SPINDLE THREAD	DISC BORE SIZE	NETT WEIGHT
HG-650	650W	11 000min-1	115mm	M14 x 2.0	22mm	2.0kg

HBS-720



730W BELT SANDER – 76 X 457MM

- Ergonomic handle for increased comfort and ease of use
- Tracking adjustment for extended belt life
- Quick and easy belt change with the tension release lever
- Lock on button for ease of continuous use

MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SPEED	NETT WEIGHT
HBS-720	720W	76 x 457mm	250min-1	2.8kg

RYOBI.

HANDYLINE DIY TOOLS

HBDS-350



350W BELT AND DISC SANDER

- Belt adjusts for either horizontal or vertical sanding
- Mitre guide and bevel adjustable working table for precise working with wither sanding belt or disc
- Quick action belt tensioning and tracking system
- Robust cast iron construction provides good stability and minimizes vibration

MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SIZE	SPEED DISC	NETT WEIGHT
HBDS-350	350W	100 x 914mm	ø150mm	1 450min-1	15.5kg

HBG-150



150W BENCH GRINDER – 150MM

- Opti-view lens provides magnification of the work piece
- Convenient fully adjustable tool rests
- Fully adjustable eye shields and spark deflectors for added safety
- Large, easy access On/Off switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	NETT WEIGHT
HBG-150	150W	2 950 min-1	Ø150 x 16 x ø12.7mm	5.5kg

RYOBI.

HANDYLINE DIY TOOLS

HCS-1250



1 250W CIRCULAR SAW

- Easy to adjust base for bevel cutting from 0º-45º
- Spindle lock for easy blade changes
- Large front handle for increased comfort and ease of use
- Steel retractable lower guard for added safety
- Slide fence allows for increased accuracy

MODEL NUMBER	POWER INPUT	DIAMETER OF SAW BLADE	NO LOAD SPEED	MAX. SAWING DEPTH	NETT WEIGHT
HCS-1250	1 250W	185mm	5 000min-1	@ 90º = 65mm @ 45º = 44mm	3.8kg

HID-500



500W IMPACT DRILL – 10MM KEYLESS CHUCK

- Keyless chuck for quick and easy bit changes
- Reversing mode to unjam drill bits
- Easy Switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOWS PER MINUTE	MAX.CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-500	500W	0 – 3 000min-1	0 – 48 000bpm	10mm	Wood: 20mm, Steel: 8mm, Concrete: 10mm	1.5kg

RYOBI.

HANDYLINE DIY TOOLS

HID-710



710W IMPACT DRILL – 13MM KEYLESS CHUCK

- Powerful 710 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits
- Easy switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-710	710W	0 – 3 000min-1	13mm	Wood: 25mm, Steel: 10mm, Concrete: 13mm	2.14kg

HP-650



650W ELECTRIC HAND PLANER – 82MM

- Aluminium front base plate
- Adjustable cutting depth
- Ergonomic handle with soft grip

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
HP-650	650W	16 500min-1	82mm	2mm	2.6kg

RYOBI.

HANDYLINE DIY TOOLS

HJP-1270



1 200W HIGH PRESSURE WASHER – 100 BAR

- Compact and lightweight design
- 3 Axial-piston wobble-plate pump
- Tempered stainless steel plungers
- Energy saving auto-stop system
- Self-resetting thermal cut-out

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	MAX FLOW	NETT WEIGHT
HJP-1270	1 200W	100 bar	5.5L/min	6.5L/min	4.9kg

HIW-120



120AMP METAL ARC INVERTER WELDER

- Ideal for welding various ferrous metals such as carbon steel, medium carbon steel, alloy steel etc...
- Variable amperage of 10 - 120A and regulated DC power output
- Greatly improved efficiency by IGBT technology
- Terminal overload protection and stick protection
- 2m electrode holders, 1,5m earth clamp, welding mask and brush included

MODEL NUMBER	INPUT POWER CAPACITY	NO LOAD VOLTAGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	PROTECTION DEGREE	NETT WEIGHT
HIW-120	5.1kVa	60V	60%	1.6 - 3.2mm	IP21S	2.9kg

RYOBI.

HANDYLINE DIY TOOLS

HJ-400



400W JIGSAW

- Lock on button for ease of continuous use
- Built-in dust blower mechanism clears dust away from cutting line for better visibility
- Angle adjustable base for bevel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
HJ-400	400W	3 000min-1	Wood: 55mm, Steel: 6mm	1.4kg

HMS-850



850W MITRE SAW – 190MM

- Tungsten carbide tipped 24 teeth blade for superior cutting accuracy
- Ergonomic handle with soft grip for added user comfort
- Large and easy access knob for bevel adjustment
- Dust extraction outlet and bag for efficient dust collection

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	MAX. CUTTING DEPTH	NETT WEIGHT
HMS-850	850W	5 000min-1	ø190 x ø16 x 2.4mm, 24T	0º x 90º = 40 x 105mm | 45º x 90º = 20 x 39mm 45º x 45º (right) = 20 x 60mm | 45º x 45º (left) = 20 x 39mm	5.5kg

RYOBI.

HANDYLINE DIY TOOLS

HS-150



150W ORBITAL SANDER – 90 X 182MM

- Ergonomic handle with soft grip for increased comfort and ease of use
- Quick action paper clamps for fast and easy sanding paper changes
- Lock on button for ease of continuous use
- Dust port for use with dust extraction systems

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD SIZE	DIAMETER OF ORBIT	NETT WEIGHT
HS-150	150W	11 500min-1	90 x 182mm	1.6mm	1.35kg

HBT-254L



1 800W TABLE SAW – 254MM

- Mitre gauge allows precise angle to be cut quickly and easily
- Stands with anti slip rubber feet provides full support and stability
- Powerful 1800 Watt motor with up and down torsion system cuts through the toughest of timber with precision and ease
- Blade bevel 0º - 45º for accurate angle cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
HBT-254L	1 800W	4 800min-1	254mm	@ 90º = 75mm @ 40º = 63mm	19.6kg

RYOBI.

HANDYLINE DIY TOOLS

HBT-1800



1 800W TABLE SAW - 254MM

- Mitre gauge allows precise angle to be cut quickly and easily
- Stands with anti slip rubber feet provides full support and stability
- Powerful 1800 Watt motor with up and down torsion system cuts through the toughest of timber with precision and ease
- Blade bevel 0 - 45º for accurate angle cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
HBT-1800	1 800W	4 250min-1	254mm	@ 90º = 80mm @ 45º = 55mm	17.0kg

RYOBI®



CORDED POWER TOOLS

BC-800



8AMP ELECTRONIC BATTERY CHARGER

- Electronic charger protects against polarity inversion, over charging and short-circuits helping to ensure a longer battery life
- Tough sheet metal housing helps protect electronics and dissipates heat during charging
- Long 1m charging leads and 2m power cord make charging a battery in place much easier
- Easy to read analogue gauge and large clamps for better connection to the battery poles
- Two charging voltages for 12V & 6V batteries and two charging modes; car charge & motorcycle charge

MODEL NUMBER	POWER INPUT	POWER OUTPUT FOR CAR	POWER OUTPUT FOR MOTORCYCLE	NETT WEIGHT
BC-800	84W	12V = 6.5A / 6V = 8A	12V = 1.2A / 6V = 0.85A	2.4kg

BC-1200



12AMP ELECTRONIC BATTERY CHARGER

- Charging progress can be seen on the ampere gauge
- Designed to charge or keep the charge on service free and lead batteries with gel
- Two charging modes – car charge & motorcycle charge
- Protective insulation for protection against polarity inversion, over charge and short circuit
- Tough sheet steel casing with charging lead with sturdy pole clamps

MODEL NUMBER	POWER INPUT	POWER OUTPUT	CHARGE LEAD	MAX. CURRENT	DURATIVE CURRENT	NETT WEIGHT
BC-1200	143W	DC 12V / 12 Aeff, 8Aarith	2m	12A	8A	3.4kg

CORDED POWER TOOLS

JM-100K



710W JOINT MAKER

- Rubberized handle for added comfort and control
- Cutting depth adjusts from 0-18mm to accommodate a variety of biscuits including #0, #10 and #20
- Dust collection bag conveniently collects the sawdust for a cleaner work area
- Fence tilts 0º-90º in 1º increments for precision cuts when working with mitred edges
- 11 000min-1 cutting head ensures strong, secure joints are made consistently

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BLADEBORE DIAMETER	BLADE CUT THICKNESS	MAX. CUTTING DEPTH	NETT WEIGHT
JM-100K	710W	11 000min-1	100mm	20 or 22mm	4mm	18mm	3.0kg

BL-600



600W ELECTRIC MINI BLOWER

- Powerful 600W motor produces 2.5m3/min air flow at 13 000min-1 in a compact, easy to handle size
- Lock button for continuous air flow
- Easily fits into narrow, hard to reach areas and is ideal for cleaning workshops and garages
- Includes dust collection bag to use as a vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CABLE LENGTH	SOUND PRESSURE LEVEL	SOUND POWER LEVEL	VIBRATION LEVEL	NETT WEIGHT
BL-600	600W	13 000min-1	1.8m	Lpa 79dB (A) k = 3dB (A)	Lwa 95dB (A) k = 3dB (A)	4.3m/s2	1.5kg

CORDED POWER TOOLS

C-3552



2 200W CUT-OFF SAW – 355MM

- Powerful 2 300 Watt motor delivers high overload capabilities
- Heavy duty pressed steel base for added strength
- Spark diversion guard for operator safety with an adjustable guide plate 45º right and left
- Quick lock/release vice clamp for changing work pieces in a short time

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	MAX. CUTTING CAPACITY	NETT WEIGHT
C-3552	2 200W	4 300min-1	ø355 x 25.4mm	Round pipe @ 45º = 115mm | @ 90º = 130mm, Square @ 45º = 107 x 107mm | @ 90º = 120 x 120mm, Rectangle @ 45º = 75 x 100mm | @ 90º = 125 x 130mm	17.0kg

BD-516L



550W BENCH DRILL PRESS WITH LASER GUIDE – 16MM

- 5-Pulley speeds for drilling in to wood or metal
- Adjustable depth stop and laser guide with on/off switch accurately marks drilling point for quick and easy repeat drilling
- Large, heavy-duty feed handles for increased leverage and maximum control
- 1.5 - 16mm adjustable keyed chuck for greater bit capacity
- Rack and pinion table for easy and accurate height adjustment includes with 0º-45º (L&R) tilt ability for angled drilling

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX.DRILLING CAPACITY	SPINDLE TRAVEL	COLUMN DIAMETER	CHUCK SIZE	NETT WEIGHT
BD-516L	550W	600 – 2 600min-1	16mm	50mm	50mm	16mm	15.5kg

CORDED POWER TOOLS

BD-13D



710W IMPACT BENCH DRILL VAR / REV – 13MM

- Powerful 710 Watt induction motor with digital display drilling speed and depth
- Hinged protective chip guard
- 2 speed mechanical gear and step-less speed adjustment
- LED work light and laser drilling guide for clear accurate working environment
- Aluminium base plate vice-clamp with parallel guide

MODEL NUMBER	POWER INPUT	STAGES OF SPEED	CHUCK CAPACITY	THROAT DEPTH	DRILLING CAPACITY	NETT WEIGHT
BD-13D	710W	Stage 1 Speed: 170 - 880min-1 Stage 2 Speed: 490 - 2 600min-1	13mm	118.5mm	1.5 - 13mm	9.5kg

BD-16



550W BENCH DRILL PRESS – 13MM

- Cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Built-in light illuminates the work area and a standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
BD-16	550W	625 – 2 500min-1	13mm	170mm	700 x 465mm	350mm	40.0kg

CORDED POWER TOOLS

DP-16



550W DRILL PRESS PEDESTAL – 16MM

- Cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Built-in light illuminates the work area with a standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	TABLE TO CHUCK	NETT WEIGHT
DP-16	550W	2 130min-1	16mm	80mm	680mm	51.5kg

CORDED POWER TOOLS

PD-550K



550W IMPACT DRILL KIT VAR/REV – 13MM

- Powerful 550 Watt motor with impact function for drilling with ease
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse function
- Variable speed switch for various applications
- Depth stop gauge for precise blind hole drilling

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-550K	550W	0 – 3 000min-1	13mm	0 – 48 000bpm	Wood: 20mm, Steel: 13mm, Masonry: 13mm	2.2kg

PD-650



650W IMPACT DRILL VAR/REV – 13MM

- Powerful 650 Watt motor with impact function for drilling with ease
- 13mm keyed chuck offers better durability and bit retention (Chuck key included)
- 360° Adjustable auxiliary handle for improved drilling control, with both forward and reverse functions
- Variable speed control for the correct speed selection allows for use in various applications
- Depth stop gauge for precise blind hole drilling

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-650	650W	0 – 3 000min-1	13mm	0 – 48 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 13mm	2.25kg

CORDED POWER TOOLS

PD-852VR



850W IMPACT DRILL – 13MM

- Variable speed control for the correct speed selection
- Reversing mode to unjam drill bits
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling with durable metal gear housing
- External brush caps for easy carbon brush changes

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-852VR	850W	13mm	0 – 28 000min-1	0 – 27 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 19mm	3.2kg

PD-1053VR



1 050W IMPACT DRILL – 13MM

- Powerful 1050 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits with an easy switch from drilling to impact mode
- 2-Speed metal gear box for durability
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-1053VR	1 050W	13mm	0 – 3 000min-1	0 – 48 000bpm	Wood: 30mm, Steel: 13mm, Concrete: 16mm	3.1kg

CORDED POWER TOOLS

FB-300



FLEXIBLE DRILL EXTENTION BAR – 300MM

- The flexible extension bar is a handy solution for tricky jobs
- Providing an extra 280mm in length and convenient flexibility
- Magnetized for increased bit hold
- Quick change function for fast and easy bit change
- Holds any 6.35mm hex shank bits

MODEL NUMBER	MAX ADDED LENGTH	HEX SHANK SIZE	INNER HEX HEAD	NETT WEIGHT
FB-300	280 - 300mm	6.35mm	6.35mm	0.8kg

ED-500



500W ROTARY HAMMER – 1.5 JOULES SDS-PLUS

- 2-Operating modes: drilling mode, hammer-drilling mode
- Powerful 500 Watt motor with SDS-plus type shank
- Soft grip auxiliary handle rotates 360°
- Complete in carry case with accessories:
  1x 6x150mm drill bit, 1x 8x150mm drill bit, 1x 10x150mm drill bit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DRILLING CAPACITY	DRILL BIT SIZE	MAX. IMPACT RATE	NETT WEIGHT
ED-500	500W	0 – 1 200min-1	Wood: 30mm, Steel: 20mm, Concrete: 20mm	20mm SDS-Plus	5 000bpm	2.3kg

CORDED POWER TOOLS

ED-938



900W ROTARY HAMMER – 4 JOULES SDS-PLUS

- 4-Functions: rotary hammering, hammering, drilling and vario-lock for various jobs
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360° adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	DRILL BIT SIZE	MAX. IMPACT RATE	NETT WEIGHT
ED-938	900W	0 - 900min-1	Steel: 13mm, Wood: 40mm, Concrete: 26mm	SDS PLUS	4 400bpm	4.6kg

ED-1260



1 250W ROTARY HAMMER – 6 JOULES SDS-PLUS

- 1 250W motor delivers 6J of impact energy
- 4 functions: rotary, hammering, drilling and vario-lock for various jobs
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360° adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1260	1 250W	850min-1	Steel: 13mm, Concrete: 32mm, Wood: 40mm	4 000bpm	4.6kg

CORDED POWER TOOLS

ED-1565



1 500W ROTARY HAMMER – 6.5 JOULES SDS-PLUS

- 4-Functions: rotary hammering, hammering, drilling and vario-lock for various jobs
- Variable speed selector for various chipping applications
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360° adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1565	1 500W	260 - 870min-1	Steel: 13mm, Concrete: 32mm, Wood: 40mm	1200 – 4 100bpm	5.0kg

RH-1440



1 400W ROTARY HAMMER – 9 JOULES 3-MODE-PLUS

- Powerful 1400w motor delivers 9J of impact energy and 3700bpm drilling performance
- 360° adjustment auxiliary handle for improved drilling control
- SDS-plus system for easy tool free bit change and high efficient work
- 3 Operation modes: Rotary hammering, hammering and drilling for various works
- Unique rotation system locks the flat chisel in 12 positions

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	IMPACT RATE	NETT WEIGHT
RH-1440	1 400W	580min-1	Concrete: 40mm, Wood: 65mm	3 700bpm	7.3kg

CORDED POWER TOOLS

DH-15K



1 200W DEMOLITION HAMMER

- Powerful 1 200W motor delivers 12J of impact energy
- 360° adjustment auxiliary handle for improved drilling control
- SDS-max bit system for easy tool free bit change and high efficient work
- Accessories: 18x280mm point chisel, 18x280mm flat chisel, spanner

MODEL NUMBER	POWER INPUT	MAX IMPACT RATE	IMPACT FORCE	SHANK TYPE	NETT WEIGHT
DH-15K	1 200W	3 750bpm	12J	SDS Max	7.2kg

DH-65K



1 600W DEMOLITION HAMMER

- Powerful 43J impact energy for tough jobs
- 1600 watt motor provides ample power for a wide range of demolition jobs
- 360° auxiliary handle ,ideal for left and right hand use
- Rubber dust cover prevents debris and dust from entering the gear box and can prolong he lifetime of the tool
- Standard accessories: Ø30x410mm hex pointed chisel, Ø26x410mm hex flat chisel, spanner

MODEL NUMBER	POWER INPUT	IMPACT FORCE	IMPACT RATE	SHANK TYPE	NETT WEIGHT
DH-65K	1 600W	43J	2 000bpm	SDS HEX	17.0kg

CORDED POWER TOOLS

DH-85K



2 100W DEMOLITION HAMMER

- Oversized cylinder supply super impact energy
- 2100W dustproof high torque motor with a reliable clamping system
- Converting twice the impact energy more comfortable
- Standard accessories: Ø30x410mm hex pointed chisel, Ø30x410mm hex flat chisel

MODEL NUMBER	POWER INPUT	IMPACT FORCE	IMPACT RATE	SHANK TYPE	NETT WEIGHT
DH-85K	2 100W	1 600bpm	85J	SDS HEX	24.8kg

RH-500



1 700W ROTARY HAMMER

- 3 Adjustable operating modes: Chiselling, Rotary hammer drilling and hammering mode
- D-shaped 360° auxiliary handle, 3 position straight auxiliary handle for improved control with an Anti-vibration system and soft grip
- Lock-on button for continuous operation, complete with handy storage/carry case
- Standard accessories: 3x320mm drill bits (16, 18, 22mm), 25x350mm flat chisel, 25x350mm bull point, dust protection cap, grease and carbon brushes

MODEL NUMBER	POWER INPUT	IMPACT FORCE	IMPACT RATE	SHANK TYPE	NETT WEIGHT
RH-500	1 700W	27J	950 - 1 900bpm	SDS MAX	12.0kg

CORDED POWER TOOLS

832201610

220V POWER TOOL EXTENSION CORD - 10M - 16AMP / 1x1VP



MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
832201610	10M	1.5mm x 3mm	220V / 16Amp	0.8kg

832201620

220V POWER TOOL EXTENSION CORD - 20M - 16AMP / 1x1VP



MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
832201620	20M	1.5mm x 3mm	220V / 16Amp	1.0kg

CORDED POWER TOOLS

G-850



850W ANGLE GRINDER – 115MM

- Powerful 850 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing with a spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-850	850W	11 000min-1	115mm	M14 x 2.0	22mm	2.0kg

G-915



900W ANGLE GRINDER – 115MM

- Powerful 900 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing with a spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-915	900W	11 000min-1	115mm	M14 x 2.0	22mm	2.0kg

CORDED POWER TOOLS

G-1115D



1000W ANGLE GRINDER – 115MM

- Adjustable disc guard for easy adjustment and added safety with a spindle lock for fast and easy disc changing
- Removable carbon brush covers for the easy replacement of carbon brushes
- Supplied with a soft grip 3 position auxiliary side handle for added user comfort, safety and control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1115D	1 000W	11 000min-1	115mm/125mm	M14 x2.0	2.15kg

G-2000



2 000W ANGLE GRINDER – 230MM

- Powerful 2000 Watt motor delivers 6500rpm to handle the most demanding applications
- Lightweight design for reduced fatigue and improved control
- Three position adjustable side handle for operator convenience
- Rotatable rear handle, spindle lock for wheel changes

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2000	2 000W	6 500min-1	230mm	M14 x 2.0	22mm	4.9kg

CORDED POWER TOOLS

G-2323



2 300W ANGLE GRINDER – 230MM

- Powerful 2300 Watt motor for efficient heavy duty work
- Robust Design with auto-stop carbon brush for increased durability
- 3-position rear handle for extra comfort during various applications
- Anti-vibration auxiliary handle for less fatigue and added user comfort

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	STPINDLE HREAD	BORE SIZE	NETT WEIGHT
G-2323	2 300W	6 500min-1	230mm	M14 x 2.0	22mm	5.3kg

BG-120



120W MULTI-PURPOSE BENCH GRINDER, WITH FLEXIBLE SHAFT

- Powerful 120 Watt motor in compact size
- Includes 2 wheels, fine grit grinding wheel and fibre polishing wheel
- Handy flexible shaft attachment with variable speed control for versatility
- Adjustable eye protection shields and spark deflectors for added safety
- Ideal for deburring, grinding, polishing small parts, etc...

MODEL NUMBER	POWER INPUT	DISC SIZE	VOLTAGE	NO LOAD SPEED	BORE SIZE	NETT WEIGHT
BG-120	120W	ø75 x 20 x ø10mm	230V, 50Hz	0 – 9 900min-1	10mm	2.5kg

CORDED POWER TOOLS

HBG-6E



250W BENCH GRINDER – 150MM

- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc...
- Fitted with one fine and one coarse grinding wheel
- Fully adjustable solid tool resets for grinding control

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-6E	250W	1/3hp	2 850min-1	150mm	20mm	12.7mm	9.0kg

HBG-620



250W BENCH GRINDER, WITH LIGHT AND WHEEL DRESSER – 150MM

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces
- Wheel dressing tool cleans metal build-up from wheels to improve grinding performance
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc...

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WEEL SIZE	BORE SIZE	NETT WEIGHT
HBT-620	250W	1/3hp	2 850min-1	150mm	20mm	12.7mm	8.5kg

CORDED POWER TOOLS

HBG-825B



375W BENCH GRINDER WITH LIGHT – 200MM H/D

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces, wheel dressing tool cleans metal build-up from wheels
- Opti-view eye shield magnifies the work-piece. Sparks are deflected away from the operator
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc...

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-825B	375W	1/2hp	2 850min-1	200mm	25mm	15.88mm	17.0kg

HBGS-150



370W BENCH GRINDER SANDER – 150MM

- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc...
- Fitted with one fine and one coarse grinding wheel
- Fully adjustable solid tool resets for grinding control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	WHEEL SIZE	NETT WEIGHT
HBGS-150	370W	2 980min-1	50 x 686mm	50 x 20 x 12.7mm	10.3kg

CORDED POWER TOOLS

GG-120



80W GLUE GUN WITH CARRY CASE AND 6 GLUE STICKS

- Laminated power switch for added safety
- Fast heating
- Includes 6 glue sticks; metal stand, replacement nozzles and wrench
- Stored in a sturdy carry case

MODEL NUMBER	POWER INPUT	PREHEAT TIME	GUM FLOW	NETT WEIGHT
GG-120	80W	3 – 5mins	9 – 12g	0.27kg

HG-2000



2 000W HEAT GUN

- Temperature ranges from a low of 450°C with a 300 litre per minute airflow, to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film
- Thermal overload protection with two temperature settings for a variety of jobs

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000	2 000W	450°C | 600°C	300L/min	500L/min	0.8kg

CORDED POWER TOOLS

HG-2000K



2 000W HEAT GUN KIT WITH CARRY CASE AND A 5 PIECE ACCESSOIES

- Temperature ranges from a low of 450°C with a 300 litre per minute airflow, to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film
- Thermal overload protection with two temperature settings for a variety of jobs

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000K	2 000W	450°C | 600°C	300L/min	500L/min	0.8kg

HG-2530



2 000W HEAT GUN

- Temperature ranges from a low of 50°C with a 250 litre per minute airflow, to a high temperature of 600°C with a 500 litre per minute airflow
- Thermal overload protection with a ceramic element for longer use
- Standard accessories: Concentrator nozzle, Flat nozzle, Glass protection nozzle, Hook Nozzle, Shave hook

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2530	2 000W	50°C | 450°C | 600°C	250L/min	500L/min	0.8kg

RYOBI.

CORDED POWER TOOLS

CHT-40K



150W MINI TOOL KIT WITH FLEXIBLE SHAFT AND 42 PIECE ACCESSORIES

- The perfect machine for any hobbyist
- Fitted with a variable speed motor for the correct speed selection depending on the accessory being used
- Ideal for grinding, engraving, polishing, sanding and cutting
- External brush caps for easy, quick changing of carbon brushes
- Complete in carry case with 44 piece accessory kit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET SIZE	NETT WEIGHT
CHT-40K	150W	10 000 – 36 000min-1	2.2mm | 3.2mm	0.78kg

MP-300



300W MULTI-PURPOSE TOOL WITH CARRY CASE AND 4 PIECE ACCESSORIES

- Ideal for multiple applications such as cutting, scraping, sanding, and removing grout
- Multi-positions blade systems for setting blade at ideal angle for the work piece with no risk of slipping
- Power 300 Watt motor with 3º oscillation angle for faster and stable operation
- Quick change accessory system for quick and easy changes without wrenches
- Standard accessories: HCS Plunge cut saw blade (32mm); Rigid scraper blade; sanding base plate; sandpaper (#60, #80)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
MP-300	300W	15 000 – 22 000min-1	1.4kg

CORDED POWER TOOLS

PL-850



850W ELECTRIC HAND PLANER

- Aluminium front and rear base
- Adjustable cutting depth
- Ergonomic handle with soft grip
- Dual side dust extraction

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
PL-850	850W	17 000min-1	82mm	0 – 2.5mm	11mm	3.0kg

PL-1200



1 200W ELECTRIC HAND PLANER, WITH BENCH TOP FEATURE

- Powerful 1 200W motor, can be used as bench top with support bracket
- Ergonomic handle with soft grip
- Dust extraction port
- Adjustable cutting depth
- Aluminium base plate

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
PL-1200	1 200W	15 800min-1	110mm	0 – 35mm	14mm	5.0kg

CORDED POWER TOOLS

AP-13



2 000W PLANER - 318MM

- Height scale for accurate cutting, can plane hard and soft woods
- Power feed system (8m/min) and cutting speed ensures a quick and parallel finish
- Fitted with 2 x HSS planer blades and built in material rollers
- Safety knob built into on/off switch to prevent accidental starting
- Includes extraction shoot attachment for connection to a workshop vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	PLANING HEIGHT	FEEDING SPEED	NETT WEIGHT
AP-13	2 000W	8 000min-1	127 – 318mm	0 – 3mm	5 – 153mm	8m/min	30.5kg

JP-254L



1 500W JOINTER PLANER – 204MM

- Fast switching between planer and thicknesser in seconds
- Powerful 1500 Watt motor
- Overload Switch
- Circuit Breaker

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING WIDTH	CUTTING RANGE	FEEDING SPEED	JOINTER TABLE	PLANER TABLE	NETT WEIGHT
JP-254L	1 500W	9 000min-1	204mm	5 – 120mm	6m/min	946 x 263mm	270 x 303mm	33.0kg

CORDED POWER TOOLS

RE-1200A



1 200W ELECTRIC ROUTER – 6.35 / 8MM

- 1200 Watt motor for routing and trimming an assortment of soft and hard wood
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200A	1 200W	11 500 – 30 000min-1	8 / 6.35mm	0 - 40mm	3.7kg

RE-1200K



1 200W ELECTRIC ROUTER KIT, WITH CARRY CASE AND ACCESSORIES – 6.35 / 8MM

- 1200 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/off switch and electronic speed control built into the handles
- Standard accessories: Straight guide, template guide, 6 long life router bits in a sturdy carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200K	1 200W	11 500 – 30 000min-1	8 / 6.35mm	0 - 40mm	3.7kg

CORDED POWER TOOLS

RE-1600



1 600W ELECTRIC ROUTER

- 1600 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1600	1 600W	10 000 – 30 000min-1	12.7 / 10 / 6.35mm	0 – 60mm	4.1kg

RT-800



ROUTER TABLE

- Cast aluminium table top for greater durability
- Fully adjustable rear fence, with a built in dust extraction
- Mitre gauge adjusts to 60° in both directions
- Large clear safety guard
- Emergency stop switch for added safety

MODEL NUMBER	TABLE SIZE	TABLE HEIGHT	NETT WEIGHT
RT-800	610 x 360 x 32mm	310mm	7.5kg

CORDED POWER TOOLS

EBS-810



810W BELT SANDER – 76 x 533MM

- Ideal for finishing off wood surfaces and removes rust and finishes metal surfaces
- Can be used in a fixed inverted position
- Belt cantering adjustment to keep belt running straight
- Lock-on button for continuous operation with a quick and easy belt changes with the tension release lever
- Standard accessories: dust bag and abrasive belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
EBS-810	810W	250m/min	76 x 533mm	2.7kg

MBS-1200



1 200W BELT SANDER – 100 x 610MM

- Magnesium housing for lighter, stronger and quieter operation
- Powerful 1200 Watt industrial motor and a swivel ball cord bushing, minimises cord tangle
- Lever for quick sanding belt replacement with an integrated dust extraction system
- External brush caps for easier carbon brush changes
- Front handle allows better control and increased safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
MBS-1200	1 200W	500min-1	100 x 610mm	5.96kg

CORDED POWER TOOLS

EMBS-200



200W MINI BELT AND DISC SANDER

- Dust extraction to keep work area clean
- Tracking knob to keep belt straight
- Tension release knob for easy belt replacement
- Adjustable work tables for various table angles
- Mitre gauge for set sanding angles

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	ROTATION DISC	DISC SIZE	NETT WEIGHT
EMBS-200	200W	970m/min	25 x 762mm	400min-1	127mm	7.5kg

BDS-460



370W BELT AND DISC SANDER

- Induction motor for quiet, dependable operation
- Mitre gauge included for use on 0º - 45º pivoting table
- Tool-free belt tension release makes changing sanding belts quick and easy
- Large belt tracking knob for easy belt positioning from 0º - 90º
- Cast iron base for additional stability and less vibration with an integrated dust port for optimal dust collection

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	ROTATION DISC	DISC SIZE	NETT WEIGHT
BDS-460	370W	450m/min	100 x 914mm	2 850min-1	150mm	18.5kg

CORDED POWER TOOLS

MS-130



130W MOUSE SANDER, WITH 13 PIECE ACCESSORIES

- 130 Watt orbital mouse sander
- Soft grip handle for more comfort of use
- Triangular shaped pad for optimum sanding of corners
- Dust extraction port for clean workplace
- Soft storage bag with set of accessories for different applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
MS-130	130W	12 000min-1	1/3 sheet sanding pad (187 x 90mm)	0.93kg

S-180



180W ORBITAL SANDER – 90 x 240MM

- Powerful 180 Watt motor for sanding with ease
- 12 000min-1 sanding performance
- Dust collection bag supplied as an accessory
- Quick action clamps allows for fast paper changes
- On/Off lock for continuous operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
S-180	180W	12 000min-1	90mm x 240mm	1.7kg

CORDED POWER TOOLS

RS-380



380W RANDOM ORBITAL SANDER – 125MM

- Interchangeable sanding base system - 1/3 sheet, Delta and Random orbit, for meeting all your sanding needs
- Powerful 200 Watt motor and large orbital sanding circle for smooth finishing
- Ergonomic design handle with rubberized soft grip for increased comfort
- Dust extraction canister for efficient dust removal and improved sanding finish
- Dust sealed push-on/push-off switch for improved dust-proofness

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
RS-380	380W	6 000 – 13 000min1	125mm	1.78kg

RMS-231



200W RANDOM MULTI-FUNCTION SANDER

- Random orbital action ideal for finishing with variable speed control for sanding a wide variety of materials
- Soft grip handle for comfortable use
- Adjustable front handle to assist with guiding machine for more precise sanding
- Dust collection bag keeps work area clean, with a lock-on button for continuous operation
- Standard Accessories: Sand paper #80 and dust bag

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
RMS-231	200W	10 000min-1	1/3 sheet sanding pad (187 x 90mm) delta sanding pad (208x110mm)	2.0kg

CORDED POWER TOOLS

SP-1218



1200W SANDER POLISHER – 180MM

- Powerful 1200 Watt motor for tough jobs
- Variable speed control between 800 and 3200 min-1
- Spindle lock for quick accessory changes
- Sturdy D-shaped auxiliary handle for control and comfort
- Standard accessories: sanding pad, wool polishing bonnet and carbon brushes

MODEL NUMBER	POWER INPUT	WHEEL SIZE	NO LOAD SPEED	BORE SIZE	NETT WEIGHT
SP-1218	1 200W	180mm	800 – 3 200min-1	22mm	2.55kg

RRS-300



300W ROLLER SANDER KIT, WITH 9 PIECE ACCESSORIES

- Powerful 300 Watt motor with variable speed control for sanding a wide variety of materials
- Dust extraction hood keeps work area clean
- Quick and easy change of accessories and a soft grip handle for comfortable use
- Standard accessories: Slim polishing wheel, Wide polishing wheel, Sanding wheel, Taper sanding wheel, Slim polishing brusher and wire brusher all in neat carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
RRS-300	300W	1 600 – 3 300min-1	1.67kg

CORDED POWER TOOLS

OSB-450



450W OSCILATING SPINDLE SANDER

- Rotating and oscillating for smooth surfaces and perfect balance
- Big casting aluminium worktable for highest precision and stability
- 5pcs sanding sleeves and matching drums for maximum versatility
- 0-45° tilting table for easy chamfering and edge working
- On-board storage for rapid mode changing and convenience

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT DIAMETER	NETT WEIGHT
OSB-450	450W	2000min-1	100 x 610mm	10.5kg

PF-125K



400W POWER FILE – 9 x 457MM

- Adjustable sanding arm pivots 100° for hard to reach areas
- Narrow belt and exposed front pulley allows filling and sanding in close quarters or on irregular shapes
- Ball and needle bearing construction for smooth operation and long tool life
- Easily adjusted belt tracking with the turn of a knob, with a tool-less belt changing system for user convenience
- Standard accessories: 2 x 9mm sanding belts. Also compatible with a 13mm sanding belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZES SANDING	MAXIMUM SANDING DEPTH	NETT WEIGHT
PF-125K	400W	300 – 1 700min-1	9 x 457mm	85mm	1.5kg

RYOBI.

CORDED POWER TOOLS

BS-200



250W BANDSAW

- Table tilts from 0°-45° to allow straight cross cutting, ripping, mitre and bevel cutting
- Electromagnetic switch prevents accidental starts for better safety
- Mitre gauge allows precise angles to be cut quick and easily
- Newly designed blade guard system for precision cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING WIDTH	MAX. CUTTING DEPTH	TABLE SIZE	NETT WEIGHT
BS-200	250W	15.9m/sec	200mm	80mm	305 x 305mm	17.0kg

BS-230



350W BANDSAW

- Tilting table between 0° - 45° allows for straight cross cutting, ripping mitre & bevel cutting
- Electromagnetic switch prevents accidental starts for added safety
- Quick lock system allows for blade tension adjustments in a short amount of time
- Mitre gauge allows precise angles to be cut quick and easily with a newly designed blade guard system for precision cutting
- Maximum cutting width is 230mm and maximum cutting depth is 80mm

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
BS-230	350W	11.6 m/sec	1 575mm x 6.35mm x 0.3mm	300mm x 300mm	18.0kg

CORDED POWER TOOLS

BSI-356



1 100W BANDSAW

- Easy adjustable locking system for setting blade
- Ideal for re-sawing, ripping cutting curves, cross cutting, cutting circles or even intricate scroll patterns
- Table lock allows the table to be tilted and tightened from 0° - 45°
- Micro safety switches on upper and lower doors with a tilt scale that shows degree table is tilted

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING DEPTH	TABLE SIZE	NETT WEIGHT
BSI-356	1 100W	1 400min-1	2 490mm	200mm	760 x 720 x 1 700mm	101.0kg

MBS-1150



1 200W 2-IN-1 METAL BAND SAW

- Powerful 1200 Watt motor, with variable speed control system and safety switch
- Quick release vice clamp, 0-45º mitre cuts, free-hand use and an adjustable auxiliary handle
- Gravity feed cutting system and on/off switch
- LED work light illuminate the work area
- Ergonomic handle with soft grip for added user comfort

MODEL NUMBER	POWER INPUT	SAW BAND SPEED	SAW BAND	MITRE ANGLE	CUTTING CAPACITY	NETT WEIGHT
MBS-1150	1 200W	0.7 – 2.4m/s	M42, 13 x 0.65 x 1141mm	0 - 45°	w/o stand = 127 x 127mm, 0° w/stand = 100 x 70mm, 45° w/stand = 30 x 40mm	13.5kg

RYOBI.

CORDED POWER TOOLS

RCS-1500



1 500W CIRCULAR SAW – 185MM

- Ergonomically designed front and rear handle for maximum comfort and control and chip ejection port
- Bevel cuts from 0° - 45° with depth adjustment
- Spindle lock for quick blade changes
- 24 - Tooth carbide tipped saw blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
RCS-1500	1 500W	5 500min-1	185mm	16mm	@ 90° = 62mm @ 45° = 46mm	3.85kg

CSB-185



CARBIDE TIPPED CIRCULAR SAW BLADE – 185MM

MODEL NUMBER	BLADE TEETH COUNT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
CSB-185	24T	7 000min-1	185 x 1.8 x 16mm	0.2kg

CORDED POWER TOOLS

DCS-125



900W DUAL CUT SAW – 125MM

- Two blades simultaneously rotate in opposite directions for a more powerful cutting edge with less kick back, friction, sparks and vibration
- Can cut hard and soft metals, hard wood, PVC and plastic
- Lubrication sticks included for smooth cutting of soft metals, copper, aluminium, brass, etc...
- Aluminium upper and lower blade guard

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
DCS-125	900W	4 300min-1	125mm	3.2kg

J-650V



650W JIGSAW, WITH VARIABLE SPEED

- Powerful 650 Watt motor, with a compact and light weight design with soft grip handle
- Pendulum action with variable speed for cutting a wide variety of materials
- Angle adjustable base for bevel cutting, with built-in dust blower mechanism clears dust away from cutting line to maintain visibility
- Dust extraction port for connecting vacuum cleaner
- Standard accessories: jigsaw blade, wrench and dust nozzle

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
J-650V	650W	800 – 3 000rmin-1	Wood: 65mm, Steel: 6mm	1.8kg

CORDED POWER TOOLS

JS-80



800W JIGSAW, WITH VARIABLE SPEED AND LASER

- Tool-less blade clamp for easier and quicker blade changes, soft grip handle and 3-orbital actions for more comfort of use
- Built-in laser and dust blower mechanism for a more visible cutting line and cleaner work area
- “Power on” indicator for safer and easier use with trigger on-lock for continuous use
- Supplied with 2 blades (Wood and Metal) and a parallel guide for rip and cross cuts
- Adjustable base for 0° to 45° bevel cutting with a safety guard over the blade for added safety

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
JS-80	800W	0 – 3 000min-1	Wood: 100mm, Steel: 10mm	2.6kg

MS-210CL



1 200W COMPOUND MITRE SAW

- Ergonomic handle with soft grip for added user comfort, with a laser beam guide for precise cutting
- 24-tooth carbide-tipped saw blade for superior cutting and a large trigger safety switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
MS-210CL	1 200W	4 900min-1	210 x 16 x 2.6mm, 24T	0° x 90° @ 60 x 115mm 45° x 90° @ 25 x 115mm 0° x 45° @ 60 x 80mm 45° x 45° @ 25 x 80mm	6.3kg

CORDED POWER TOOLS

MS-210SCL



1 700W COMPOUND MITRE SAW

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system with a laser beam guide for precise cutting accuracy
- Ergonomic handle with soft grip for added user comfort and a 24-tooth carbide-tipped saw blade for superior cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
MS-210SCL	1 700W	4 700min-1	210 x 16 x 2.6mm, 24T	0° x 90° @ 65 x 340mm 0° x 45° @ 38 x 340mm 45° x 90° @ 65 x 240mm 45° x 45° @ 38 x 240mm	23.0kg

MS-255CL



1 500W COMPOUND MITRE SAW

- 24-tooth carbide-tipped saw blade for superior cutting with a laser beam guide for precise cutting
- Powerful 1 500 Watt motor and a large trigger safety switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-255CL	1 500W	5 000min-1	255 x 16 x 2.8mm, 24T	0° x 90° @ 75 x 125mm 45° x 90° @ 45 x 125mm 0° x 45° @ 75 x 85mm 45° x 45° @ 45 x 85mm	10.1kg

CORDED POWER TOOLS

MS-255SCL



2 000W COMPOUND MITRE SAW

- Easy to read scale on mitre table, mitre fence and bevel with dual slide rail system for high accuracy
- Powerful 2 000 Watt motor with a ergonomic handle with soft grip for added user comfort and laser beam guide for precise cutting
- Robust Extension supports with 48-tooth carbide-tipped saw blade for superior cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-255SCL	2 000W	4 500min-1	255 x 16 x 2.8mm, 48T	0° x 90° @ 90 x 340mm 0° x 45° @ 42 x 340mm 45° x 90° @ 90 x 240mm	14.3kg

MS-305DB



1 800W COMPOUND MITRE SAW

- Easy to read scale on mitre table, mitre fence and bevel with dual slide rail system for high accuracy
- Powerful 1 800 Watt motor and a large trigger safety switch with a laser beam guide for precise cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING CAPACITIES	NETT WEIGHT
MS-305DB	1 800W	3 800min-1	0° x 90° @ 105 x 330mm | 0° x 45° @ 105 x 240mm 45°(L) x 90° @ 60 x 330mm | 45°(L) x 45° @ 60 x 230mm 45°(R) x 90° @ 33 x 330mm | 45°(R) x 45° @ 33 x 230mm	21.3kg

CORDED POWER TOOLS

MS-2552BD



2 000W COMPOUND MITRE SAW

- Easy to read scale on mitre table, mitre fence and bevel with a dual slide rail system and laser beam guide for high accuracy
- Ergonomic D handle for added user comfort and external brush cap and a 60-tooth carbide-tipped saw blade for superior cutting
- Dual belt driven design increases vertical cutting capacity with a 30% decreases in noise and vibration

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-2552BD	1 800W	5 500min-1	255 x 16 x 2.8mm, 60T	0° x 90° @ 70 x 300mm 0° x 45° @ 40 x 300mm 45° x 90° @ 70 x 200mm 45° x 45° @ 40 x 200mm	18.2kg

MSS-3000



MITRE SAW STAND

- 227kg load capacity and 2 940mm long material support to handle the toughest jobs
- Comfortable 875mm work height with stability
- Quick tool mounts work with nearly every mitre saw and other benchtop tools
- Fast and easy snap pin set-up, which is completely portable and folds for easy transport and storage

MODEL NUMBER	WORK HEIGHT	EXTENSION LENGTH	MAX WEIGHT CAPACITY	TOOL MOUNT BRACKET LENGTH	T-TYPE MATERIAL SUPPORT SIZE	NETT WEIGHT
MSS-3000	875mm	1 100 - 2 940mm	227kg	500mm	305mm	13.2kg

CORDED POWER TOOLS

UWC-1601



QUICK MOUNT TOOL SUPPORT

- Quick action machine mounts snap into place in seconds for the attachment of various benchtop tools such as a mitre saw, table saw, drill press, band saw and thickness planer.
- Heavy-duty aluminium die cast work vice for portable tool applications.
- The router table attaches in seconds for various routing and moulding applications.

MODEL NUMBER	TOOL DIMENSIONS	NETT WEIGHT
UWC-1601	52cm x 11cm x 12cm	1.8kg

UWC-1602



QUICK MOUNT WORK VICE

- Quick action machine mounts snap into place in seconds for the attachment of various benchtop tools such as a mitre saw, table saw, drill press, band saw and thickness planer.
- Heavy-duty aluminium die cast work vice for portable tool applications.
- The router table attaches in seconds for various routing and moulding applications.

MODEL NUMBER	TOOL DIMENSIONS	NETT WEIGHT
UWC-1602	68cm x 17cm x 21cm	4.8kg

CORDED POWER TOOLS

EWC-1000



WOOD WORKING CENTRE

- Extensions support 405mm work pieces with a quick-mount tool attachment feature
- Includes work light with integrated support and large capacity quick-mount vice
- Supports work pieces up to 4.8m in length with a stable 1 700mm x 635mm stance
- 2 Outlet power centre and 2 material roller supports with flip stops
- 200mm Wheel for portability

MODEL NUMBER	WORK HEIGHT	TABLE SIZE	STABLE STANCE	NETT WEIGHT
EWC-1000	760mm	1 700 – 2 900mm	1 700 x 635mm	30.9kg

RMS-350



350W MULTI-PURPOSE RECIPROCATING SAW

- Compact and versatile for all cutting needs:
- It's a panel saw, a jig saw, a metal cutting saw, a pruning saw all in one
- Standard accessories: Wood blade, metal blade and pruner blade

MODEL NUMBER	POWER INPUT	MAX. CUTTING CAPACITY	NO LOAD SPEED	STROKE LENGTH	NETT WEIGHT
RMS-350	350W	Wood: 60mm, Metal: 6mm	2 350min-1	18mm	1.5kg

CORDED POWER TOOLS

RS-850



850W RECIPOCRATING SAW

- Powerful 850 Watt motor, with a tool-free blade clamp for quick and easy blade changes
- Adjustable grip for cutting in different directions
- Soft grip rubber front and rear handle, for safe and comfortable use
- Lock-on switch for continuous cutting operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	STROKE LENGTH	NETT WEIGHT
RS-850	850W	2 800min-1	Wood: 180mm, Metal: 10mm	28mm	2.6kg

SC-1600VL



120W SCROLL SAW, WITH VARIABLE SPEED AND LIGHT – 405MM

- Variable speed for greater control and ease of use when cutting intricate patterns
- Unique built-in light to illuminate work area
- Built-in dust clearing blower and collection port
- Table tilts 0˚-45˚ for perfect angle cutting and takes both plain and pin type blades

MODEL NUMBER	POWER INPUT	STROKE SPEED	BLADE LENGTH	DIMENSIONS	NETT WEIGHT
SC-1600VL	120W	550 – 1 700min-1	127mm	415 x 255mm	12.0kg

CORDED POWER TOOLS

HBT-255L



1 500W TABLE SAW – 254MM, 16MM BORE

- Electronic brake, with a full length fast locking side fence
- Adjustment control for blade angle and height
- Thermal overload switch protects against gear and motor damage
- Transparent guard for operator safety and includes legs

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	OF CUT DEPTH	TABLE SIZE	NETT WEIGHT
HBT-255L	1 500W	4 500min-1	254mm	@ 90º = 80mm @ 45º = 55mm	700 x 465mm	27.0kg

BT-255L



1 800W TABLE SAW - 254MM

- Powerful 1 800 Watt motor cuts through the toughest of timber with ease, robust, large aluminium work table
- Full length, fast locking, side fence and adjustable mitre gauge
- Gear transmission blade bevel adjustment system
- Safety push stick keeps hands clear of blade area
- Stand with anti-slip rubber feet provides full support and stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DIAMETER BLADE	OF CUT DEPTH	TABLE SIZE	NETT WEIGHT
BT-255L	1 800W	4 500min-1	254mm	@ 90º = 80mm @ 45º = 55mm	700 x 465mm	27.0kg

RYOBI.

CORDED POWER TOOLS

BT-256



1 500W TABLE SAW

- Powerful 1 500 Watt motor cuts through the toughest of timber with ease
- 3 extension tables provide a large working area of 977mm x 943mm
- Mitre Gauge allows precise angle to be cut quickly and easily
- Up and down torsion system for precise cutting and a stand with anti-slip rubber feet provides full support and stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
BT-256	1 500W	4 500min-1	254mm	@ 90° = 80mm @ 45° = 5mm	33.2kg

TMS-1800



1 800W FLIP-OVER TABLE SAW

- 1800 Watt powerful motor cuts hard wood with ease
- Versatile, convertible from mitre saw to table saw in seconds
- 5 positions: 0º-45º bevel angle with aluminium base and table for robust and versatile cutting work
- Laser alignment and dust extraction port for accurate and clean working
- Soft Start and electric brake for active user protection and additional machine safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE SIZE	MITRE SAW CUTTING CAPACITY:	NETT WEIGHT
TMS-1800	1 800W	4 800min-1	254 x 16 x 3.0mm, 48T	457 x 340mm	0º x 90º @ 70 x 130mm 0º x 45º @ 48 x 130mm	15.0kg

RYOBI.

CORDED POWER TOOLS

TMS-250



1 800W TABLE SAW

- Dual action cutting mitre saw and table saw in one design, quick transformation from mitre saw to table saw in seconds
- Machined aluminium large working table provides larger cutting capacities with precision
- Foldable legs with wheels for easier transportation and storage, easy accessible emergency stop button for extra safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MITRE SAW CUTTING CAPACITY	TABLE SAW CUTTING CAPACITY	BLADE DIAMETER	NETT WEIGHT
TMS-250	1 800W	4 200min-1	90°x 90° @ 65 x155mm | 90°x 45° @ 65 x 105mm 45°x 90° @ 40 x 155mm | 45°x 45° @ 40 x 105mm	@ 90° = 70mm @ 45° = 50mm	255 x 25.4 x 3mm	42.0kg

BT-254SL



1 500W SLIDE TABLE SAW

- Electro-Magnetic switch and overload switch for better safety
- Standard accessories: mitre gauge, straight fence, router fence system and push stick
- Dust extraction ports on router fence and rear table saw
- Sliding carriage can be mounted both right and left sides for smoother and more accurate cutting
- Side extensions can be locked at any position

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST EXTRACTION NOZZLE	OVERALL SIZE	BLADE DIAMETER	NETT WEIGHT
BT-254SL	1 500W	4 500min-1	40mm	1 480 x 760 x 1 100mm	254mm	48.0kg

CORDED POWER TOOLS

TCS-1065



1 800W CONTRACTORS SAW

- Heavy-duty, cast iron main table with right and left extensions provide a flat and level surface
- Double clamping aluminium rip fence for precise cutting with a maximum cut depth of 57mm at 45° and 80mm at 90°
- Heavy-duty dual castor system can be easily set with the front and rear pedals

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TABLE SAW CUTTING CAPACITY	TABLE SAW HEIGHT	BLADE DIAMETER	NETT WEIGHT
TCS-1065	1 800W	3 450min-1	@ 90º = 80mm @ 45º = 57mm	950mm	254 x 1.6mm	150.0kg

RT-1200



1 200W PLUNGE SAW

- Allows for closed-wall working up to 15mm, ideal for shadow and expansion joints
- Ergonomic, soft grip for improved handling as well as adjustable cutting depth (0 - 56mm),
- Tilting saw blade for precise mitre cuts and cutting line indicator for precision work
- Track rail features a splinter guard while the plunge saw offers a dust extraction tube for a clean and safe working environment

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	GUIDE RAIL LENGTH	BLADE DIAMETER	CUTTING DEPTH	NETT WEIGHT
RT-1200	1 200W	5 200min-1	70 or 140cm	165mm	90° w/track = 52mm 90° w/o track = 56mm 45° w/o track = 42mm	4.7kg

RYOBI.

CORDED POWER TOOLS

RT-1200T



TRACK RAIL FOR PLUNGE SAW

- Compatible with RYOBI plunge track saw RT-1200
- Precisely straight and manufactured with exacting tolerances
- Splinter guard for splinter-free clean cutting
- Includes: 2x Track Rails, 2x Rail Clamps, 1x Fastener, 1x Hex Key

MODEL NUMBER	LENGTH	WIDTH	MATERIAL	NETT WEIGHT
RT-1200T	1 400mm (700mm x 2)	180mm	Aluminium	2.0kg

RES-140



80W SPRAY GUN - 140 BAR

- Airless paint sprayer with powerful 80 Watt motor
- Flexible extension nozzle design allows for use at various angles
- Ergonomic handle with over-mould improves user comfort and grip
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc.
- Standard accessories are the flexible extension nozzle, viscosity cup and cleaning pin for nozzle

MODEL NUMBER	POWER INPUT	MAX. DELIVERY RATE	CONTAINER CAPACITY	MAX. PRESSURE	ROUND SPRAY NOZZLE	NETT WEIGHT
RES-140	80W	250ml/min	700ml	140 bar	22mm	1.7kg

CORDED POWER TOOLS

PS-900



500W ELECTRIC SPRAY GUN

- Powerful 500 Watt motor supplies constant flow of paint. 2 / 2.5 / 3mm diameter nozzles
- High Velocity Low Pressure spraying technology gives a fast, professional finish with no brush marks
- Variable paint flow control and 3 spray patterns - Horizontal, vertical or round with adjustable width to cope with a variety of surfaces
- Removable front end for easy cleaning and maintenance
- Suitable for interior and exterior use, applying water and oil-based paints, lacquers, primers, stains and wood preservative

MODEL NUMBER	POWER INPUT	NOZZLE	PAINT CUP VOL	NETT WEIGHT
PS-900	500W	2mm / 2.5mm / 3mm	900ml	1.5kg

ES-200



200W ELECTRIC STAPLER - 16MM

- Ergonomic design with soft grip
- Impact regulator for nailing or stapling on an assortment of materials
- Safety catch and On / Off mains switch prevents accidental firing
- Easy to load magazine holds up to 100 staples or nails
- Includes 100 x 150mm nails and 400 x 14mm staples

MODEL NUMBER	MAX. FIRING SPEED	NAIL SIZE	STAPLE SIZE	NETT WEIGHT
ES-200	20 shots/min	2mm wide x 15 – 16mm long x 1.25mm thick	13.3mm wide x 8 – 16mm long x 0.75mm thick	1.7kg

CORDED POWER TOOLS

TC-200



800W TILE CUTTER - 200MM

- Blade tilts from 0°- 45° for bevel cutting
- Mitre gauge for accurate mitre and compound cutting
- Complete with continuous rimmed diamond blade
- Specially designed water pump keeps tile cut cool
- Adjustable cutting length stops for precise and repetitive cuts
- Perfect for cross, mitre, bevel and compound cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
TC-200	800W	2 950min-1	200mm	28.5 kg

TCD-180



750W DRY CUT TILE SAW – 180MM

- Ergonomic design with soft grip
- Impact regulator for nailing or stapling on an assortment of materials
- Safety catch and On / Off mains switch prevents accidental firing
- Easy to load magazine holds up to 100 staples or nails
- Includes 100 x 150mm nails and 400 x 14mm staples

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE SIZE	NETT WEIGHT
TCD-180	750W	6 000min-1	180mm	332 x 500mm	14.0kg

CORDED POWER TOOLS

RWC-1350




1 350W WALL CHASER

- Powerful 1350 Watt motor with high durability
- Adjustable cutting depth
- Safety + On / Off Switch
- Dust Ejection Port
- Convenient Storage Case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	NETT WEIGHT
RWC-1350	1 350W	11 000min-1	8 / 6.35mm	4.2kg

WL-140



400W WOOD LATHE - 1000MM

- Four speed manual adjustment pulley
- 1m Distance between centres for large work pieces
- Swing over the bed is 350mm
- With spindle lock on tool rest and tail stock
- Complete with 142mm face plate

MODEL NUMBER	POWER INPUT	ROTATION FREQUENCY	CENTRE HEIGHT	NETT WEIGHT
WL-140	400W	810 / 1 180 / 1 700 / 2 480min-1	175mm	28.3kg

CORDED POWER TOOLS

WL-2000



550W WOOD LATHE - 1000MM

- Powerful 550 Watt induction motor for smooth lathing
- Four Spindle speeds for various woodturning operations
- Copy device for accurately duplicating a profile
- Stand with wheels for easy transport
- Large capacity 1m between centres and 350mm swing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CENTRE HEIGHT	NETT WEIGHT
WL-2000	550W	810 / 1 180 / 1 700 / 2 480min-1	175mm	63.0kg

RWB-100



WORK BENCH, WITH CLAMPS

- Folding support braces fold down for easy storage
- Dual clamping by means of two turn screws with locking action
- Can clamp irregular shapes using the blocks supplied
- Made from heavy duty box section steel
- Measuring scale and protractor are marked on the surface for guidance

MODEL NUMBER	OPEN DIMENSIONS	SQUARE TUBE DIMENSIONS	LOAD CAPACITY	NETT WEIGHT
RWB-100	605 x 625 x 760mm	25 x 25 x 0.7mm	100kg	5.6kg

CORDED POWER TOOLS

RWB-1200



WORK BENCH, WITH SHELF

- Feet are pre-drilled to bolt the bench in place or to fit castors
- Easy to assemble with bolts and nuts supplied
- Can take up to 600kg weight
- 18mm thick wood work top, with a 1.6mm Powder coated steel frame
- Shelf for storage, Made in South Africa

MODEL NUMBER	ASSEMBLED SIZE	CAPACITY LOAD	NETT WEIGHT
RWB-1200	900 x 600 x 1 200mm	600kg	28kg

RYOBI®



GUARANTEE
2-YEAR
GUARANTEE

CORDLESS POWER TOOLS

CS-1480



4.8V SCREWDRIVER, WITH 6 PIECE ACCESSORIES

- Soft grip handle for user comfort
- Automatic spindle lock
- Charging and battery capacity LED indicator
- Forward and reverse for effective screw fastening / loosening
- Magnetic bit holder, and LED light for working in dark places

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CS-1480	4.8V	180min-1	4.8V NICAD	3 – 5hrs	0.4kg

CLS-360U



3.6V LI-ION SCREWDRIVER, WITH USB

- 3.6V Li-ion technology provides lighter weight with more power
- 2 position twist handle, converts pistol grip to straight grip to fit any job
- Built-in overload protection and automatic spindle lock mechanism for greater control when manually screw driving
- Handy LED light to illuminate the work area when working in dark places
- Magnetic hexagonal collet allows quick bit change

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CLS-360U	3.6V	180min-1	3.6V Li-ion, 1 300mAh	3 – 5hrs	0.34kg


CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM



RYOBI.

RYOBI®



GUARANTEE
2-YEAR
GUARANTEE

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-1500



18V LI-ION 1 500mAh BATTERY PACK

- Fits RYOBI Universal Power Platform range of tools: Driver Drill XD-18, Circular Saw XCS-140, Angle Grinder XG-115, Impact Drill XHD-1820, Impact Driver XID-150, Reciprocating Saw XRS-18, Jig Saw XJ-50 and more
- Quick charging
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	NETT WEIGHT
XB-1500	Li-ion	1 500mAh	45min	0.36kg

XB-2000



18V LI-ION 2 000mAh BATTERY PACK

- Fits RYOBI Universal Power Platform range of tools: Driver Drill XD-18, Circular Saw XCS-140, Angle Grinder XG-115, Impact Drill XHD-1820, Impact Driver XID-150, Reciprocating Saw XRS-18, Jig Saw XJ-50 and more
- Quick charging, high capacity with LED fuel gauge
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	NETT WEIGHT
XB-2000	Li-ion	2 000mah	60min	0.38kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-3000



18V LI-ION 3 000mAh BATTERY PACK

- Fits RYOBI Universal Power Platform range of tools: Driver Drill XD-18, Circular Saw XCS-140, Angle Grinder XG-115, Impact Drill XHD-1820, Impact Driver XID-150, Reciprocating Saw XRS-18, Jig Saw XJ-50 and more
- High capacity
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	COMPATIBLE CHARGER	NETT WEIGHT
XB-3000	Li-ion	3 000mAh	90min	XPP-2700	0.66kg

XB-4000



18V LI-ION 4 000mAh BATTERY PACK

- Fits RYOBI Universal Power Platform range of tools: Driver Drill XD-18, Circular Saw XCS-140, Angle Grinder XG-115, Impact Drill XHD-1820, Impact Driver XID-150, Reciprocating Saw XRS-18, Jig Saw XJ-50 and more
- Quick charging with LED power level gauge
- Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-4000	Li-ion	4 000mAh	XPP-2700 XPP-9000	@ 120min @ 80min	0.70kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-6000



18V LI-ION 6 000mAh BATTERY PACK

- Fits all RYOBI Universal Power Platform range of tools
- Large capacity delivers more power and longer run-time
- Robust design against deep overloading, over-discharging, overheating and overcurrent protection
- Quick charging with LED power level gauge
- Intelligent software and hardware with enhanced communication protocol

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	COMPATIBLE CHARGER	NETT WEIGHT
XB-6000	Li-ion	6 000mAh	XPP-2700 @ 135min | XPP-9000 @ 130min | XPP-4200 (Single Battery) @ 110min | XPP-4200 (Twin Battery) @ 165min	XPP-2700, XPP-4200, XPP-9000	0.97kg

---

XB-8000



18V LI-ION 8 000mAh BATTERY PACK

- Fits all RYOBI Universal Power Platform range of tools
- Super large capacity delivers more power and longer run-time
- Intelligent software and hardware with enhanced communication protocol
- Robust design against deep overloading, over-discharging, overheating and overcurrent protection
- Quick charging with LED power level gauge

MODEL NUMBER	CELL TYPE	CAPACITY	CHARGE TIME	COMPATIBLE CHARGER	NETT WEIGHT
XB-8000	Li-ion	8 000mAh	XPP-2700 @ 200min | XPP-9000 @ 190min | XPP-4200 (Single Battery) @ 150min | XPP-4200 (Twin Battery) @ 205min	XPP-2700, XPP-4200, XPP-9000	0.99kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XPP-2700



18V LI-ION CHARGER PACK

- Quick charge
- LED indicator displays charging status
- Fits RYOBI XB-3000 3000mAh Li-ion battery pack and XB-1500 1500mAh Li-ion battery pack

MODEL NUMBER	POWER INPUT	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-2700	100-240V – 50/60HZ	XB-1500, XB-3000	XB-1500 = 45min XB-3000 = 90min	0.35kg

---

XPP-4200



18V LI-ION DUAL PORT SUPERCHARGER

- Twin battery simultaneous charging
- Suits all of the Ryobi Universal Power Platform range of tools
- LED indicator displays charging status

MODEL NUMBER	BATTERY	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-4200	18V Li-ion	XB-1500, XB-4000, XB-8000	Single battery: XB-1500 (45 min) | Dual battery: (95 min) Single battery: XB-4000 (90 min) | Dual battery: (125 min) Single battery: XB-8000 (150min) | Dual battery: ((205min)	0.62kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XPP-9000



18V LI-ION CHARGER PACK

- Quick charge
- Suits Ryobi Universal Power Platform range of tools
- LED indicator displays charging status

MODEL NUMBER	BATTERY	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-9000	18V Li-ion	XB-1500, XB-3000, XB-4000	XB-1500 = 45min XB-3000 = 90min XB-4000 = 80min	0.46kg

---

XB-1500K



18V LI-ION 1 500mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-1500K	18V Li-ion	XB-1500 Batteries (2) XPP-2700 Charger (1)	45min	1.07kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-2000K



18V LI-ION 2 000mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-2000K	18V Li-ion	XB-2000 Batteries (2) XPP-2700 Charger (1)	60min	1.1kg

---

XB-3000K



18V LI-ION 3 000mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-3000K	18V Li-ion	XB-3000 Batteries (2) XPP-2700 Charger (1)	90min	1.73kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-4000K



18V LI-ION 4 000mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-4000K	18V Li-ion	XB-4000 Batteries (2) XPP-9000 Charger (1)	80min	1.77kg

---

XB-6000K



18V LI-ION 6 000mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-6000K	18V Li-ion	XB-6000 Batteries (2) XPP-9000 Charger (1)	130min	2.04kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XB-8000K



18V LI-ION 4 000mAh BATTERY AND CHARGER PACK

- Quick charging, suits Ryobi Universal Power Platform range of tools
- Charger: LED indicator displays charging status
- Battery: Deep discharge protection

MODEL NUMBER	BATTERY	KIT INCLUDES	CHARGE TIME	NETT WEIGHT
XB-8000K	18V Li-ion	XB-8000 Batteries (2) XPP-9000 Charger (1)	190min	2.06kg

---

XD-180



18V LI-ION CORDLESS DRIVER DRILL KIT 10MM, WITH BATTERY AND CHARGER

- Ergonomically compact design
- Heavy duty motor and gear box
- Includes: charging connector and battery pack
- 21 + 1 torque setting with variable speed
- LED work light

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XD-180	18V Li-ion (XB-1500, XB-3000, XB-4000)	10mm	Wood: 19mm, Steel: 8mm	0 – 400 / 0 – 1 500min-1	1.3kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XLD-1860K



18V LI-ION CORDLESS IMPACT DRIVER DRILL KIT – 13MM , WITH 2 BATTERIES AND CHARGER

- Sturdy aluminium case with 160-piece accessories for various jobs
- Heavy duty motor with 2x 1500mAh batteries
- 2-speed gear box with impact function, variable speed, and 21+drill+impact torque settings
- LED work light & belt clip

MODEL NUMBER	NO LOAD SPEED	CHUCK CAPACITY	DRILLING CAPACITY	CHARGE TIME	NETT WEIGHT
XLD-1860K	0 - 500 / 1 500min-1	13mm	Steel: 10mm, Wood: 35mm, Concrete: 10mm	45min	1.2kg

---

XHD-1820K



18V LI-ION CORDLESS IMPACT DRILL KIT -13MM, WITH 1 BATTERY AND CHARGER

- Built-in high efficiency impact mechanism
- Heavy duty motor and gear box delivers 40Nm of torque
- 21+1 torque setting with variable speed
- Robust 13mm self-locking drill chuck
- LED work light

MODEL NUMBER	BATTERY	NO LOAD SPEED	DRILLING CAPACITY	IMPACT RATE	CHUCK CAPACITY	NETT WEIGHT
XHD-1820K	18V Li-ion	0 - 400 / 1 500min-1	Steel: 10mm, Wood: 35mm, Concrete: 10mm	0 - 5 120 / 19 200min-1	13mm keyless	1.6kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XG-115K



18V LI-ION CORDLESS ANGLE GRINDER KIT, WITH 1 BATTERY AND CHARGER

- Heavy duty motor with soft start
- Safety slide switch and spindle lock for faster disc changing
- Adjustable disc guard for added safety
- 3-Position vibration proof auxiliary handle with soft grip

MODEL NUMBER	NO LOAD SPEED	DIAMETER BLADE	SPINDLE THREAD	CHARGE TIME	NETT WEIGHT
XG-115K	8 000min-1	115mm	M14	45 – 90mins	1.9kg

XAC-005



18V LI-ION CORDLESS AIR COMPRESSOR

- Portable, high-performance cordless compressor with 5L tank delivers air up to 8bar
- Perfect for powering pneumatic tools and handling inflation needs
- Accurate and consistent locking regulator keeps the intended air pressure setting
- Universal push-to-connect quick coupler allows for quick 1 hand operation
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PUMP SPEED	PUMP TYPE	TANK CAPACITY	FILLING TIME	NETT WEIGHT
XAC-005	18V Li-ion	2 600min-1	Oil-Free	5L	50sec	10.5kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XAI-8800



18V LI-ION CORDLESS AIR INFLATER

- Ideal for inflating car, motorcycle, bicycle tyres and balls
- Easy view pressure gauge
- Includes extension tube and 3 nozzle adaptors
- **Excludes battery and charger**

MODEL NUMBER	MAX AIR PRESSURE	MAX AIR FLOW	WORKING TIME	NETT WEIGHT
XAI-8800	8 bar (116psi)	8L/min	30mins (XB-3000)	0.8kg

XID-150



18V LI-ION CORDLESS IMPACT DRIVER DRILL – 1/4"HEX

- Ergonomic handle design and lock on button for increased user comfort
- Retractable kickstand to avoid damage on the work piece surface, with a large 8mm rebate capacity
- Aluminium front base for precision and light weight
- Dual left and right deflection ports keep work are clean
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
XID-150	18V Li-ion (XB-1500, XB-3000, XB-4000)	0 – 2 200min-1	Hex 6.35mm	Screw: 6.35mm, Bolt: 6.35mm	1.1kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XD-18



18V LI-ION CORDLESS DRIVER DRILL – 10MM

- Ergonomically compact designed shell with soft grip for increased comfort
- Heavy duty motor and gear box for longer tool life
- 16 + 1 torque setting with variable speed for various jobs
- LED light to illuminate work area
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	MAX CHUCK CAPACITY	NO LOAD SPEED	MAX TORQUE	NETT WEIGHT
XD-18	18V Li-ion	10mm	0 - 400min-1/ 0 – 1 200min-1	22 Nm	1.0kg

---

XHD-1820



18V LI-ION CORDLESS IMPACT DRILL – 13MM

- Built-in high efficiency impact mechanism
- Heavy duty motor and gear box
- 21+1 torque setting with variable speed
- LED work light
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	MAX CHUCK CAPACITY	MAX DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XHD-1820	18V Li-ion (XB-1500, XB-3000, XB-4000)	13mm keyless	Wood: 19mm, Steel: 8mm	0 – 400 / 0 – 1 500min-1	1.2kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XIW-3100



18V LI-ION CORDLESS IMPACT WRENCH

- Durable high-performance motor
- LED work light
- High efficiency - up to 3000 impacts per minute
- 1/2" square drive with hog ring socket detention
- **Excludes battery and charger**

MODEL NUMBER	BIT SHANK SIZE	FASTENING CAPACITY	FASTENING TORQUE	NO LOAD SPEED	IMPACT RATE	NETT WEIGHT
XIW-3100	1/2" Sq	BOLT M14 - M32 BOLT	310Nm	0 - 2 200min-1	0 - 3 000min-1	1.7kg

---

XIW-4000



18V LI-ION CORDLESS IMPACT WRENCH

- Durable high performance motor offering 400Nm fastening torque
- Convenient LED work light and belt hook for easy portability
- High efficiency - up to 3200 impacts per minute
- 1/2" square drive with hog ring socket detention
- **Excludes battery and charger**

MODEL NUMBER	BIT SHANK SIZE	NO LOAD SPEED	IMPACT RATE	FASTENING CAPACITY	FASTENING TORQUE	NETT WEIGHT
XIW-4000	1/2" Sq	0 - 2 400min-1	0 - 3 200min-1	BOLT M14 - M32 BOLT	400Nm	1.82kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XG-115



18V LI-ION CORDLESS ANGLE GRINDER – 115MM

- Quick adjust wheel guard
- Heavy duty motor and safety slide switch
- Spindle lock for faster disc changing
- Adjustable disc guard for easy adjustment and added safety
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	DIAMETER BLADE	NETT WEIGHT
XG-115	18V Li-ion (XB-1500, XB-3000, XB-4000)	7 000 min-1	115mm	1.6kg

---

XCG-18



18V LI-ION CORDLESS CAULKING GUN

- Auto Reverse Function prevents dripping or overflow on trigger release
- Max push force up to 2000Nm for higher viscosity caulking materials
- Well-balanced design with soft grip handle for increased user comfort
- LED light for better visibility in dark areas
- **Excludes battery and charger**

MODEL NUMBER	FEED SPEED	LOADING CAPACITY	BATTERY	CHARGE TIME	NETT WEIGHT
XCG-18	⩽0.5 - 6.0mm/s	300ml	18V Li-ion (XB-1500, XB-3000, XB-4000)	45min	1.5kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XMS-2400



18V LI-ION CORDLESS MOUSE SANDER, WITH 6 PIECE ACCESSORIES

- Easily fits in tight spaces
- Orbital action
- Velcro base pad
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PAD SIZE	NO LOAD ORBIT	NETT WEIGHT
XMS-2400	18V Li-ion	140 x 140 x 80mm	12 000min-1	0.9kg

XMP-18



18V LI-ION CORDLESS MULTI-PURPOSE TOOL

- Ideal for multiple applications such as cutting, scraping, sanding, etc.
- Wide range oscillating rate for optimum control
- Multi-position blade system to suit any application without slipping
- Powerful motor with 3.2° oscillating angle and auxiliary handle
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	OSCILLATING ANGLE	NETT WEIGHT
XMP-18	18V Li-ion (XB-1500, XB-3000, XB-4000)	5 000 - 19 000min-1	3.2°	0.96kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XTS-18



18V LI-ION CORDLESS 3-IN-1 MULTI SANDER

- Three interchangeable sanding pads for versatile application
- Velcro pad for quick sanding paper change
- Superlight and compact design for ease of use
- Soft grip for comfort
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PAD SIZE	NO LOAD ORBIT	ORBIT CAPACITY	NETT WEIGHT
XTS-18	18V Li-ion	140 x 140 x 80mm	7 000 - 12 000min-1	1.6mm	1.0kg

---

XBS-18



18V LI-ION CORDLESS BELT SANDER

- 6-Position sanding belt speed setting in the range of 120-350m/min to suit various sanding materials
- Angle adjustable front handle and ergonomic rear handle with soft grip for added user comfort
- Tool free belt release for quick and easy belt changes
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
XBS-18	18V Li-ion	120 - 350m/min	76 x 457mm	2.4kg

RYOBI | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XRS-125



18V LI-ION CORDLESS RANDOM SANDER – 125MM

- Compact design handle for user's easy grasp
- Random orbit action for smooth finishing with 6000 - 12000rpm 6-step adjustable speed
- Dust collection box for a cleaner working environment
- Includes 6 sanding papers: 2x ø60, 2x ø120 and 2x ø240
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PAD SIZE	DIAMETER OF ORBIT	NO LOAD SPEED	NETT WEIGHT
XRS-125	18V Li-ion	125mm	2mm	6 000 - 12 000rpm	1.22kg

XP-18



18V LI-ION CORDLESS PLANER

- Ergonomic handle design and lock on button for increased user comfort
- Retractable kickstand to avoid damage on the work piece surface, with a large 8mm rebate capacity
- Aluminium front base for precision and light weight
- Dual left and right deflection ports keep work are clean
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
XP-18	18V Li-ion (XB-1500, XB-3000, XB-4000)	16 000min-1	82mm	1.5mm	8mm	2.8kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XCS-165



18V LI-ION CORDLESS CIRCULAR SAW – 165MM

- High performance, heavy duty motor
- Single beam laser guide
- 45-degree bevel cut
- Large front handle
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	DIAMETER BLADE	NETT WEIGHT
XCS-165	18V Li-ion	4 000min-1	@ 90º = 52mm @ 45º = 36mm	155mm	2.4kg

---

XCSS-210



18V LI-ION CORDLESS SLIDING MITRE SAW – 210MM

- Laser alignment for accurate cutting
- Dual sliding rail design for cutting large work pieces easier
- Ergonomic D handle with soft grip for increased user comfort
- Standard accessories: Wrench, Clamp, Dust bag
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	BLADE SIZE	CUTTING CAPACITY	NETT WEIGHT
XCSS-210	18V Li-ion	3 000rpm	210 x 1.8 x 16mm, 40T	0° x 90° @ 70mm x 220mm | 45° x 90° @ 70mm x 155mm 0° x 45° @ 35mm x 220mm | 45° x 45° @ 35mm x 155mm	10.5kg

RYOBI | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XGG-18A



18V LI-ION CORDLESS GLUE GUN, WITH 3 PIECE ACCESSORIES

- Quick heat up to working temperature in 40 seconds
- Automatic power-off if no use over 5 minutes to stop drip of glue
- LED status indicator to show Power-On and Ready
- 3-Pieces glue sticks included
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PRE-HEAT TIME	NOZZLE SIZE	GLUE STICK SIZE	NETT WEIGHT
XGG-18A	18V Li-ion (XB-1500, XB-3000, XB-4000)	40sec	ø2mm	ø11mm	0.28kg

---

XRH-2020



18V LI-ION CORDLESS ROTARY HAMMER

- SDS-plus bit system
- Powerful and efficient pneumatic hammering mechanism
- Compact and well-balanced design
- **Excludes battery and charger**

MODEL NUMBER	CHUCK TYPE	NO LOAD SPEED	NO LOAD IMPACT RATE	IMPACT ENERGY	CAPACITIES	FUNCTION	NETT WEIGHT
XRH-2020	SDS-plus	0 - 1 100min-1	0 - 5 200min-1	2J	Wood: 30mm, Steel: 13mm, Concrete: 20mm	2-mode	2.1kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XRS-18



18V LI-ION CORDLESS RECIPROCATING SAW

- Ideal for inflating car, motorcycle, bicycle tyres and balls
- Easy view pressure gauge
- Includes extension tube and 3 nozzle adaptors
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
XRS-18	18V Li-ion (XB-1500, XB-3000, XB-4000)	2 700min-1	Wood: 50mm, Metal: 6mm, Aluminium: 10mm	1.5kg

---

XJ-80



18V LI-ION CORDLESS JIG SAW – 20MM

- Variable speed for various cutting applications and ergonomic handle design with soft grip for more user comfort
- 4 position orbital cutting action for fast efficient cutting
- Tool free blade holder for quick and easy blade changes
- Dust extraction port for clean work place
- **Excludes battery and charger**

MODEL NUMBER	STROKE LENGTH	STROKE SPEED	MAX CUTTING CAPACITY	NETT WEIGHT
XJ-80	20mm	0 - 2 500min-1	Wood: 80mm, Steel: 6mm, Plastic: 12mm	1.2kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBV-18



18V LI-ION CORDLESS BLOWER VACUUM

- Compact and lightweight design with ergonomic soft grip handle for increased user comfort
- Rotatable handle for fast transition between blower and vacuum modes
- Lock on switch for less fatigue in continuous use
- 7-position adjustable speed for optimum control in various jobs
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	AIR SPEED	VACUUM	NETT WEIGHT
XBV-18	18V Li-ion (XB-1500, XB-3000, XB-4000)	65m/s	4.5kPa	1.1kg

---

XHG-18



18V LI-ION CORDLESS HEAT GUN

- Innovative cellular heating technology and electronic control for professional applications with scald-proof sleeve to quick release hot nozzle safely
- Compact and lightweight with ergonomic soft grip handle for added user comfort and easy handling
- LED light for work area illumination and hanging hook for convenient carrying and storage
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	TEMPERATURE	MAX AIR FLOW	NETT WEIGHT
XHG-18	18V Li-ion	500ºC	200L/min	0.6kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XNS-1800



18V LI-ION CORDLESS NAILER STAPLER

- No compressors, hoses or gas cartridges required
- Nail jammed or empty indicator
- Nailing depth adjustment dial
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NAIL SPEED	MAGAZINE CAPACITY	MAX LENGTH	NETT WEIGHT
XNS-1800	18V Li-ion	30shots/min	100pcs	40mm @ 18GA light duty staple 50mm @ 18GA brad nail	2.7kg

---

XNS-18



18V LI-ION CORDLESS STAPLER AND NAILER

- Contact firing safety switch, prevents misuse and accidental firing
- Adjustable firing impact power for staple/nail for various material density
- Nail empty window, easy jam clear mechanism, and LED light for accurate nail positioning
- No-mar nose tip, avoids damage to wood surfaces
- **Excludes battery and charger**

MODEL NUMBER	FIRING SPEED	MAGAZINE CAPACITY	STAPLE SPECIFICATION	NAIL SPECIFICATION	NETT WEIGHT
XNS-18	<20pcs/min	100pcs	15 - 22mm, 18 Gauge Crown width: 5.7mm	15 - 32mm, 18 Gauge	2.1kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XHP-18



18V LI-ION CORDLESS HIGH PRESSURE WASHER

- Easy clean cordless high pressure washer
- 360° Rotatable nozzle
- High or low pressure mode
- Standard Accessories: Short lance, Normal nozzle, Soap bottle
- **Excludes battery and charger**

MODEL NUMBER	POWER	PRESSURE NORMAL	FLOW RATE	NETT WEIGHT
XHP-18	200W	High pressure mode: 23 bar; Sprayer mode: 5 bar	High pressure mode: 120l/h; Sprayer mode : 170l/h	1.4kg

---

XSG-18



18V LI-ION CORDLESS SPRAY GUN

- HVLP spraying technology gives a fast and professional finish
- Variable paint flow control and 3 spray patterns cope with a variety of surfaces
- Detachable spray head makes cleaning and maintenance easier
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc..
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	PAINT CUP VOLUME	FLOW MAX.	VISCOSITY MAX	NETT WEIGHT
XSG-18	18V Li-ion	1 000ml	600ml/min	85 - 100DIN-s	1.1kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XVC-18



18V LI-ION CORDLESS VACUUM CLEANER

- Strong suction power
- Soft grip handle for more user comfort
- Standard accessories: Extension tube, Floor nozzle, Crevice nozzle
- **Excludes battery and charger**

MODEL NUMBER	FILTER TYPE	DUST CUP CAPACITY	MAX VACUUM	NETT WEIGHT
XVC-18	fabric	500ml	3.8kPa	1.2kg

XWT-18



18V LI-ION CORDLESS WORK TORCH

- Compact, lightweight design for minimum user fatigue
- Torch head pivots 90° vertically for various working situations
- Retractable hanging hook for added versatility for transportation and hands-free use
- **Excludes battery and charger**

MODEL NUMBER	VOLTAGE	OUTPUT POWER	LUMIOUS FLUX	LED TYPE	HEAD PIVOT	NETT WEIGHT
XWT-18	DC 18V	1W	100lm	SMD2835	90°	0.23kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XWL-1800



18V LI-ION CORDLESS LED WORK LIGHT

- Ideal for work sites, camping grounds, disaster areas, power outages and more
- High brightness, 2000 lumens max
- 2 level, adjustable brightness
- 360º rotating base with pivoting head.
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	BRIGHTNESS	COMPATIBLE CHARGER	COMPATIBLE BATTERY	NETT WEIGHT
XWL-1800	18V Li-ion	900 / 1 800lm	XPP-2700	XB-1500 or above	1.5kg

---

XB-18



18V LI-ION CORDLESS BARISTA

- Brews one 240ml cup of coffee in 5 minutes
- No paper filters needed; permanent drip filter allows grounds to be poured directly into the Barista
- Compatible with single-serve packs or pre-ground coffee
- Carry handle for easy transport
- **Excludes battery and charger**

MODEL NUMBER	VOLTAGE	BREWING TIME	COMPATIBLE CHARGER	COMPATIBLE BATTERY	NETT WEIGHT
XB-18	DC 18V	5min (1 cup)	XPP-2700	XB-3000 or above	1.4kg

RYOBI®



GUARANTEE
2-YEAR
GUARANTEE

CORDLESS BRUSHLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBG-115



18V LI-ION CORDLESS BRUSHLESS ANGLE GRINDER

- BRUSHLESS technology delivers longer life, more power and more run-time
- 6-Step speed adjustment for improved application control
- Tool-less wheel guard provides quick adjustment of the guard position
- Unique design heat emission outlet with dust-proof mesh
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	DISC SIZE	BORE SIZE	NETT WEIGHT
XBG-115	18V Li-ion	3 000 - 8 500min-1	115mm	M14	1.56kg

XBCS-185



18V LI-ION CORDLESS BRUSHLESS CIRCULAR SAW

- High-performance, heavy-duty motor
- Aluminium base
- 45-degree bevel cut
- Large front handle
- **Excludes battery and charger**

MODEL NUMBER	BLADE SIZE	BLADE BORE DIAMETER	CUTTING CAPACITIES	DUST EXTRACTION	NETT WEIGHT
XBCS-185	185mm	20mm	@ 90° = 62mm @ 45° = 43mm	ø35mm	1.4kg

CORDLESS BRUSHLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBDG-25



18V LI-ION CORDLESS BRUSHLESS DIE GRINDER

- BRUSHLESS technology delivers longer life, more power and more run-time
- 6-Step speed adjustment for improved application control
- Unique design heat emission outlet with dust-proof mesh
- Ergonomic neck grip for comfort and control
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	COLLECT SIZE	MAX GRINDING CAPACITY	NETT WEIGHT
XBDG-25	18V Li-ion	8 000 - 25 000rpm	6mm	25mm	1.35kg

XBID-18



18V LI-ION CORDLESS BRUSHLESS DRIVER DRILL

- BRUSHLESS technology delivers longer life, more power and run-time
- 21+1 torque setting with variable speed and Forward / Reverse
- Built-in high efficiency impact mechanism
- LED light for better visibility in dark areas
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	CHUCK CAPACITY	NO LOAD SPEED	DRILLING CAPACITY	MAX. TORQUE	NETT WEIGHT
XBID-18	18V Li-ion	13mm	0 - 500 / 0 – 2 000min-1	Steel: 8mm, Concrete: 10mm, Wood: 25mm	60Nm	1.3kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS BRUSHLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBSP-180



18V LI-ION CORDLESS BRUSHLESS SANDER POLISHER

- BRUSHLESS technology delivers longer life, more power and run-time
- Ergonomic handle design with soft grip for more user comfort
- Variable speed with a soft start
- Standard Accessories: Wool pad, Polisher pad, "D" type Aux handle, Sanding paper
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	DISC SIZE	BORE SIZE	NETT WEIGHT
XBSP-180	18V Li-ion	1 000 – 3 000rpm	180mm	M14	1.43kg

XBRH-18



18V LI-ION CORDLESS BRUSHLESS ROTARY HAMMER

- BRUSHLESS technology delivers longer life, more power and run-time
- 21+1 torque setting with variable speed and Forward / Reverse
- Built-in high efficiency impact mechanism
- LED light for better visibility in dark areas
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	NO LOAD IMPACT RATE	MAX CUTTING CAPACITY	NETT WEIGHT
XBRH-18	18V Li-ion	0 – 1 200rpm	0 – 5 300bpm	Concrete: 26mm, Steel: 13mm, Wood: 30mm	2.5kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS BRUSHLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBR-18



18V LI-ION CORDLESS BRUSHLESS 3-IN-1 ROUTER

- BRUSHLESS technology delivers longer life, more power and more run-time
- Versatile, featuring router, trimmer and die grinder
- Electronic controller for optimum rotation speed for a variety of jobs
- Quick-release, micro adjustment with easy-to read depth scale and twin LED work lights for precision work
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	COLLECT SIZE	MAX PLUNGE DEPTH	NETT WEIGHT
XBR-18	18V Li-ion	8 000 – 26 000min-1	6.35mm / 8mm	55mm	2.4kg

---

XBOP-18



18V LI-ION CORDLESS BRUSHLESS RANDOM ORBITAL POLISHER

- BRUSHLESS technology delivers longer life, more power and more run-time
- 6-step speed adjustment with soft start for various polishing applications and longer gear life
- Ergonomic front grip and 2-position auxiliary handle for better handling
- Velcro backing plate for easy change of attachments
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	NO LOAD ORBIT RATE	DISC SIZE	NETT WEIGHT
XBOP-18	18V Li-ion	0 - 4 700rpm	0 - 9 400min-1	150mm	2.0kg

RYOBI | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS BRUSHLESS POWER TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBP-18



18V LI-ION CORDLESS BRUSHLESS HAND PLANER

- BRUSHLESS technology delivers 70% longer life, more power and more run-time
- Aluminium front shoe for precision and light weight
- Retracting rear stand to avoid damage to the work surface
- Large 12mm rebate capacity
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	PLANNING WIDTH	PLANNING DEPTH	REBATE DEPTH	NETT WEIGHT
XBP-18	18V Li-ion	15 000min-1	82mm	0 - 2mm	12mm	2.3kg

BL MOTOR

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM


RYOBI
GUARANTEE
2-YEAR
GUARANTEE

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBL-200



18V LI-ION CORDLESS BLOWER

- HVLP spraying technology gives a fast and professional finish
- Variable paint flow control and 3 spray patterns cope with a variety of surfaces
- Detachable spray head makes cleaning and maintenance easier
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc.
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	AIR SPEED	COMPATIBLE BATTERY	NETT WEIGHT
XBL-200	18V Li-ion	14 000min-1	200km/h	XB-1500, XB-2000, XB-3000, XB-4000	1.3kg

---

XBPS-1200



18V LI-ION CORDLESS BACKPACK SPRAYER

- Easy fill, translucent 12L tank with 2-mode adjustable flow rate and working pressure
- Ergonomic thick padded support with padded shoulder straps and waistband
- Convenient battery fuel gauge to indicate remaining battery status
- Telescopic lance with adjustable spray angle and continuous spray slide lock
- **Excludes battery and charger**

MODEL NUMBER	VOLTAGE	CAPACITY TANK	WATER FLOW RATE	WORKING MAX PRESSURE	NETT WEIGHT
XBPS-1200	18V	12L	1 060 / 1 200ml/min	3.5 / 5 bar	3.8kg

RYOBI | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XCS-100



18V LI-ION CORDLESS ONE HAND CHAIN SAW - 100MM

- BRUSHLESS technology delivers longer life, more power and more run-time
- 6-Step speed adjustment for improved application control
- Unique design heat emission outlet with dust-proof mesh
- Ergonomic neck grip for comfort and control
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	BAR LENGTH	CHAIN SPEED	COMPATIBLE BATTERY	NETT WEIGHT
XCS-100	18V Li-ion	100mm	4m/s	XB-1500 or above	1.35kg

XCS-254



18V LI-ION CORDLESS CHAIN SAW – 254MM

- Super light-weight and compact design for ease of use
- Tool free tensioning for fast chain adjustments
- Automatic chain oiling system for longer chain life
- Patented mechanical chain brake for added user safety
- **Excludes battery and charger**

MODEL NUMBER	GUIDE BAR	CHAIN SPEED	OIL TANK CAPACITY	COMPATIBLE BATTERY	COMPATIBLE CHARGER	NETT WEIGHT
XCS-254	254mm (10") bar	6.0m/s	180ml	XB-4000, XB-6000, XB-8000	XPP-2700, XPP-9000	3.5kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XF-18



18V LI-ION CORDLESS FOGGER

- Ideal for epidemic prevention, pest control, crop protection, weeding, etc.
- Adjustable flow rate of 0-200ml per minute
- Fine atomized particles reach up to 5m3 and up to 1000m2 with a 2Ah battery pack
- Lightweight and portable design with shoulder strap for ease of use, with dual action trigger switch for added safety
- **Excludes battery and charger**

MODEL NUMBER	COMPATIBLE BATTERY	CAPACITY TANK	DELIVERY FLOW RATE	ATOMIZED COVERAGE	NETT WEIGHT
XF-18	XB-1500 or above	2L	0 - 200ml/min	5m	2.5kg

XHS-18



18V LI-ION CORDLESS PRUNER AND HEDGE SHEAR

- BRUSHLESS technology delivers longer life, more power and run-time
- 21+1 torque setting with variable speed and Forward / Reverse
- Built-in high efficiency impact mechanism
- LED light for better visibility in dark areas
- **Excludes battery and charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	CUTTING	COMPATIBLE BATTERY	NETT WEIGHT
XHS-18	18V Li-ion	1 300min-1	Length: 200mm, Width: 100mm	XB-1500 or above	0.62kg - 0.73kg

RYOBI | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XHT-510



18V LI-ION CORDLESS HEDGE TRIMMER – 510MM

- 180º rotatable rear handle with soft grip for added user control and comfort
- 510mm blade length and dual action blades for a cleaner, faster cut up to 14mm capacity
- Double action safety switch, blade brake and transparent safety guard for improved user safety
- **Excludes battery and charger**

MODEL NUMBER	NO-LOAD SPEED	BLADE LENGTH	CUTTING LENGTH	MAX. CUTTING WIDTH	NETT WEIGHT
XHT-510	1 200rpm	510mm	510mm	15mm	2kg

XJB-150



18V LI-ION CORDLESS JET FAN BLOWER

- Turbo boost function for an on-demand increase in intensity of power
- Variable speed switch for greater control of airflow
- Extra extension nozzle adjusts to operator's height for maximum comfort and less fatigue
- **Excludes battery and charger**

MODEL NUMBER	STANDARD AIR SPEED	STANDARD AIR VOLUME	TURBO AIR SPEED	TURBO AIR VOLUME	NETT WEIGHT
XJB-150	36 – 108km/h	114 – 336m3/h	151km/h	468m3/h	2.5kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XLT-240



18V LI-ION CORDLESS LINE TRIMMER – 240MM

- Light weight and compact design for ease of use
- Telescopic aluminium shaft to operator's height for maximum comfort
- 7-position pivoting head tilts to accommodate hard to trim areas
- Head rotates 180-degrees for edging along sidewalks and driveways
- **Excludes battery and charger**

MODEL NUMBER	NO-LOAD SPEED	CUTTING PATH	CUTTING LENGTH	COMPATIBLE BATTERY	NETT WEIGHT
XLT-240	10 000min-1	240mm	510MM	XB-1500 or above	1.7kg

XPCS-18



18V LI-ION CORDLESS POLE CHAIN SAW

- Telescopic shaft adjusts to operator's height for various cutting jobs
- 0 to 45 degree 4-position angle adjustable head for maximum comfort
- Automatic chain oiling for longer chain and bar life with Tool-free chain tension adjustment for quick and easy chain tensioning
- Ergonomic handle with shoulder strap for added user comfort
- **Excludes battery and charger**

MODEL NUMBER	CHAIN SPEED	CAPACITY OIL TANK	LENGTH TOTAL	VOLTAGE	COMPATIBLE BATTERY	NETT WEIGHT
XPCS-18	5m/s	100ml	2.35m	18V	XB-1500 or above	3.0kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XPPH-18



18V LI-ION CORDLESS POLE PRUNER AND HEDGER

- Telescopic shaft adjusts to working height for various cutting jobs
- Angle adjustable cutting heads for maximum comfort
- Pole Pruner: Tool-free chain tension adjustment
- Pole Hedger: Dual action, laser cut blades for sharp and cleaner cut
- **Excludes battery and charger**

MODEL NUMBER	POLE LENGTH	CUTTING DIAMETER	CUTTING LENGTH	GUIDE BAR LENGTH	COMPATIBLE BATTERY	NETT WEIGHT
XPPH-18	1.86m	16mm (Pole Hedger)	410mm	200mm (Pole Pruner)	XB-1500 or above	6.1kg

---

XPS-18



18V LI-ION CORDLESS PRESSURE SPRAYER

- 3.5L removable tank for easy clean up and easy level check
- User-friendly integrated measuring cup, lance and spray nozzle
- Various mode selection ensures ultimate performance in a variety of applications
- Modern and ergonomic design with large soft grip handle and shoulder belt for more user comfort
- **Excludes battery and charger**

MODEL NUMBER	VOLTAGE	CAPACITY TANK	WATER FLOW RATE	WORKING MAX PRESSURE	COMPATIBLE BATTERY	NETT WEIGHT
XPS-18	18V	3.5L	500ml/min	2 bar	XB-1500 or above	1.7kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XRM-18



18V LI-ION CORDLESS REEL MOWER – 380MM

- 5 Precision-ground cutting blades with scissor action for precise, clean cut with no brown tips
- Can be hand driven when battery is empty
- Foldable handle for easy transportation, with 4-level cutting height adjustment 14, 23, 32, 38mm
- Dual action safety switch
- **Excludes battery and charger**

MODEL NUMBER	NO-LOAD SPEED	CUTTING WIDTH	COLLECTION BAG CAPACITY	COMPATIBLE BATTERY	NETT WEIGHT
XRM-18	890min-1	380mm	45L	XB-1500 or above	11.37kg

XBL-200K



18V LI-ION CORDLESS BLOWER KIT, WITH 1 BATTERY AND CHARGER

- Compact and lightweight design for minimum user fatigue
- Soft grip handle for increased user comfort
- Quick detachable tube for convenient storage

MODEL NUMBER	NO LOAD SPEED	AIR SPEED	COMPATIBLE BATTERY	INCLUDES	NETT WEIGHT
XBL-200K	14 000min-1	200km/h	XB-1500 or above	XB-2000 and XPP-2700	1.3kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XHT-510K



18V LI-ION CORDLESS HEDGE TRIMMER KIT, WITH 1 BATTERY AND CHARGER

- 180º rotatable rear handle with soft grip for added user control and comfort
- 510mm blade length and dual action blades for a cleaner, faster cut up to 14mm capacity
- Double action safety switch, blade brake and transparent safety guard for improved user safety

MODEL NUMBER	NO-LOAD SPEED	BLADE LENGTH	CUTTING LENGTH	MAX. CUTTING WIDTH	INCLUDES	NETT WEIGHT
XHT-510K	1 200rpm	510mm	510mm	15mm	XB-2000 and XPP-2700	2kg

XLT-240K



18V LI-ION CORDLESS LINE TRIMMER KIT, WITH 1 BATTERY AND CHARGER

- Light weight and compact design for ease of use
- Telescopic aluminium shaft to operator's height for maximum comfort
- 7-position pivoting head tilts to accommodate hard to trim areas
- Head rotates 180-degrees for edging along sidewalks and driveways

MODEL NUMBER	NO-LOAD SPEED	CUTTING PATH	COMPATIBLE BATTERY	INCLUDES	NETT WEIGHT
XLT-240K	10 000min-1	240mm	XB-1500 or above	XB-2000 and XPP-2700	1.7kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XGK-001



18V LI-ION CORDLESS BLOWER AND LINE TRIMMER KIT, WITH 1 BATTERY AND CHARGER

- Compact and lightweight designs for minimum user fatigue
- Soft grip handles for increased user comfort
- Blower has a quick detachable tube for convenient storage
- Trimmer has a telescopic aluminium shaft with a 7-position pivoting head which tilts to accommodate hard to trim areas.
- Head rotates 180-degrees for edging on sidewalks and driveways

MODEL NUMBER	NO LOAD SPEED	CUTTING PATH ON TRIMMER	AIR VOLUME ON BLOWER	INCLUDES	NETT WEIGHT
XGK-001	Blower: 14 000min-1 Trimmer: 10 000min-1	240mm	230m3/h	XB-2000 and XPP-2700	3.0kg

---

XF-18K



18V LI-ION CORDLESS FOGGER KIT, WITH 1 BATTERY AND CHARGER

- Ideal for epidemic prevention, pest control, crop protection, weeding, etc.
- Adjustable flow rate of 0-200ml per minute
- Fine atomized particles reach up to 5m3 and up to 1000m2 with a 2Ah battery pack
- Lightweight and portable design with shoulder strap for ease of use, with dual action trigger switch for added safety

MODEL NUMBER	CAPACITY TANK	DELIVERY FLOW RATE	ATOMIZED COVERAGE	INCLUDES	NETT WEIGHT
XF-18K	2L	0 - 200ml/min	5m	XB-2000 and XPP-2700	2.5kg

RYOBI. | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBV-230 PLUS



DUAL 18V LI-ION CORDLESS BLOWER VACUUM

- Light weight and compact design for ease of use
- Lever change for a fast transition between blower and vacuum modes
- Soft grip handle with speed adjustment controller to generate optional wind for different applications
- Fully adjustable front handle and roller wheels for user comfort
- **Excludes Battery and Charger**

MODEL NUMBER	NO LOAD SPEED	AIR SPEED	AIR VOLUME	MULCHING RATIO	DUST BAG CAPACITY	NETT WEIGHT
XBV-230 PLUS	6 000 – 12 000min-1	230km/h	480m3/h	8:1	45L	3.3kg

XCS-355 PLUS



DUAL 18V LI-ION CORDLESS CHAIN SAW – 355MM

- Super light-weight and compact design for ease of use
- Tool free tensioning for fast chain adjustments
- Patented mechanical chain brake for added user safety
- Chain & bar cover included
- **Excludes Battery and Charger**

MODEL NUMBER	CHAIN SPEED	OIL TANK CAPACITY	BAR & CHAIN TYPE	COMPATIBLE BATTERY	NETT WEIGHT
XCS-355 PLUS	8.5m/s	170ml	14” Oregon bar & chain	XB-1500 or above	3.8kg

RYOBI | 18V LITHIUM+ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XRM-350 PLUS



DUAL 18V LI-ION CORDLESS LAWN MOWER – 340MM

- Light weight and compact design for ease of use
- Lever change for a fast transition between blower and vacuum modes
- Soft grip handle with speed adjustment controller to generate optional wind for different applications
- Fully adjustable front handle and roller wheels for user comfort
- **Excludes Battery and Charger**

MODEL NUMBER	BATTERY	NO LOAD SPEED	CUTTING WIDTH	WORKING HEIGHT	GRASS COLLECTION	NETT WEIGHT
XRM-350 PLUS	18V Li-ion	2 600rpm	330mm	20 - 75mm (6 levels)	35	9.6kg

XBBL-18 PLUS



DUAL 18V LI-ION CORDLESS BRUSHLESS BLOWER

- Super light-weight and compact design for ease of use
- Tool free tensioning for fast chain adjustments
- Patented mechanical chain brake for added user safety
- Chain & bar cover included
- **Excludes Battery and Charger**

MODEL NUMBER	STD ROTATION SPEED	TURBO AIR SPEED	COMPATIBLE BATTERY	COMPATIBLE CHARGER	NETT WEIGHT
XBBL-18 PLUS	11 000 – 16 000min -1	180km/h	XB-1500 or above	XPP-2700, XPP-9000	2.3kg

RYOBI | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

CORDLESS GARDENING TOOLS

ONE + 18V LITHIUM-ION - UNIVERSAL POWER PLATFORM

XBBC-18 PLUS



DUAL 18V LI-ION CORDLESS BRUSHLESS BRUSH CUTTER AND TRIMMER – 340MM

- Brushless motor provides more power, longer run-time and improved efficiency and increased motor life
- Adjustable bull horn handles with padded shoulder strap for maximum comfort
- Split shaft design for convenient storage and transporting
- Includes: brush cutter blade with 255mm cutting path and trimming line with 340mm cutting path for various trimming jobs
- **Excludes Battery and Charger**

MODEL NUMBER	NO LOAD SPEED	BLADE TYPE	CUTTING PATH	LINE TYPE	COMPATIBLE BATTERY	COMPATIBLE CHARGER	NETT WEIGHT
XBBC-18PLUS	5 800min -1	3-Teeth	340mm	2.0 X 450mm, dual line	XB-1500 or above	XPP-2700 XPP-9000	4.5kg

RYOBI. | 18V LITHIUM-ION UNIVERSAL POWER PLATFORM

RYOBI



5 YEAR Guarantee

JAPANESE TECHNOLOGY

INDUSTRIAL POWER TOOLS

BL-3500



630W BLOWER DUST/EXT

- Rapid switching from vacuum to blower
- Long, small-diameter nozzle to reach awkward places
- Sufficient air pressure and volume for a wide variety of applications
- Standard accessories: dust bag
- Excellent for blowing dust out of computers and other appliances or machines

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR OUTPUT	NETT WEIGHT
BL-3500	630W	16 000min-1	3.50m3/min	1.7kg

C-126C



1 400W CONCRETE CUTTER

- Powerful 1 400-Watt motor for quick cutting
- Compact and light weight design
- Safe, ergonomically design for optimum handling
- Excludes blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
C-126C	1 400W	12 000min-1	110mm	20mm	34mm	2.9kg

RYOBI.

INDUSTRIAL POWER TOOLS

C-126WDK



WATERING DEVICE KIT FOR C-126C

- Designed to extend the Diamond Blade's life on the C-126C Concrete Cutter
- Creates a comfortable working environment by eliminating dust
- Provides clear visibility for precise cutting

MODEL NUMBER	HOSE LENGTH	INCLUDES	NETT WEIGHT
C-126WDK	5m	water adapter (1), hydrant adapter (1) and screw (1)	0.7kg

---

G-600C



500W DIE GRINDER

- Ideal for grinding, deburring or polishing of dies, moulds and various tools
- Easy operation by slide switch
- Toggle switch is convenient for continuous operation
- Balanced armature reduces vibration and bearing wear with automatic cut-off carbon brush for longer life

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	MAX. WHEEL DIAMETER	OVERALL LENGTH	NETT WEIGHT
G-600C	500W	30 000min-1	6.35mm	25mm	360mm	1.6kg

INDUSTRIAL POWER TOOLS

TR-50A



500W LAMINATE TRIMMER

- Powerful 500-Watt motor
- Rigid body for fine cutting
- Compact and Light weight

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	NETT WEIGHT
TR-50A	500W	33 000min-1	6mm or 1/4"	1.3kg

L-83



550W HAND PLANER – 82MM

- Powerful 550-Watt motor
- Aluminium base for fine planning
- Long-life V-belt
- Excellent rabbeting (11.5mm)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
L-83	550W	18 000min-1	82mm	1mm	2.6kg

RYOBI.

INDUSTRIAL POWER TOOLS

IW-2000



320W IMPACT WRENCH – 200NM

- Forward / reverse action, with LED light for ease of work in dark areas
- Speed / torque selector can be set on high for large bolts and low for small bolts
- Electronic trigger switch for accurate speed control
- Electronic cut-out at maximum torque to protect tool
- Includes a 19mm and a 22mm extra long socket

MODEL NUMBER	POWER INPUT	2-SPEED / TORQUE	SHANK DRIVE	CAPACITY DRIVING	NETT WEIGHT
IW-2000	320W	High: 3 100min - 1 200Nm Low: 2 600min - 1 100Nm	½" square	Bolt M10 – M16	1.5kg

JS-600C



600W JIGSAW

- Powerful 600-Watt motor for professional use
- 4-orbital setting for versatile cutting
- Tilts 45 degrees left and right for various cutting requirements
- Comes with parallel guide for parallel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING CAPACITY	NETT WEIGHT
JS-600C	600W	500 - 3 000min-1	Wood: 120mm, Aluminium: 20mm, Steel: 10mm	2.5kg

INDUSTRIAL POWER TOOLS

RJK-110



220W RECIPROCATING SAW

- Ultra slim grip for use in hard-to-reach spaces with one-hand
- Optimal weight balance creates less fatigue with Ryobi's unique design
- Compact body enables superior maneuverability
- Various applications by using different changeable blades
- Ultra light weight

MODEL NUMBER	POWER INPUT	STROKE LENGTH	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
RJK-110	220W	10mm	0 – 5 000min-1	Plastic Pipe: 120mm, Wood: 55mm, Soft Steel: 3.5mm	1.4kg

---

G-1160X



770W ANGLE GRINDER – 115MM

- Powerful 770-Watt motor
- Ergonomic super slim housing
- Mesh filter design to prevent dust intake

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1160X	770W	13 000min-1	115mm	M14	1.7kg

INDUSTRIAL POWER TOOLS

G-1159



1 010W ANGLE GRINDER – 115MM

- Light weight powerful 1010-Watt motor
- Mesh filter design to prevent dust intake and easy carbon brush replacement by external brush cap
- Disc lock and wheel spanner for faster wheel changing
- 2-Position handle design providing user comfort for left- and right-hand use
- Central lock-on switch for left- or right-hand operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	BORE SIZE	NETT WEIGHT
G-1159	1 010W	11 000min-1	115mm	22mm	1.8kg

G-232



2 200W ANGLE GRINDER – 230MM

- Safety lock on the start trigger for added safety to prevent accidental starting
- Supplied with a 3-position auxiliary side handle for added safety and control
- Spindle lock for faster disc changing, with adjustable disc guard for easy adjustment and added safety
- Start trigger lock for continuous use
- Cut-off brushes prevents damage to the motor and prevents the armature from burning out

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	NETT WEIGHT
G-232	2 200W	6 600min-1	230mm	M14 x 2.0	4.6kg

INDUSTRIAL POWER TOOLS

G-235



2 500W ANGLE GRINDER

- Powerful 2 500W motor with low profile gear head design
- Supplied with a 3-position auxiliary side handle for added safety and control
- Superior mesh filter to prevent dust intake, with an adjustable disc guard for easy adjustment and added safety
- Start trigger lock for continuous use
- Cut-off brushes included prevents the amateur from burning out

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	NETT WEIGHT
G-235	2 500W	6 600min-1	230mm	M14	4.9kg

PD-220VR



800W IMPACT DRILL

- Powerful 800-Watt motor, with convenient storage case
- Durable aluminium die-casting gear case
- 2 speed gear transmission with 2 mode variable speed control
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOW CAPACITY	DRILLING CAPACITY	NETT WEIGHT
PD-220VR	800W	Low: 0 - 1 250min-1, High: 0 - 2 700min-1	Low: 21 600bpm, High: 43 200bpm	Wood: 40mm, Steel: 13mm, Concrete: 22mm	2.7 kg

RYOBI.

INDUSTRIAL POWER TOOLS

ED-2620VR



830W ROTARY HAMMER - 26MM (2-MODE)

- Drills faster with a powerful 830-Watt motor
- SDS-plus bit system for easy tool-free bit change and highly efficient work
- 26mm Drilling capacity
- 2-Operation modes: Hammer Drill and Drill for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
ED-2620VR	830W	1 100min-1	4 600bpm	Concrete: 26mm	2.7kg

ED-2630VR



830W ROTARY HAMMER - 26MM (4-MODE)

- Drills faster with a powerful 830-Watt motor
- SDS-plus bit system for easy tool-free bit change and highly efficient work
- 26mm Drilling capacity
- 4-Operation modes: Hammer Drill, Drill, Hammer with Rotation Free and Stop for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX DRILLING CAPACITY	NETT WEIGHT
ED-2630VR	830W	1 100min-1	4 600bpm	Concrete: 26mm	2.7kg

INDUSTRIAL POWER TOOLS

S-550



170W PALM ORBITAL SANDER

- High speed operation for a fast smooth finish
- Compact and lightweight with one hand switch control
- Dust proof ball bearings for superior durability and quick action sanding paper clamps
- Standard accessories: sanding paper
- All ball bearing construction

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD / DISC SIZE	NETT WEIGHT
S-550	170W	12 000min-1	70 x 104mm	0.9kg

SU-6300A



270W ORBITAL SANDER

- Powerful 270-Watt motor
- Optimum weight for superior sanding performance
- Durable for professional usage
- Suitable for wood and steel finishing
- Wet sanding also possible

MODEL NUMBER	POWER INPUT	PAPER SIZE	SANDING PAD / DISC SIZE	NETT WEIGHT
SU-6300A	270W	115 x 280mm	112 x 226mm	3.8kg

RYOBI.

INDUSTRIAL POWER TOOLS

RSE-1250



300W DOUBLE ACTION SANDER POLISHER – 125MM

- Ideal for car polishing as well as wood sanding
- Random orbit function prevents scratching
- 6-Speed control

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	ROTATION SPEAD	NETT WEIGHT
RSE-1250	300W	125mm	Yes	6 000 - 12 000min-1	1.5kg

PE-2200



910W SANDER POLISHER – 180MM

- Powerful 910-Watt motor for heavy duty sanding and polishing applications
- Electronic constant speed control for consistent performance
- Compact and light weight for comfortable handling
- Aluminium die-casting protectors for long term durability

MODEL NUMBER	POWER INPUT	ROTATION SPEED	SANDING PAD SIZE	NETT WEIGHT
PE-2200	910W	600 – 2 000min-1	180mm	1.8kg

RYOBI.

INDUSTRIAL POWER TOOLS

PE-201



1 100W POLISHER – 180MM

- Powerful 1100-Watt motor for fast polishing
- Superior maneuverability thanks to light weight at 1.98kg
- 6-Mode variable speed control with electronic constant torque
- 2-Position auxiliary handle

MODEL NUMBER	POWER INPUT	ROTATION SPEED:	OVERALL DIMENSION	DISC SIZE	NETT WEIGHT
PE-201	1 100W	600 - 2 000min-1	194 x 87 x 236mm	180mm	1.98kg

PEG-130



910W POLISHER – 125MM

- Extremely fine finish by Ryobi's unique geared orbital action
- Variable speed function allows work on most specialty applications
- Electronic constant speed control for consistent performance
- Ergonomic handles for comfortable handling

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	ROTATION SPEED	NETT WEIGHT
PEG-130	910W	125mm	Yes	200 - 600min-1	2.1kg

RYOBI.

INDUSTRIAL POWER TOOLS

PE-181G



1 200W SANDER POLISHER – 180MM

- Powerful 1200W motor for fast polishing.
- 6 Mode variable speed control with electronic constant torque.
- 2-Position auxiliary handle.
- Ergonomic front grip.
- Comes with a Velcro pad.

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	OVERALL DIMENSION	DISC SIZE	NETT WEIGHT
PE-201	1200W	3 000min-1	110 x 180 x 540mm	180mm	2.5kg

W-2400



2 400W CIRCULAR SAW

- Powerful 2400-Watt motor
- Rigid and Lightest base for fine cutting
- Cut-off carbon brush

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETERS	NETT WEIGHT
W-2400	2 400W	5 000min-1	230 – 240mm	6.6kg

INDUSTRIAL POWER TOOLS

C-3561



2 300W CUT-OFF SAW - 355MM

- Powerful 2300-Watt motor
- Accurate cutting by robust body
- Lock-off switch for user safety
- Max cutting capacities:75 x 211mm Rectangle Pipe 130 x 130mm Angle Steel 120mm Round Pipe
- Quick release vice to release material once cut

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC DIAMETER	NETT WEIGHT
C-3561	2 300W	3 600min-1	355mm	17.2kg


RYOBI
RYOBI
RYOBI
AIR COMPRESSOR AC-2050
2.0HP
50L
GUARANTEE
2-YEAR
GUARANTEE

MACHINERY

AC-1524



24L AIR COMPRESSOR

- Aluminium cylinder head and crankcase for better heat dissipation
- Aluminium piston and high alloy piston rings for high loading, with wheels and handle allow for convenient manoeuvrability
- Pressure switch with cut-in / cut-off pressure settings
- Regulator with gauge to show pressure
- Easy-open drain valve and copper pressure relief valve

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	NETT WEIGHT
AC-1524	1 100W (1.5HP)	2 800min-1	24L	115psi	24.0kg

AC-2055K



50L AIR COMPRESSOR, WITH SPRAY GUN KIT

- Includes female coupler for quick and easy coupling
- Large, easy-to-read gauges
- Wheels and handle allow for convenient maneuverability
- 5-Piece accessory kit includes: Air tyre inflator, gravity powered paint spray gun, engine cleaning gun, air duster gun and air recoil hose

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	NETT WEIGHT
AC-2055K	1 500W (2HP)	2 800min-1	50L	8 bar / 115psi	32.5kg

MACHINERY

RC-1500



COMPACT TANK-LESS AIR COMPRESSOR

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor and a maximum working pressure 8 Bar (116 PSI)
- Perfect for all blowing and inflation operations
- Lightweight, portable and easy to store
- Complete with inflating gun

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CAPACITY PUMP	DISPLACEMENT AIR CAPACITY	NETT WEIGHT
RC-1500	1 100W (1.5HP)	3 400min-1	116psi	180L/min	5.0kg

RC-1506N



6L PORTABLE OIL-LESS AIR COMPRESSOR

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor
- Maximum working pressure 8 Bar (116 PSI)
- Integrated control panel with easy to read gauge
- Perfect for DIY as well as commercial applications, including spray painting, inflating tyres, staple / nail guns and other air tools

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CAPACITY TANK	CAPACITY PUMP	DISPLACEMENT AIR CAPACITY	NETT WEIGHT
RC-1506N	1 100W (1.5HP)	3 400min-1	6L	116psi	196L/min	9.8kg

MACHINERY

RC-2050NV



50L OIL-LESS VERTICAL MOUNT AIR COMPRESSOR

- Oil-free motor for easy maintenance and long-life
- Powered by a 2HP motor with a 50 litre tank capacity
- Designed for small workshops and restricted spaces with integrated handle for portability
- Rubber feet for added stability during use
- Produces 10 Bar of pressure, ideal for running a variety of workshop air tools

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CAPACITY TANK	CAPACITY PUMP	DISPLACEMENT AIR CAPACITY	NETT WEIGHT
RC-2050NV	1 500W (2HP)	3 400min-1	50L	145psi	222L/min	22.2kg

RC-2055DK



50L DIRECT DRIVE AIR COMPRESSOR, WITH 5 PIECE KIT

- Powerful direct drive air compressor, with oil lubricated for longer life
- Maximum working pressure 8 Bar (116 PSI)
- Pump head directly coupled to heavy duty induction motor for reliable and quiet operation
- Fitted with fully automatic pressure cut-out switch and twin gauges displaying tank and working pressures
- Includes a 5 piece accessory kit: Air tyre inflator, Air blow gun, Gravity fed paint spray gun, Air wash gun, 5m recoil hose

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-2055DK	1 500W (2HP)	2 850min-1	50L	8 bar / 116psi	196L/min	30.0kg

MACHINERY

RC-3050T



50L TWIN HEAD AIR COMPRESSOR

- Powerful V-Twin cylinder air compressor
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3050T	2 200W (3HP)	2 850min-1	50L	131psi	356L/min	36.6kg

RC-3100B



100L BELT DRIVE AIR COMPRESSOR

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3100B	2 200W (3HP)	1 375min-1	100L	145psi	356L/min	59.2kg

MACHINERY

RC-3150B



150L AIR COMPRESSOR BELT DRIVE

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Wheels and transport handle for improved portability
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3150B	2 200W (3HP)	1 375min-1	150L	145psi	356L/min	67.7kg

RSG-3001



3 PIECE KIT - HOSE; AIR GUN AND SPRAY GUN

- Kit consists of an Air duster gun; 4 metre recoil air hose with couplings and a suction powered paint spray gun
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications

MODEL NUMBER	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY	HOSE LENGTH	HOSE CAPACITY	NETT WEIGHT
RSG-3001	Spray Gun: 45 - 55psi Dust Gun: 45 - 75psi	5 CFM @ 40psi	750cc	4m	170psi	0.8kg

MACHINERY

RSG-5000



5 PIECE - KIT HIGH PRESSURE GRAVITY FEED SPRAY GUN, AIR GUN, PARAFIN GUN, TYRE INFLATOR AND HOSE

- Kit consists of an Air dusting gun; 4 metre recoil air hose with couplings; gravity powered paint spray gun; engine cleaning gun; and a tyre inflator
- The adjustable gravity powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck

MODEL NUMBER	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY	NETT WEIGHT
RSG-5000	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc	1.7kg

RSG-5001



5 PIECE KIT - SPRAY GUN SUCTION TYPE, AIR GUN, PARAFIN GUN, TYRE INFLATOR AND HOSE

- Kit consists of air dusting gun, 4m recoil air hose with couplings, suction powered paint spray gun, engine cleaning gun, and tyre inflator
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications

MODEL NUMBER	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY	HOSE CAPACITY	TYRE INFLATOR CAPACITY	NETT WEIGHT
RSG-5001	Spray Gun: 45 - 55psi, Dust Gun: 45 - 75psi, Engine Cleaning Gun: 45 - 75psi	5 CFM @ 40psi	750cc	170psi	0 - 150psi	1.8kg

MACHINERY

RSG-3025



25 PIECE KIT

- Kit consists of a mini blow gun; 4m recoil air hose with couplings; suction powered paint spray gun; tyre inflator; 6 masks; cleaning brush; 2 inflating needles; nozzles and 10 assorted couplers
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The air gun is suitable for cleaning and drying applications

MODEL NUMBER	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	HOSE LENGTH	HOSE CAPACITY	TYRE INFLATOR CAPACITY	NETT WEIGHT
RSG-3025	1.5mm	45 – 55psi	5 CFM @ 40psi	4m	170psi	0 - 150psi	2.7kg

RG-950



950W 2-STROKE GENERATOR - PULL-START

- Powerful 950W, 2-stroke air-cooled engine
- Fuel and oil mixture of 50:1 (unleaded petrol: 2-stroke lubrication)
- Fitted with overload protection switch
- Recoil pull-start system

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-950	2-stroke Air-cooled	Rated: 650W Max: 950W	Recoil pull start	6 hours	4L	20.5kg

MACHINERY

RG-1200



1 200W 4-STROKE GENERATOR PULL-START

- Built-in overload current protection for efficient power delivery
- Powerful 4-stroke petrol engine delivers 1.2kW of power
- 6.5L Fuel tank delivers over 8 hours of continuous run time
- Manual start for ease of operation
- Low maintenance generator

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-1200	95cc Vertical OHV, forced air-cooled, single cylinder	Rated: 1 000W Max: 1 200W	Recoil pull start	8 hours	6.5L	YES	25.0kg

RG-2700



2 500W 4-STROKE GENERATOR PULL-START

- Powerful 2500 Watt air-cooled, 4-stroke engine
- Fitted with overload protection switch
- Size of generator = total the wattage of the maximum number of items to be run simultaneously.
- Never exceed maximum run rating, and manual start

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-2700	4-stroke, air-cooled	Rated: 2 000W Max: 2 500W	Recoil pull start	10 hours	12L	41.5kg

MACHINERY

RG-3500



3 000W 4-STROKE GENERATOR

- Powerful 3000 Watt air-cooled, 4-stroke engine with push button or manual start
- Maintenance free battery included
- Reliable AVR System with heavy duty “roll-cage” for rough handling conditions

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-3500	4-stroke, air-cooled	Rated: 2 500W Max: 3 000W	Push button start or manual	7 hours	15L	44.0kg

RG-6900K



5 500W 4-STROKE GENERATOR

- Powerful 5 500 Watt, air cooled, 4 stroke engine
- Sturdy roll cage, hand rails and strong wheels for easy transportation
- 3 in 1 digital read out meter to monitor output voltage, frequency and run-time
- Fitted with overload protection switch

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-6900K	4-stroke, air cooled	Rated: 5 000W Max: 5 500W	Push button or manual start	8 hours	25L	YES	87.0kg

MACHINERY

RG-7900K



7 500W 4-STROKE GENERATOR

- Powerful 7 500 Watt air-cooled, 4-stroke engine (unleaded petrol),
- Manual or push button start option
- 12V Battery for push button start included
- Two SA Sockets fitted with overload protection switch

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-7900K	4-stroke, air cooled	Rated: 6 800W Max: 7 500W	Push button or manual start	7 hours	25L	YES	88.0kg

RG-10KVA



11 000W 4-STROKE GENERATOR

- Max 11 000 Watt with key start
- Maintenance-free battery included, with a reliable AVR system
- Heavy-duty “roll-cage” for rough handling conditions
- Strong wheels and handrails for easy transporting
- 3-in-1 digital read out meter to monitor output voltage, frequency and run time

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-10KVA	4-stroke, air cooled	Rated: 10 000W Max: 11 000W	Electric or manual start	9 hours	25L	YES	160.0kg

MACHINERY

RG-1280I



1 200W INVERTER GENERATOR OPEN FRAME

- Powerful easy to use and safe for digital equipment
- 5L fuel tank capacity for 6 hrs of operation
- Fitted with 2 x 230V sockets
- Low oil warning light & overload protection
- Quieter than a normal generator

MODEL NUMBER	ENGINE TYPE	POWER	VOLTAGE	RUN TIME	FUEL TANK CAPACITY	NETT WEIGHT
RG-1280I	4-stroke, forced air-cooled	Rated: 1 000W Max: 1 200W	230V, 50Hz	6 hours	5L	18.0kg

RG-2200I



2 200W 4-STROKE INVERTER GENERATOR

- Clean energy & quiet operation
- Inverter technology, provides stable power for sensitive electronic equipment
- USB output for charging cell phone and other devices
- 3.5L fuel tank with auto-idle, runs longer by saving fuel, with a high quality engine providing 800hrs+ long life.

MODEL NUMBER	ENGINE TYPE	POWER	SYSTEM START	TANK SIZE	AVR	NETT WEIGHT
RG-2200I	4-stroke, OHV single cylinder	Rated: 1 800W Max: 2 200W	Recoil pull start	3.5L	YES	22.2kg

MACHINERY

RG-3000I



3 000W 4-STROKE INVERTER GENERATOR

- Inverter technology, provides clean and stable power, safe for computers and other sensitive electronic devices
- Parallel capability, two machines in parallel, the power can reach 5,400Watt
- 8L fuel tank provides 6-8hrs of runtime at rated load
- 3-in-1 digital read out meter to monitor output voltage, frequency and running time, with Low-oil and overload alert lights prevent damage to the unit

MODEL NUMBER	ENGINE TYPE	POWER	VOLTAGE	RUN TIME	FUEL TANK CAPACITY	NETT WEIGHT
RG-3000I	4-stroke, air-cooled, SOHC	Rated: 3 000W Max: 3 200W	230V, 50Hz	6-8 hours	8L	20.0kg

RG-3200I



3 200W 4-STROKE INVERTER SUITCASE GENERATOR

- Powerful engine produces pure sine wave power with no mixing of fuel and oil, easy to use and safe for digital equipment.
- Portable inverter generator offering a versatile and economical source of electrical power
- Overload alert light, suitable for a wide range of domestic and commercial uses for up to 7hrs of operation.
- Remote Control

MODEL NUMBER	ENGINE TYPE	POWER	VOLTAGE	RUN TIME	FUEL TANK CAPACITY	NETT WEIGHT
RG-3200I	4-stroke, air-cooled	Rated: 2 800W Max: 3 200W	230V, 50Hz	7 hours	10.5L	42.0kg

MACHINERY

RG-9000I



9 000W 4-STROKE INVERTER GENERATOR

- Max 9000 Watt with electric start and manual start
- Inverter technology, provides clean and stable power, safe for computers and other sensitive electronic devices
- Environmentally friendly lithium battery, with a parallel design, two machines in parallel, the power can reach 16 000 Watt
- 3-in-1 digital read out meter to monitor output voltage, frequency and running time
- Clean energy & quiet operation, saving more fuel

MODEL NUMBER	ENGINE TYPE	POWER	VOLTAGE	RUN TIME	FUEL TANK CAPACITY	NETT WEIGHT
RG-9000I	4-stroke, air-cooled, SOHC	Rated: 8 500W Max: 9 000W	230V, 50Hz	6.5 hours	34L	83.0kg

PS-500



500W PORTABLE POWER STATION

- Large Capacity 515Wh, lightweight and compact design
- 9-Power output ports for various simultaneous power needs, with an integrated design, durable protection on BMS and charger
- 6 Ways of protection for guaranteed safety. 4 ways of charging, always keep fully powered at home, outdoor explore on road trip, etc.
- Pure Sine Wave AC output for stable and safe for electronic appliances
- **Solar panels not included**

MODEL NUMBER	CAPACITY	RATED POWER OUTPUT	SURGE POWER OUTPUT	VOLTAGE	CHARGING TIME	NETT WEIGHT
PS-500	515Wh	500W	1 000W	230V, 50Hz	Charging Adaptor: 8Hrs, Car Charging Port: 13Hrs, USB-C PD: 7.5Hrs, Solar Input: 6.5Hrs	5.2kg

RYOBI.

RYOBI

GENERATOR COMPARISON SHEET & APPLICATION CHART


RG-950


RG-1200


RG-1280I


RG-2200I


RG-2700


RG-3000I


RG-3200I


RG-3500


RG-6900K


RG-7900K


RG-9000I


RG-10kVA

Item Code	RG-950	RG-1200	RG-1280I	RG-2200I	RG-2700	RG-3000I	RG-3200I	RG-3500	RG-6900K	RG-7900K	RG-9000I	RG-10kVA
Maximum Power	950W	1.2kW	1 200W	2 100W	2.5kW	3 000W	3 200W	3.0kW	5.5kW	7.5kW	9kW	11.0kW
Rated Power	650W	1.0kW	1 000W	1 800W	2.0kW	2 600W	2 800W	2.5kW	5.0kW	6.8kW	8.5kW	10.0kW
Voltage & Frequency	230V, 5OHz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz
Rated Current	2.8A	4.35A	4.4A	8A	8.7A	10A	12.2A	10.9A	23.9A	29.5A	35.5A	43.5A
DC Voltage	12V	12V	USB 5V	12V	12V	12V	12V	12V	12V	12V	12V	12V
Fuel	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Tank	4L	6.5L	4L	3.5L	12L	8L	10.5L	15L	25L	25L	34L	25L
Fuel Mix	50:1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Engine Type	2-stroke air cooled	Vertical OHV, 4-stroke Forced air cooled, single cylinder	4-stroke, forced air cooled	4-stroke, OHV single cylinder	4-stroke air cooled	4-stroke air cooled	4-stroke, forced air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled
Displacement	63 cc	100 cc	97.7 cc	113.5 cc	196 cc	210 cc	207 cc	212 cc	389 cc	460 cc	459 cc	614 cc
Start System	Recoil pull start	Recoil pull start	Recoil pull start	Recoil pull start	Recoil pull start	Recoil pull start	Remote and key start	Push button start	Push button start	Push button start	Push button start	Key start
Estimated Run Time	6 hrs	8 hrs	5 hrs	8 hrs	10 hrs	8 hrs	7 hrs	7 hrs	8 hrs	7 hrs	6.5 hrs	9 hrs
Weight	20.5kg	25kg	42kg	22kg	41.5kg	47kg	42kg	44kg	87kg	90kg	84kg	160kg
Regulated Voltage (AVR)	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes

CONVENTIONAL GENERATOR VS INVERTER GENERATOR

Buying Consideration	Analysis	Generator	Inverter
Size/weight/portability	The compact size, relatively light weight and resulting portability of inverter generators make them the clear winner in this category.		√
Run times	Because their design is less size-conscious, conventional generators can allow for bigger fuel tanks, yielding longer run times. That said, inverters make better use of the fuel they have and their run times of 10 hours and more are generally more than adequate for their applications	√	√
Fuel efficiency	Inverters often use smaller, more efficient engines than Conventional generators. In addition, because the engine can adjust the throttle to meet the current load requirements, they use less fuel.		√
Noise	Many inverter generators have been designed specifically to keep noise to a minimum. In addition, they can throttle back under lighter loads, further reducing noise. Conventional designs simply can't compete in this category.		√
Max power output	Conventional generators vary greatly in their rated wattage, anywhere from 500 up to 50,000 watts and more. Inverter Generators are generally available up to 4000 watt models.	√	
Quality of power output	Conventional generators hook their AC alternators directly to the load, without any processing. Inverter generators convert the AC output to DC and back to AC, producing much "cleaner" and higher-quality power than conventional units.		√
Price	This is where conventional generators come out on top. While prices on inverter generators have come down, their more complex design and sophisticated electronics, keep their price higher than a conventional unit.	√	


SERVICE & MAINTENANCE INTERVALS

Remember: This schedule is based on the assumption that your generator will be used for its designed purpose. Sustained high-load or high-temperature operation, or use in unusually wet or dusty conditions, will require more frequent servicing.

1. Service more frequently when used in dusty or enclosed areas.
2. For commercial use, log hours of operation to determine proper maintenance intervals.
3. If not used frequently, recharge the battery every 3 months.
4. A major service is recommended every year or 300 Hrs.
5. Do not use a generator in unventilated areas.

ITEM Performed at every indicated month or hour interval which ever comes first.		Before each use	Every Month or 20 Hrs	Every 3 Months or 50 Hrs	Every 6 Months or 100 Hrs
Engine Oil	Check	√			
	Change		√		
Air Cleaner	Check	√			
	Clean			√	
Spark plug	Clean / Adjust				√
Fuel Tank and Filter	Clean			√	

PLEASE NOTE: This is only a guide, please consult your equipment's handbook for accurate power usage requirements. Ryobi cannot be held responsible for damage to appliances or equipment due to incorrect usage.



AUDIO VISUAL & COMPUTER EQUIPMENT:

It is highly recommended to use a Ryobi Generator with an Automated Voltage Regulator (AVR) or an Un-interuptable Power Supply (UPS) when using sensitive electronic equipment. If these items are used on a regular generator, and they are damaged by a power surge, the manufacturer/supplier cannot be held liable.

IMPORTANT POINT:

The most important fact to remember when buying a generator is to ascertain what it will be used for and to identify the power requirement, expressed in Watts. All generators have a Maximum Power and Rated Power output quoted specification. Always take the Rated Power Output figure. It must be remembered that when operating generators at altitude, the performance is affected by air density. In other words, a petrol motor at the coast will run at its given output and inland ± 17% less output.
Too low Watts / Volts available = Equipment Burnout or Possible Damage.

HOW TO WORK OUT CONSUMPTION REQUIREMENTS:

SUM of Device Watts ÷ 1000 = Kilo Watts (kW)

Volts **(V)** = Always 230V (Std in S.A.)
Watts **(W)** = Amps **(A)** x Volts **(V)**
Amps **(A)** = Watts **(W)** ÷ Volts **(V)**



Remember:
Electric motors require a minimum power source of up to 3 x their rating to start!
(Add any "Startup" Watts to the total SUM of your consumption requirements.)

Refer to the chart on next page to estimate which Ryobi Generator will meet your requirements.

MACHINERY

RWP-50



50MM PETROL WATER PUMP

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 50mm diameter suction and discharge ports
- Maximum output of 370L/min and maximum head height of 26m. Self-priming pump type

MODEL NUMBER	ENGINE TYPE	START	MAX POWER	OUTLET	CAPACITY	NETT WEIGHT
RWP-50	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5HP @ 3 600min-1	50mm	3.6L	27.5kg

RWP-80



80MM PETROL WATER PUMP

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 80mm diameter suction and discharge ports
- Maximum output of 600L/min and maximum head height of 30m. Self-priming pump type

MODEL NUMBER	ENGINE TYPE	START	MAX POWER	OUTLET	CAPACITY	NETT WEIGHT
RWP-80	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5HP @ 3 600min-1	80mm	3.6L	29.5kg

RYOBI®



GUARANTEE
2-YEAR
GUARANTEE

CLEANING EQUIPMENT

AJP-1280



1 400W HIGH PRESSURE WASHER - 105 BAR

- Powerful 1400W motor with an auto stop function for prolonged motor life
- Includes: spray gun, lance with adjustable fan nozzle and trigger lock
- Maximum pressure 105 bar
- 5m Mains cable and 3m high pressure hose

MODEL NUMBER	RATED POWER	RATED PRESSURE	RATED FLOW	RATED TEMPERATURE	HOSE LENGTH	NETT WEIGHT
AJP-1280	1 400W	70 bar	5L/min	0 - 40°C	3m	5.5kg

AJP-1480



1 600W HIGH PRESSURE WASHER - 115 BAR

- Powerful 1600W motor with a 5m high pressure hose
- Auto stop function for prolonged motor life
- 5m Mains cable
- Includes: spray gun, lance with adjustable fan nozzle, trigger lock and detergent bottle

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	HOSE LENGTH	RATED TEMPERATURE	NETT WEIGHT
AJP-1480	1 600W	115 bar	5.0L/min	5m	0 – 40°C	6.2kg

CLEANING EQUIPMENT

AJP-1690



1 600W HIGH PRESSURE WASHER - 130 BAR

- Cleans fast and efficiently with up to 80% less water than a garden hose.
- On board storage for accessories and hose
- Suitable for cleaning vehicles, machines, buildings, paving, facades and more
- Nonslip spray handle with safety locking device
- Wheels for easy manoeuvrability

MODEL NUMBER	RATED POWED	RATED PRESSURE	MAX. PRESSURE	RATED FLOW	MAX. FLOW	NETT WEIGHT
AJP-1690	1 600W	90 bar	130 Bar	6.0 L/min	7.0 L/min	6.0kg

AJP-1623



1 900W HIGH PRESSURE WASHER - 120 BAR

- Nonslip spray handle with safety locking device
- Foldable handle for convenient storage and wheels for easy manoeuvrability
- Includes: detergent bottle, variable nozzle and turbo nozzle lances, high pressure hose, supply hose, coupler, connector and nozzle cleaning pin
- High power 120 bar pressure cleans fast and efficiently
- Eco Mode saves 30% water and energy (Delicate Wash)

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	RATED TEMPERATURE	NETT WEIGHT
AJP-1623	1 900W	120 bar	6L/min	0 – 50°C	7.9kg

RYOBI.

CLEANING EQUIPMENT

AJP-2200GQ



1 400W HIGH PRESSURE WASHER - 120 BAR

- Water-cooled induction motor which decreases motor noise by 50%, increased durability and up to 120 Bar pressure for industrial use
- Includes: variable nozzle and turbo nozzle lances, 15m flexible high-pressure hose with protective rubber sleeve enables wider cleaning jobs without moving the unit on built-in hose reel, 3m supply hose, suction kit, coupler, connector, extendable handle and storage for accessories and hoses, and Nonslip spray handle with safety locking device
- Built-in self-suction pump kit with self-priming water suction function, allows suction from a bucket / tank

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2200GQ	1 400W	120 bar	5.0L/min	0 – 40°C	17.8kg

AJP-2900



94CC (2.9HP) PETROL HIGH PRESSURE WASHER - 112 BAR

- Powerful 94cc 4-stroke, air cooled engine
- Ideal for cleaning patio's, driveways, vehicles and machinery quickly and effortlessly
- Four spray nozzles included for flexibility, enabling you to quickly and easily switch between settings for a variety of different tasks
- Includes spray gun, lance, 8m high pressure hose, detergent hose, water supply hose and water filter

MODEL NUMBER	RATEDPOWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2900	2.9HP	112 bar	6L/min	5 – 40°C	18.0kg

RYOBI.

CLEANING EQUIPMENT

1.





2.





3.





4.





5.





6.





NUMBER	MODEL NUMBER	DESCRIPSION
1	6710117	HIGH PRESSURE FLEXIBLE EXTENTION HOSE
2	3710157	HIGH PRESSURE CLEANER UNDERBODY SPRAY LANCE
3	6710077	HIGH PRESSURE FLOOR CLEANER
4	6710027	HIGH PRESSURE EXTENSION PIPE
5	6710037	HIGH PRESSURE FIXED BRUSH – AJP-1610
6	6710017	HIGH PRESSURE FIXED BRUSH – STRAIGHT,

RYOBI.

CLEANING EQUIPMENT

7.



8.



9.



10.



11.



NUMBER	MODEL NUMBER	DESCRIPSION
7	6710107	HIGH PRESSURE TURBO GUARD
8	6710047	HIGH PRESSURE ROTATION BRUSH
9	3710217	HIGH PRESSURE UNDERBODY SPRAY HAND
10	6710067	HIGH PRESSURE ROTARY CLEANER
11	6710127	HIGH PRESSURE FOAM NOZZLE

RYOBI.

CLEANING EQUIPMENT

GS-300



3L PRESSURE SPRAYER

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-300	3L	2.5 – 3 bar	1.3m	0.9kg

GS-500



5L PRESSURE SPRAYER

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-500	5L	2.5 – 3 bar	1.3m	1.1kg

CLEANING EQUIPMENT

GS-700



7L PRESSURE SPRAYER

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-700	7L	2.5 – 3 bar	1.3m	1.3kg

TPS-500



0.5L TRIGGER SPRAYER

- Ideal for spraying potted plants, cleaning detergents and air fresheners
- Fully adjustable nozzle & trigger for various spraying
- Ergonomic handle design for increased comfort and better grip

MODEL NUMBER	TANK CAPACITY	TANK COLOUR	NETT WEIGHT
TPS-500	0.5L	TRANSLUSENT	0.075kg

CLEANING EQUIPMENT

TPS-1000



1L TRIGGER SPRAYER

- Ideal for spraying potted plants, cleaning detergents and air fresheners
- Fully adjustable nozzle & trigger for various spraying
- Ergonomic handle design for increased comfort and better grip

MODEL NUMBER	TANK CAPACITY	TANK COLOUR	NETT WEIGHT
TPS-1000	1L	TRANSLUSENT	0.1kg

HPS-1500



1.5L HAND PRESSURE SPRAYER

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	TANK COLOUR	WORKING PRESSURE	NETT WEIGHT
HPS-1500	1.5L	TRANSLUSENT	2.5 – 3 bar	0.35kg

CLEANING EQUIPMENT

BPS-1200



12L BACK PACK SPRAYER

- Large capacity and highly resistant pressure chamber
- Nozzle clips onto handle to keep it clean and for easy storage
- 4 Nozzles are included for various tasks needed
- Large diameter piston pump enables quick and easy pressurization of liquid
- Suitable for agriculture, forestry, gardening, disinfection and other fields

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
BPS-1200	12L	3 – 3.5 bar	1.5m	3.0kg

RBS-20L



42CC 20L PETROL BACKPACK SPRAYER

- Ergonomically designed back frame with shoulder strap for added user comfort
- Widely used for epidemic prevention, pest control, crop protection.
- Low centre of gravity with big bottom frame for excellent stability
- Integrated chemical tank and fuel tank enable the machine to have a compact configuration

MODEL NUMBER	POWER OUTPUT	ENGINE TYPE	MAX SPEED	FUEL MIX RATIO	NETT WEIGHT
RBS-20L	2.9HP	2-stroke, air-cooled	7 500min-1	25:1	10.5kg

CLEANING EQUIPMENT

VC-20



1 250W WET AND DRY VACUUM CLEANER - 18L

- Ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- Includes: 3 piece wand, crevice tool, 1.8m hose, Floor tool, Cartridge filter, foam filter, dust bag

MODEL NUMBER	POWER INPUT	TANK CAPACITY	SUCTION	LENGTH CORD	NETT WEIGHT
VC-20	1 250W	18L	15kPa / 2.17psi	2.5m	4.5kg

VC-25HD



1 250W WET & DRY VACUUM CLEANER - 20L

- Powerful 1250 Watt motor for higher suction and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop
- Robust, non-rusting 20L stainless steel canister and durable anti-crush hose
- Includes: Dust bag, cartridge filter and foam filter
- Convenient and neat on-board accessory storage

MODEL NUMBER	POWER INPUT	TANK CAPACITY	SUCTION	LENGTH CORD	NETT WEIGHT
VC-25HD	1 250W	20L	150 bar	1.8m3/min	5.45kg

CLEANING EQUIPMENT

VC-50HD




1 500W WET & DRY VACUUM CLEANER - 50L

- Wet and dry vacuum cleaner with built-in drain plug, ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- 2180 Watt power outlet synchronized with auto on/off usage of power tools
- Standard accessories includes: floor tool, crevice tool, power tool adapter, cartridge filter, foam filter, dust bag, 2.5m hose set and 3 extension tubes

MODEL NUMBER	POWER INPUT	POWER OUTLET	TANK CAPACITY	SUCTION	LENGTH CORD	VACUUM DRY	VACUUM WET	NETT WEIGHT
VC-50HD	1 500W	2 180W	50L	20kPa / 2.9psi	4m	Cartridge Filter	Foam Filter	12.0kg

CLEANING EQUIPMENT


1. 

2. 

3. 

4. 

5. 

6. 

NUMBER	MODEL NUMBER	DESCRIPSION
1	VC-FF01	FOAM FILTER
2	VC-DB60	DUST BAG 20L
3	VC-DB20	DUST BAG 20L
4	VC-CPF01	CLOTH PRE-FILTER
5	VC-CFW01	WASHABLE CARTRIDGE FILTERS
6	VC-CF01	CARTRIDGE FILTERS

RYOBI.

RYOBI



GUARANTEE
2-YEAR
GUARANTEE

OTHER TOOLS AND MEASURING EQUIPMENT

D-1200BC



OVERHEAD DOOR CLOSURE – STANDARD INTERIOR

- Used for added safety
- Save energy and prevent door slams
- Back check functions
- 2-Speed control valves

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
D-1200BC	SILVER	26 x 10 x 5.5cm	40kg	1.0kg

D-1200BCT



OVERHEAD DOOR CLOSURE - TRACK RAIL ARM

- Used for added safety
- Save energy and prevent door slams
- Back check functions
- 2-Speed control valves

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
D-1200BCT	SILVER	41 x 12 x 5cm	40kg	2.0kg

OTHER TOOLS AND MEASURING EQUIPMENT

HDC12SA-IVR



HYDRAULIC DOOR CLOSER - EXTERIOR

- Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors
- The range caters for doors from 35kg – 80kg in weight
- For hollow-core, solid wood, glass, aluminium, extra-large or pivot doors
- The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models)

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
HDC12SA-IVR	IVORY	33.3 x 20.2 x 7cm	45kg	1.5kg

HDC12SA-BRN



HYDRAULIC DOOR CLOSER - EXTERIOR

- Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors
- The range caters for doors from 35kg – 80kg in weight
- For hollow-core, solid wood, glass, aluminium, extra-large or pivot doors
- The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models)

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
HDC12SA-BRN	BROWN	33.3 x 20.2 x 7cm	45kg	1.5kg

OTHER TOOLS AND MEASURING EQUIPMENT

8803-SIL



HEAVY DUTY DOOR CLOSER

- Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors
- The range caters for doors from 35kg – 80kg in weight
- For hollow-core, solid wood, glass, aluminium, extra-large or pivot doors
- The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models)
- Controls the latch speed of the door.

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
8803-SIL	SILVER	28 × 9 x 7.5cm	65kg	1.6kg

8803-BRZ



HEAVY DUTY DOOR CLOSER

- Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors
- The range caters for doors from 35kg – 80kg in weight
- For hollow-core, solid wood, glass, aluminium, extra-large or pivot doors
- The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models)
- Controls the latch speed of the door.

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
8803-BRZ	BRONZE	28 x 9 x 7.5cm	65kg	1.6kg

OTHER TOOLS AND MEASURING EQUIPMENT

D-2550-SIL



HEAVY DUTY DOOR CLOSER

- Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors
- The range caters for doors from 35kg – 80kg in weight
- For hollow-core, solid wood, glass, aluminium, extra-large or pivot doors
- The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models)
- Controls the latch speed of the door.

MODEL NUMBER	COLOUR	DIMENSIONS	LOAD WEIGHT	NETT WEIGHT
D-2550-SIL	SILVER	31 x 9 x 7.8cm	80kg	2.0kg

TP-1100



COMPACT TRIPOD STAND FOR LL-650, LDM-500, DLL-250

- Extends to 500mm and collapsible to 240mm
- Fluid 3-way panning head with ¼" standard tripod mount
- Built-in bubble level for precise adjustment
- Quick release mount for easy transition to hand-held operation
- Quick snap release leg locks for fast and sure operation

MODEL NUMBER	MAX. HEIGHT	FOLD LENGTH	HEAD TYPE	SECTION LEG	NETT WEIGHT
TP-1100	500mm	240mm	3-way panning head	3	0.38kg

RYOBI.

OTHER TOOLS AND MEASURING EQUIPMENT

MM-100



MOISTURE METER

- Compact and portable meter for quickly and accurately reading the moisture content level of different materials
- Digital LCD display shows moisture content percentage
- Hold function and ambient temperature measurements

MODEL NUMBER	SCREEN DISPLAY	OPERATING HUMIDITY	MEASURING RANGE	OPERATING TEMPERATURE	NETT WEIGHT
MM-100	23 x 13mm	85% Max. Relative	Wood: 5 - 50% / ±2%, Building Materials: 1.5 - 33% / ±2%, Temperature: 0-40°C/ ±2%	0 - 40°C	0.18kg

MM-210



2-IN-1 MOISTURE METER

- Compact and portable meter for quickly and accurately reading the moisture content level of different materials
- Digital LCD display shows moisture content percentage with either prongs or built-in sensor
- Hold function and ambient temperature measurements
- Ideal for use on wood, plaster, concrete, mortar and other building materials

MODEL NUMBER	SCREEN DISPLAY	MAX SCANNING DEPTH	PROBE MEASURING RANGE	SCANNING MEASURING RANGE	NETT WEIGHT
MM-210	35 x 29.5mm	20mm	Wood: 5 - 50% / ±2%, Building Materials: 1.5 - 33% / ±2%	Soft Wood: 0 - 53% / ±4%, Building Materials: 0 - 35% / ±4%	0.19kg

OTHER TOOLS AND MEASURING EQUIPMENT

VT-400



400V VOLTAGE TESTER

- For the testing of domestic wiring, automotive circuitry, electronic equipment, control panel trouble shooting, etc.
- Measure AC current between 12 - 400V and DC current between 12 - 500V
- LED voltage level indicator with polarity detection
- Two handed operation for low impedance testing
- Conforms to IEC/EN 61243-3 for safety

MODEL NUMBER	AC FREQUENCY RANGE	MAX. MEASURING CURRENT	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	PROTECTION TYPE	NETT WEIGHT
VT-400	0 – 100Hz	30mA	-10 to 50°C	< 85%	1P4X	0.13kg

VT-600



600V VOLTAGE TESTER - AC NON-CONTACT

- Locates breaks along live, insulated wires and power cords
- Non-contact voltage test from 12V to 600V AC
- Visible and audible indication of test result
- Compact size with pocket clip for convenience
- Adjustable sensitivity that tests under various working conditions

MODEL NUMBER	POWER SUPPLY	VOLTAGE SENSITIVITY	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	STORAGE TEMPERATURE	NETT WEIGHT
VT-600	2 x AAA batteries (not incl.)	12V – 600V	-10 to 50°C	< 80%	-20 to 60°C	0.12kg

OTHER TOOLS AND MEASURING EQUIPMENT

WWD-100



WALL DETECTOR

- Compact, easy to use detector for safe drilling in walls
- Detects ferrous metal, non-ferrous metal and live wires
- LED warning lights indicate where drilling is possible
- Automatic calibration and easy On/Off switch operation
- Requires 3 x 1.5V LR44 batteries (included)

MODEL NUMBER	POWER SUPPLY	OPERATING TEMPERATURE	STORAGE TEMPERATURE	WALL MAX SCAN DEPTH	NETT WEIGHT
WWD-100	3 x 1.5V LR44 batteries (incl.)	-10 to 50°C	-20 to 70°C	40mm	0.14kg

LL-160



LASER LINER

- Laser class 2 Point range of 20m, line range of 5m, with a strong magnetic base for efficient alignment
- Ideal for horizontal, vertical or angular applications
- 2 built-in bubble vials for quick and accurate levelling
- Versatile mounting accessory that mounts to walls or on a compact tripod with 1/4 Inch thread
- Requires 2 x AAA batteries (not included)

MODEL NUMBER	LASER LINE RANGE	LASER POINT RANGE	ACCURACY	POWER SUPPLY	NETT WEIGHT
LL-160	5m	20m	±1 mm/m	2 x AAA 1.5V batteries (not incl.)	0.1kg

OTHER TOOLS AND MEASURING EQUIPMENT

TLL-90



90-DEGREE TILE LASER LEVEL

- Projects exact 90º angle laser lines on the floor or wall - ideal for a variety of uses, including flooring, tile layout, panelling, wallpapering, stencilling, wain-scoping, finish carpentry, outlet and switch layout, wall stud layout, partition installation and more
- Wall mounting plate and double bubble vial helps vertical or horizontal alignment on the wall for easy and quick alignments
- Functional base plate with contact edge and scale
- 7m Working range, requires 2 x AAA batteries (not included)

MODEL NUMBER	POWER SUPPLY	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE	NETT WEIGHT
TLL-90	2 x AAA batteries (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40ºC	7m	0.12kg

CLL-100



CROSS LASER LINER

- Projects exact cross, laser lines
- Automatic self-levelling, requires 2 x AAA batteries (not included)
- High-visibility and precise laser lines, with 10m working range
- Precise laser cross line serves as a reference point on the wall
- Automatic self-levelling in a few seconds guarantees quick and error-free alignment

MODEL NUMBER	POWER SUPPLY	LASER WAVE LENGTH	OPTIMUM WORKING TEMPERATURE	WORKING RANGE	NETT WEIGHT
CLL-100	2 x AAA batteries (not incl.)	635Nm Class II	0 - 40ºC	10m	0.11kg

OTHER TOOLS AND MEASURING EQUIPMENT

CLL-360



360-DEGREE ROTARY LASER LEVEL

- Perfectly levelled horizontal 360º line - accurate and error-free alignment of objects in the entire room
- Automatic self-levelling
- 10m Diameter working range
- Projects laser lines in 4 modes: cross, vertical, horizontal and diagonal lines

NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE	LASER LINE WIDTH	NETT WEIGHT
CLL-360	4-AA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40ºC	10m	3mm/5m	0.22kg

LDM-22



LASER DISTANCE MEASURE - 20M

- Perfect for quick and accurate interior measurements up to 20m
- Small, light and fits easily into your pocket
- Simple one button operation
- Measure in meters, feet and inches
- Includes 2x 1.5V AAA batteries

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	BATTERY LIFE	NETT WEIGHT
LDM-22	2x 1.5V AAA batteries (incl.)	650Nm Class II	± 3mm + 5 x 105D	0 - 40ºC	0.2 - 20m	± 5 000 measurements	0.11kg

OTHER TOOLS AND MEASURING EQUIPMENT

LDM-32



LASER DISTANCE MEASURE - 30M

- Measure distances up to 30m quickly and easily with laser-point accuracy
- Instant readings with a push of a button
- Measures length, area and volume
- Measure in meters, feet and inches
- Includes 2x AAA 1.5V batteries

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	BATTERY LIFE	NETT WEIGHT
LDM-32	2x 1.5V AAA batteries (incl.)	650Nm Class II	± 2mm + 5x105D	0 - 40°C	0.2 - 30m	± 5 000 measurements	0.12kg

LDM-500



LASER DISTANCE MEASURE - 0.1 – 50M

- Quick, easy and accurate point-to-point measuring up to 50m
- Length, area, volume, Pythagorean and continuous mode measuring
- Accurate to ±1.5mm at 50m
- 4 Measuring reference points
- Backlit LCD screen for high-visibility with easy-to-read numerals

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	NETT WEIGHT
LDM-72B	3 x 1.2V AAA (incl.)	630 - 670Nm	±2mm +5x105D	0 - 40°C	0.2 - 70m	0.1kg

OTHER TOOLS AND MEASURING EQUIPMENT

LDM-72B



LASER DISTANCE MEASURE - 70M

- For simple and accurate measurements up to 70m
- Measure distance, area, volume, indirect distance by Pythagorean Theorem, auto level and auto height
- 3D (point to point) measurement to determine any distance between two points in any space (in metres, feet or inches)
- 2" Touch screen colour display (IP65 dustproof, waterproof)

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	NETT WEIGHT
LDM-72B	3 x 1.2V AAA (incl.)	630 - 670Nm	±2mm +5x105D	0 - 40°C	0.2 - 70m	0.12kg

OTHER TOOLS AND MEASURING EQUIPMENT

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RBL-070	RYOBI BUILDING LINE 0.70MM
2	RBL-085	RYOBI BUILDING LINE 0.85MM
3	RBL-090	RYOBI BUILDING LINE 0.90MM
4	RBL-100	RYOBI BUILDING LINE 1.00MM

RYOBI.

OTHER TOOLS AND MEASURING EQUIPMENT

1.



2.



3.



NUMBER	MODEL NUMBER	DESCRIPSION
1	JC-20LG	20L OLIVE GREEN PETROL JERRY CAN – WITH SAFETY PIN
2	JC-20LY	20L YELLOW DIESEL JERRY CAN – WITH SAFETY PIN
3	JC-20LS	JERRY CAN SPROUT

RYOBI



GUARANTEE
2-YEAR
GUARANTEE

GARDENING

PA-200



51.7CC 2-STROKE PETROL EARTH AUGER – 80 - 200MM

- High power 51.7cc petrol, 2-stroke engine, built for endurance
- Standard accessory is 200mm diameter auger and auger fixing pin
- Diaphragm carburettor so machine can run at an angle
- Anti-vibration handle combats user fatigue and centrifugal clutch for longer tool life
- Easy to control trigger throttle with safety mechanism, heavy-duty frame and durable gear transmission mechanism

MODEL NUMBER	RATED POWER	FUEL TO OIL RATIO	CARBURATTOR	CLUTCH TYPE	IDLING SPEED	BIT DIAMETER	TANK CAPACITY	NETT WEIGHT
PA-200	1.45kW @ 6 500min-1	25:1	Diaphragm	Centrifugal	2 800min-1	80 – 200mm	980ml	9.8kg

RB-2000



2 000W ELECTRIC BLOWER

- Slide lock-on switch for increased user comfort
- Quick detachable tube for convenient storage
- Compact and lightweight design for minimum user fatigue

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	VOLTAGE/ FREQUENCY	AIR VOLUME	NETT WEIGHT
RB-2000	2 000W	13 500min-1	230V, 50Hz	11m³/min	1.8kg

RYOBI.

GARDENING

RBV-3050



3 000W BLOWER VACUUM

- Powerful 3000 watt ,15000rpm motor for super performance.
- 10:1 Mulching ratio reduces waste
- Lever change for a fast transition between blower and vacuum models
- Ergonomic handle with shoulder strap for weight distribution and ease of use
- Fully adjustable front handle and roller wheels for user comfort

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	VOLTAGE/ FREQUENCY	AIR SPEED	AIR VOLUME	NETT WEIGHT
RBV-3050	3 000W	15 000min-1	230V, 50Hz	270km/h	13.2m³/h	3.1kg

RBV-3500



3 500W BLOWER MULCHING VACUUM 3-IN-1 FUNCTIONALITY

- Powerful 3500 Watt motor for fast and efficient cleaning
- 3-in-1 multi function includes blowing, suction and shredding
- 10:1 mulching ratio reduces waste with lever change for a fast transition between blower and vacuum modes
- Roller wheels increase user comfort during operation and transport
- Ergonomic handle with shoulder strap for weight distribution and ease of use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3500	3 500W	15 000min-1	40L	300km/h	16m3/min	10:1	3.1kg

RYOBI.

GARDENING

RB-262S



26CC 2-STROKE PETROL BLOWER

- Powerful 26cc full crank engine built for endurance
- Electronic ignition for easy starting and smooth running
- Unique light weight and balanced design for superior user comfort

NUMBER	MOTOR	NO LOAD SPEED	CAPACITY TANK	DISPLACEMENT ENGINE	FUEL MIX RATIO	STARTING SYSTEM	NETT WEIGHT
RB-262S	2-stroke	8 000min-1	460ml	26cc	40:1	Recoil	4.3kg

RB-264S



26.5CC 4-STROKE PETROL BLOWER

- Powerful 26cc 4-stroke fuel efficient low emissions engine
- Ideal for moving leaves, light trees debris, grass clippings and other
- Easy start electronic ignition system, with a 2-part blower tube for easy storage in cramped sheds and garages
- Lightweight design ensures user comfort and allows easy manoeuvring around the garden
- Delivers air speeds up to 200km/h

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR VELOCITY	AIR VOLUME	NETT WEIGHT
RB-264S	26.5cc	11 000min-1	55.5m/s	9m3/min	4.2kg

GARDENING

RBV-3000



30CC PETROL BLOWER MULCHING VACUUM

- Powerful 30cc 2-stroke engine built for endurance
- 50:1 Fuel ratio (use unleaded petrol with 2-stroke lubricant)
- Complete with shoulder harness and a compact twin tube design with instant change from blower to vacuum
- 8:1 Mulching ratio reduces garden waste and bag emptying
- Variable speed control for the correct speed selection depending on the job

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3000	30cc	7 300 – 8 500min-1	60m/s	10 m³/min	8:1	7.3kg

RBV-5200



52 CC BACKPACK BLOWER

- 52cc full crank engine. Better designed impeller & engine
- cooling system for optimal cooling and blowing performance
- Ergonomic 60 degree back frame design with shoulder strap for added user comfort

MODEL NUMBER	ENGINE TYPE	DISPLACEMENT	MAX SPEED	AIR VELOCITY	NETT WEIGHT
RBV-5200	2-stroke, 1.5kW	52cc	7 800min-1	80m/s	8.8kg

GARDENING

RBC-33



33CC PETROL BRUSH CUTTER (RED HOUSING)

- Double harness and adjustable bull horn handles helps to minimise fatigue during periods of extended use
- Split shaft design for convenient storage and transport
- 430mm cutting path with combination guard for use with both blade and trimmer for trimming the largest gardens
- Powerful and efficient 33cc 2-stroke engine, can be used as a Brush Cutter or Line Trimmer
- Bump feed head with 2.5m of ø2.4mm pre-loaded line makes easy work of trimming and extending line

MODEL NUMBER	ENGINE	DISPLACEMENT	OUTPUT MAX.	FUEL TANK CAPACITY	FUEL TO OIL RATIO	NETT WEIGHT
RBC-33	2-stroke, air-cooled	33cc	1.25kW @ 7 000min-1	800ml	25:1	7.2kg

---

RBC-4300A



43CC PETROL BRUSH CUTTER

- 43cc 2-stoke engine built for power and endurance
- Split shaft design for convenient storage and transport
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back and centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	OUTPUT MAX.	FUEL TANK CAPACITY	FUEL TO OIL RATIO	NETT WEIGHT
RBC-4300A	1.25kW, 2-stroke	43cc	1.25kW @ 7 000min-1	1.25L	40:1	7.5kg

GARDENING

RBC-5200A



52CC PETROL BRUSH CUTTER

- 52cc 2-stoke engine built for power and endurance with split shaft design for convenient storage and transport
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back
- Centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	OUTPUT MAX.	FUEL TANK CAPACITY	FUEL TO OIL RATIO	NETT WEIGHT
RBC-5200A	1.5kW, 2-stroke	52cc	1.5kW @ 7 500min-1	1.25L	40:1	7.5kg

CS-1835



1 800W ELECTRIC CHAIN SAW - 350MM

- Powerful 1800 Watt motor provides ample power for tough jobs
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Quick and secure chain brake system for added operator safety
- Compact and light weight design for more user comfort

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-1835	1 800W	13.5 m/sec	350mm	150ml	4.9kg

GARDENING

CS-2000



2 200W ELECTRIC CHAIN SAW – 395MM

- Powerful electric chainsaw suitable for cutting branches, trunks, logs and beams
- Automatic chain and bar lubrication ensures continuous cutting, with the quick mechanical brake system providing smooth control
- Tool-less chain tensioning system
- 13m/s chain speed offers excellent cutting performance
- Fast and safe chain break mechanism stops the chain in less than 0.12 seconds 40cm bar and chain with blade sheath

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-2000	2 200W	13.5m/sec	395mm	260ml	5.2kg

CS-2240



2 200W ELECTRIC CHAIN SAW - 400MM

- 2200 Watt high power motor cuts hardwood with ease
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Well-balanced design with soft grip for more user comfort

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-2240	2 200W	13.5m/sec	400mm	150ml	5.1kg

GARDENING

CS-4016



40CC 2-STROKE PETROL CHAIN SAW - 380MM

- Powerful 40cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life
- Ergonomically designed handle and anti-vibration system for user comfort

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	FUEL TO OIL RATIO	FUEL TANK CAPACITY	BAR LENGTH	NETT WEIGHT
CS-4016	40cc	380mm	25:1	580ml	460mm	6.35kg

CS-4518



45CC 2-STROKE PETROL CHAIN SAW - 450MM

- Powerful 45cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life
- Ergonomically designed handle and anti-vibration system for user comfort

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	FUEL TO OIL RATIO	FUEL TANK CAPACITY	BAR LENGTH	NETT WEIGHT
CS-4518	45cc	455mm	25:1	580ml	545mm	6.5kg

GARDENING

CS-6260



62CC 2-STROKE PETROL CHAIN SAW - 600MM

- Powerful 62cc, 2-stroke engine provides ample power for tough jobs, easily cuts hardwood with large 600mm cutting diameter
- Effortless pull starting system with automatic fuel pump for quick and easy start
- Comfortable, ergonomically designed handle and anti-vibration system for user comfort
- Fast chain makes for ease of use by requiring less pressure, with automatic chain oiling system for longer chain life
- Convenient primer bulb for easy starting with chain brake system for safety and Oregon “Pro-lite” chain bar

MODEL NUMBER	ENGINE	DISPLACEMENT	IDLING SPEED	FUEL TYPE	TANK CAPACITY	FUEL TO OIL RATIO	MAX. CUTTING DIAMETER	NETT WEIGHT
CS-6260	2-stroke, 4HP, single cylinder, air-cooled	62cc	3 200rpm	Unleaded	550ml	35:1	500mm	8.2kg

---

CSS-85



85W ELECTRIC CHAIN SAW SHARPENER

- Built-in chain vise adjusts to all saw chain designs and pitches
- Chain rotation rollers move the links forward while the vise stays in position for quick and consistent sharpening
- Mountable to bench, wall or vise for stable operation
- Table vise angle of 35 to the right or left
- Includes: 108 x 3.2mm sharpening wheel

MODEL NUMBER	VOLTAGE	POWER OUTPUT	NO LOAD SPEED	SHARPENING WHEEL SIZE	NETT WEIGHT
CSS-85	230V, 50Hz	85W	5 700min-1	Ø108 x 3.2mm	2.1kg

GARDENING

1.



2.



3.



NUMBER	MODEL NUMBER	DESCRIPSION
1	CSF-3532	CHAIN SAW FILE 4.0MM
2	CSS-532K	CHAIN SAW SHARPENING KIT 5/32"
3	CSS-316K	CHAIN SAW SHARPENING KIT 3/16"

RYOBI.

RYOBI

CHAIN SAW LINK GUIDE

Item Category	HAND CHAIN SAW	CORDLESS CHAIN SAWS		ELECTRICAL CHAIN SAWS			PETROL CHAIN SAWS			POLESAWS	
Item Code	XCS-100	XCS-254	XCS-355 PLUS	CS-1835	CS-2000	CS-2240	CS-4016	CS-4518	CS-6250	RPS-1000	XPCS-18
Maximum Power	18V	18V	36V	1 800W	2 000W	2 200W	1.5kW	1.8kW	2.8kW	1 000W	18V
Voltage	18V	18V	36V	230V, 50Hz	230V, 50Hz	230V, 50Hz	-	-	-	230V, 50Hz	18V
Bar Length	100mm	254mm	355mm	350mm	400mm	400mm	460mm	545mm	505mm	200mm	200mm
Bar Type	RYOBI 4"	RYOBI 10"	OREGON 90	OREGON 91	RYOBI	OREGON 91	RYOBI	RYOBI	OREGON 325	OREGON 91	RYOBI
Chain Type	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK	HOBBY CHAIN, SHORT LINK
Chain Speed	4m/s	6.0m/s	8.5m/s	13.5m/s	13m/s	13.5m/s	10 000min-1	10 000min-1	3 300min-1	13m/s	5m/s
Thickness Of Cut	7mm	7mm	7mm	7mm	7mm	7mm	7mm	7mm	7mm	5mm	5mm
Oil Tank Capacity	-	180ml	170ml	150ml	260ml	150ml	250ml	250ml	350ml	120ml	100ml
Fuel Tank Capacity	-	-	-	-	-	-	580ml	580ml	550ml	-	-
Fuel Ratio	-	-	-	-	-	-	25:1	25:1	40:1	-	-
Required Pitch	-	5/32	5/32	5/32	5/32	5/32	5/32	5/32	3/16	3/16	5/32
Required Links	30	40	52	52	57	57	57	72	78	33	33
Nett Weight	1.3kg	3.5kg	3.8kg	4.9kg	5.2kg	5.1kg	6.35kg	6.5kg	7.1kg	4.7kg	3.0kg

Product Images



PLEASE NOTE: This is only a guide, please consult your equipment's handbook for accurate usage requirements. Ryobi cannot be held responsible for damage to appliances or equipment due to incorrect usage.

GARDENING

BHS-720



7.2V LI-ION HAND HEDGE TRIMMER AND GRASS SHEAR

- 7.2V Lithium-ion technology for lighter weight and more power
- Converts from a hedge trimmer into a grass shear
- Quick and easy tool-free blade change system
- Precision-sharpened blades for faster and cleaner cutting
- Battery indicator LED for user convenience

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	NETT WEIGHT
BHS-720	7.2V	1 000min-1	Grass shear: 100mm Hedge trimmer: 120mm	0.8kg

---

RHT-500



500W GARDEN TRIMMER - 410MM

- Powerful 500 Watt motor with electric brake
- 410mm blade length with double action cutting blades for a cleaner and faster cut
- Ergonomically designed handle with soft grip for improved handling and transparent safety guard allowing a clear view or the cutting area
- Double action safety switch and blade brake improves user safety
- Large 17mm cutting capacity

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-500	500W	1 650min-1	410mm	17mm	2.8kg

GARDENING

RHT-650



650W GARDEN TRIMMER - 550MM

- Powerful 650 Watt motor with electric brake
- 180º rotatable rear handle with soft grip improves ergonomics and user control
- Double action safety switch and blade brake improves user safety
- 550mm blade length and dual action cutting blades for a cleaner and faster cut
- Large 20mm cutting capacity

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-650	650W	1 500min-1	550mm	20mm	3.8kg

RHT-2600



26CC 2-STROKE HEDGE TRIMMER – 550MM

- 26cc 2-cycle engine can power through large jobs
- 180-degree rotatable rear handle for ideal working position when making vertical cuts or sculpting
- Dual action cutting blades for a cleaner and faster cut
- Large 550mm cutting capacity
- Double action safety switch allows greater user safety

MODEL NUMBER	ENGINE TYPE	DISPLACEMENT	POWER OUTPUT	FUEL TANK CAPACITY	CUTTING DIAMETER	NETT WEIGHT
RHT-2600	2-stroke, air cooled	26cc	10 000rpm	460ml	24mm	5.2kg

GARDENING

RM-1232



1 200W ELECTRIC LAWN MOWER -320MM

- Powerful 1200 Watt motor providing quiet running performance with low maintenance
- Safety switch to prevent accidental start improves operator safety and avoids accidental start ups
- Wheeled lawnmower for easy push mowing, with 3-height positions
- Catcher help to efficiently dispose clippings
- Handles and wheels for easy storage and transportation and convenient cable guide to secure cable when in use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	CATCHER VOLUME	NETT WEIGHT
RM-1232	1 200W	3 350min-1	320mm	30L	8.0kg

RM-1602



1 600W ELECTRIC LAWN MOWER - 400MM

- Powerful 1600W motor, providing quiet running performance with low maintenance
- Wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 – 75mm
- 40 Litre plastic grass catcher help to efficiently dispose clippings

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1602	1 600W	3 450min-1	380mm	25 - 75mm (5 positions)	40L	10.2kg

RYOBI.

GARDENING

RM-1802



1 800W ELECTRIC LAWNMOWER - 400MM

- Powerful 1800W motor, providing quiet running performance with low maintenance, wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 – 80mm
- 40 Litre grass catcher help to efficiently dispose clippings and Convenient cable guide to secure the cable when in use
- Handles and wheels for easy storage and transportation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1802	1 8000W	3 450min-1	420mm	25 - 80mm (5 positions)	40L	12.0kg

RM-2010



2 000W ELECTRIC LAWN MOWER - 460MM

- Powerful 2000 Watt motor provides smooth cutting
- 460mm Wide cutting path
- 6-position single lever adjustable cutting height, 25/30/40/50/60/70mm
- Large capacity 50 litre grass collection box
- Safety switch prevents mower from accidental start

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2010	2 000W	2 850min-1	460mm	25 – 70mm (6 steps)	50L	25.0kg

RYOBI.

GARDENING

RM-2410



2 400W ELECTRIC LAWN MOWER - 460MM

- Powerful 650 Watt motor with electric brake
- 180º rotatable rear handle with soft grip improves ergonomics and user control
- Double action safety switch and blade brake improves user safety
- 550mm blade length and dual action cutting blades for a cleaner and faster cut
- Large 20mm cutting capacity

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2410	2 400W	2 850min-1	460mm	25 – 70mm (6 steps)	50L	25.9kg

---

HM-3416



1 600W HOVER MOWER - 340MM

- Powerful 1 600 Watt motor provides smooth mowing
- 4-Position adjustable cutting height
- Extra-long rear-mounted handle provides longer reach and improved handling
- Fold-down handle for space-saving storage

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	NETT WEIGHT
HM-3416	1 600W	4 300min-1	340mm	2 / 19 / 26 / 33mm	6.8kg

GARDENING

RPM-380



PUSH MOWER 380MM

- Push reel mower ideal for most turf grasses
- 5-Heat-treated, steel blades provide a clean, precise, scissor-like cut
- Cutting height adjustable 15, 25, 35, 40mm
- 380mm Cutting width
- 217mm high impact, polymer wheels are cleated to reduce slippage

MODEL NUMBER	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	DECK MATERIAL	NETT WEIGHT
RM-380	380mm	15, 25, 35, 40mm	25L	Steel	7.2kg

RM-125P



125CC 4-STROKE PETROL LAWN MOWER - 410MM

- 410mm Cutting width
- Rigid 410mm steel deck
- Durable plastic grass collection catcher
- 7-Position, central cutting height adjustment from 20~70mm
- Steel bearing wheels

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION BOX	NETT WEIGHT
RM-125P	125cc	2 800rpm	410mm	20 - 70mm	45L	21.0kg

RYOBI.

GARDENING

RM-145P



145CC 4-STROKE PETROL LAWN MOWER - 480MM

- Powerful 145cc, 4-stroke, OHV engine
- 480mm Cutting width
- Rigid steel deck
- 4 Individual swing blades
- 8-Position single lever cutting height adjustment, 20/25/35/40/50/55/65/75mm

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION BOX	NETT WEIGHT
RM-145P	145cc	2 500min-1	480mm	20 - 75mm	60L	21.0kg

RM-170P



170CC 4-STROKE PETROL LAWN MOWER - 480MM

- Powerful 170cc, 4-stroke, OHV engine
- 480mm Cutting width
- Rigid steel deck
- 4 Individual swing blades
- 8-Position single lever cutting height adjustment, 20/25/35/40/50/55/65/75mm

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION BOX	NETT WEIGHT
RM-170P	170cc	2 900min-1	480mm	20 - 75mm	60L	27.0kg

GARDENING

RM-190P



190CC 4-STROKE PETROL LAWN MOWER - 480MM

- Powerful 190cc, 4-stroke, OHV engine
- 480mm Cutting width
- Rigid steel deck
- 4 Individual swing blades
- 8-Position single lever cutting height adjustment, 20/25/35/40/50/55/65/75mm

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION BOX	NETT WEIGHT
RM-190P	190cc	2 900min-1	480mm	20 - 75mm	60l	30.4kg

RM-1448P



139CC 4-STROKE PETROL LAWN MOWER - 480MM

- Easy to start OHV 4-stroke petrol engine that delivers 139cc of power
- 480mm Cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm and Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion and 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION BOX	NETT WEIGHT
RM-1448P	139cc	2 500min-1	400mm	25 - 75mm	45L	21.0kg

GARDENING

RM-1748P



173CC 4-STROKE PETROL LAWN MOWER - 480MM

- Easy to start OHV 4-stroke petrol engine that delivers 173cc of power
- 480mm Cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm and Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion and 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACE MENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1748P	173cc	2 800min-1	480mm	25 - 75mm	70L	33.5 kg

RPS-1000



1 000W REAR MOTOR POLE SAW & POLE HEDGER

- Powerful 1000 Watt rear mounted motor for better balance and ease of use
- Split shaft for easy transport and storage
- Ergonomic handle with shoulder strap for added user comfort
- Tool-free chain tension for quick and easy chain tensioning and assembling
- Automatic chain oiling for longer chain and bar life

MODEL NUMBER	POWER INPUT	CHAIN SPEED	BAR & CHAIN TYPE	GUIDE BAR LENGTH	OIL TANK CAPACITY	NETT WEIGHT
RPS-1000	1 000W	13m/s	8” Oregon bar & chain	200mm	120ml	4.7kg

RYOBI.

GARDENING

RLT-310



300W LINE TRIMMER - 220MM

- 300W motor is perfect for everyday grass trimming
- Loop shaped handle with textured surface for improved grip
- Light weight design provides greater comfort during use
- Bump feed mechanism to adjust the spool line, with a 220mm cutting diameter for efficient cutting action
- Use Ryobi 1.2 / 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-310	300W	13 000min-1	220mm	1.2mm	Bump feed	1.25kg

RLT-380



380W LINE TRIMMER - 250MM

- Compact and light weight, ideal for smaller yard and light-duty trimming
- Telescopic aluminium shaft
- Angle adjustable auxiliary handle for increased balance and comfort
- 11-Position pivoting head tilts to accommodate hard to trim areas
- Bump feed system

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-380	380W	12 000min-1	250mm	1.4mm	bump feed	1.5kg

GARDENING

RLT-550



550W LINE TRIMMER - 300MM

- 550 Watt powerful motor offers excellent performance
- Metal plant protector protects flowers and delicate surfaces, with telescopic and 180 rotatable aluminium shaft
- Angle adjustable auxiliary handle for easy cutting along vertical surfaces and lawn edges
- 5-Position pivoting head tilts to accommodate hard to trim areas, edging function with wheel support for easy accurate edge trimming
- Auto-spool system allows automatic feeding of the cutting line when required

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-550	550W	10 000min-1	300mm	1.6mm	auto feed	2.3kg

RLT-552



550W LINE TRIMMER - 300MM

- 550 Watt powerful motor offers excellent performance, with 3 position pivoting head tilts to accommodate hard to trim areas
- Metal plant protector protects flowers and delicate sur faces, with adjustable length aluminium shaft up to 180mm
- Edging function with wheel support for easy accurate edge trimming while metal plant protector protects trees and delicate surfaces
- Auto-spool system allows automatic feeding of the cutting line when required with 300mm cutting diameter
- Adjustable angle auxiliary handle for user comfort, use Ryobi 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-552	550W	10 000min-1	300mm	1.4mm	bump feed	2.3kg

GARDENING

RLT-710



710W LINE TRIMMER – 290MM

- 710 Watt high power motor
- Adjustable length aluminium shaft with adjustable angle auxiliary handle
- 3-position pivoting head tilts to accommodate hard-to-trim areas
- Edging function with wheel support for easy and accurate edge trimming
- Auto-spool system allows automatic feeding of the cutting line when required

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-710	710W	11 000min-1	290mm	1.mm	auto feed	3.5kg

RLT-1002



1 000W TOP MOUNT LINE TRIMMER - 350MM

- Powerful 1000 Watt rear mounted motor for improved balance and endurance
- Split shaft design for convenient storage and transport
- Adjustable auxiliary handle and shoulder harness to help maintain balance and provide comfort
- Bump feed head with 6m of 2mm pre-loaded line, easy to trim and extend line
- Angled drive shaft helps tackle hard to reach areas

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-1002	1 000W	7 000min-1	350mm	2mm	bump feed	3.8kg

GARDENING

RLT-1060



1 000W ELECTRIC LINE TRIMMER – 350MM

- Powerful 1000 Watt rear mounted motor for improved balance and endurance, with split shaft design - convenient storage and transport
- Adjustable auxiliary handle and shoulder harness for easy cutting along vertical surfaces and lawn edges
- Ergonomic main handle with soft grip and large switch trigger
- Twin line, bump feed head with 3m of 2mm pre-loaded line, easy to trim and extend line
- Large 350mm trimming path to get your job done quickly, with angled drive shaft helps tackle hard to reach areas

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NO LOAD SPEED	VOLTAGE	NETT WEIGHT
RLT-1060	1 000W	350mm	2mm x 3m	Bump feed	6 000min-1	230V, 50Hz	3.9 kg

---

RPT-2650



25CC 2-STROKE PETROL SPLIT SHAFT LINE TRIMMER

- Powerful and efficient 25cc 2-stroke engine, with a 380mm cutting path for trimming the largest gardens
- Easy start electronic ignition system
- Bump feed head with 5m of 2.0mm pre-loaded line, makes easy work of trimming and extending line
- Split shaft design for convenient storage and transport
- Support strap and adjustable, anti-vibration 'D' auxiliary handle for user comfort and is lightweight, low vibration and easy to handle

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL TO OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-2650	25cc, 2-stroke	380mm	2mm	Bump feed	40:1 (unleaded)	400ml	4.9kg

GARDENING

RPT-3000



30CC 2-STROKE PETROL LINE TRIMMER – 360MM

- 30cc 2-Stroke air-cooled engine built for endurance
- Electronic ignition makes starting 70% easier
- Automatic line dispensing system releases trimming line with a single tap
- Diaphragm carburettor or so machine can run at an angle
- D-shaped handle can rotate for user comfort, complete with shoulder strap

MODEL NUMBER	POWER INPUT	CAPACITY TANK	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL TO OIL RATIO	NETT WEIGHT
RPT-3000	30cc 2-stroke	700ml	360mm	2mm	bump Head	40:1 (unleaded)	3.8kg

---

RPT-264S



26CC 4-STROKE BENT SHAFT PETROL LINE TRIMMER – 430MM

- Powerful and efficient 26cc 4-stroke engine, no mixing of gas and oil required
- Easy start electronic ignition system, fully adjustable anti-vibration 'D' handle
- Bump feed head with 2m of 2.0mm pre-loaded line, easy to trim and extend line
- Split shaft design for convenient storage and transport
- 430mm Cutting path for trimming the largest gardens

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL TO OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-264S	26.5cc 4-stroke	430mm	2mm	Bump feed	Unleaded	280ml	7.0kg

GARDENING

RPT-52W



52CC 2-STROKE PETROL WHEELED STRING TRIMMER MOWER

- Easy to control throttle for comfortable mowing and easy to manoeuvre large wheels for all sorts of terrain operation
- Handle folds in seconds to take less space for storage
- Quick-mount trimmer head for easy assembly and disassembly without any tools
- Easy-to-operate head swivel for trimming along a fence or wall
- Ready-to-use 2.4mm, 2.7mm and 4.0mm string suit for the versatile trimmer head

MODEL NUMBER	ENGINE TYPE	DISPLACEMENT	MAX OUTPUT	FUEL TANK CAPACITY	FUEL TO OIL RATIO	NETT WEIGHT
RPT-52W	2-stroke	52cc	3 500 – 8 000min-1	1.3L	25:1	13.1kg

RGS-2540



2 500W SHREDDER – 395MM

- Powerful 2500 Watt motor with twin hardened steel blade cutting device provides efficient shredding
- Large top hopper accepts branches up to 45mm
- Reversible and re-sharpen-able blades for longer service life
- Overload protection switch prevents the motor from being overloaded
- Large wheels provide easier transportation and manoeuvrability

MODEL NUMBER	POWER OUTPUT	NO LOAD SPEED	MAX CUTTING	COLLECTION BAG CAPACITY	NETT WEIGHT
RGS-2540	2 500W	4 200min-1	395mm	45mm	48.0kg

RYOBI.

GARDENING

RSC-450



SEEDING CART - 450MM

- Light weight cart with large wheels for easy manoeuvrability
- Adjustable spreading rate
- Large 12 litre seeding box
- Suitable for seeds up to 8mm in length

MODEL NUMBER	WORKING WIDTH	MAX. SPREADING SIZE	SEEDING HOLDER CAPACITY	NETT WEIGHT
RSC-450	450mm	8.0mm	12L	2.3kg

RMB-100



1L 2-STROKE FUEL MIXING BOTTLE

MODEL NUMBER	BOTTLE CAPACITY	FUEL TO OIL RATIO	DIMENSIONS	NETT WEIGHT
RMB-100	1L	50:1 / 40:1 / 32:1 / 25:1	10 x 8.5 x 19.5cm	0.1kg

RYOBI.

GARDENING

FH-640



FOREST HELMET – 520MM - 640MM

- The helmet can be adjusted to the circumference of your head by turning the neck strap adjuster
- Removable face shield visor can fold-away and is adjustable
- The height and position of the ear protectors can be adjusted
- The distance between your face and the visor can be adjusted
- The soft neck strap can be adjusted for individual t and comfort

MODEL NUMBER	MATERIAL	HEAD CIRCUMFERENCE	DIMENSIONS	NETT WEIGHT
FH-640	Mesh fabric and hard plastic	520mm – 640mm	28.5 x 22.7 x 16cm	0.7kg

GARDENING

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RPS-001	RYOBI GREEN PYRAMID SPRINKLER
2	RRG-002	RYOBI GREEN RAIN GAUGE
3	RGF-003	RYOBI GREEN GARDEN FORK
4	RGT-004	RYOBI GREEN GARDEN TROWEL

RYOBI.

GARDENING

822201015



220V EXTENSION CORD - 15M - 10AMP

MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
822201015	15M	2mm	220V / 10Amp	0.8kg

822201020



220V EXTENSION CORD - 20M - 10AMP

MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
822201020	20M	2mm	220V / 10Amp	1.0kg

GARDENING

822201025

220V EXTENSION CORD - 25M - 10AMP



MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
822201025	25M	2mm	220V / 10Amp	1.2kg

822201635

220V EXTENSION CORD - 35M - 16AMP



MODEL NUMBER	MAX ADDED LENGTH	CORE DIAMETERS	POWER OUTPUT	NETT WEIGHT
822201635	35M	2mm	220V / 16Amp	1.5kg

GARDENING

1. 

2. 

3. 

4. 

5. 

6. 

NUMBER	MODEL NUMBER	DESCRIPSION
1	70214008	TRIMMING LINE 1.4mm x8m (2) TWIN PACK
2	70224005	TRIMMING LINE 2.4mm x 5m (2) TWIN PACK
3	71216008	TRIMMING LINE - TWISTED - 1.6mm x 8m - (2) TWIN PACK
4	70216008	TRIMMING LINE 1.6mm x 8m (2) TWIN PACK
5	70220008	TRIMMING LINE 2.0mm x 8m (2) TWIN PACK
6	71220008	TRIMMING LINE - TWISTED - 2.0mm x 8m - (2) TWIN PACK

RYOBI.

GARDENING

7.



8.



9.



10.



11.



12.



NUMBER	MODEL NUMBER	DESCRIPSION
7	70220108	TRIMMING LINE SQ 2.0mm x 8m (2) TWIN PACK
8	70116008	TRIMMING LINE 1.6mm x 8m (1) SINGLE LOOP
9	70120008	TRIMMING LINE 2.0mm x 8m (1) SINGLE LOOP
10	70120108	TRIMMING LINE SQ 2.0mm x 8m (1) SINGLE LOOP
11	70516008	TRIMMING LINE 1.6mm x 8m (5) 5-PACK
12	70520008	TRIMMING LINE 2.0mm x 8m (5) 5-PACK

RYOBI.

GARDENING

13.



14.



15.



16.



17.



18.



NUMBER	MODEL NUMBER	DESCRIPSION
13	70520108	TRIMMING LINE SQ 2.0mm x 8m (5) 5-PACK
14	71520008	TRIMMING LINE - TWISTED - 2.0mm x 8m - (5) 5-PACK
15	71516008	TRIMMING LINE - TWISTED - 1.6mm x 8m - (5) 5-PACK
16	71716100	TRIMMING LINE - TWISTED - 1.6mm x 100m - BLISTER (DONUT)
17	70716100	TRIMMING LINE 1.6mm x 100m (DONUT)
18	70720100	TRIMMING LINE 2.0mm x 100m (DONUT)

RYOBI.

GARDENING

19.



20.



21.



22.



23.



24.



NUMBER	MODEL NUMBER	DESCRIPSION
19	71720100	TRIMMING LINE - TWISTED - 2.0mm x 100m - BLISTER (DONUT)
20	70724080	TRIMMING LINE 2.4mm x 80m (DONUT)
21	70730050	TRIMMING LINE 3.0mm x 50m (DONUT)
22	70820002	TRIMMING LINE 2mm x 2KG SPOOL
23	70830002	TRIMMING LINE 3mm x 2KG SPOOL
24	70835002	TRIMMING LINE 3.5MM x 2KG

RYOBI.

GARDENING

25.



26.




NUMBER	MODEL NUMBER	DESCRIPSION
25	70935100	TRIMMING LINE 3.5mm x 220mm (100)
26	UTH-04	UNIVERSAL TRIMMING HEAD - FOR ALL PETROL BRUSH CUTTERS


GARDENING

ARE YOU AWARE THAT THE SHAPE AND DIAMETER OF YOUR TRIMMER LINE DETERMINE HOW EFFECTIVELY YOUR WEEDS ARE CUT?

Trimmer lines come in different shapes and diameter sizes for heavier or lighter jobs. When choosing your line shape or diameter, consider the size of your yard and the thickness of your grass. Different styles of lines can assist you in cutting your job time in half and creating a cleaner, more even cut. Always refer to your owner's manual before shopping for a trimming line to determine which line shape and diameter best suit your trimmer.




Round Trimmer Line:
- Standard, the basic shape that won't wear down as quickly as other trimmer lines.
- Used for lighter, residential use with minimum weeds.
- Breaks less and is more durable against concrete and trees.
- Easiest trimmer line to replace in your trimmer.




Multi-sided Trimmer Line:
- Best used for medium-sized jobs with heavier weeds or large lawns.
- Multi-sided trimmer lines have multiple sides that produce a cleaner cut.
- These lines commonly come in a star, square, or pentagon shape.
- Breaks easily when in contact with stones, fences, curbs, sidewalks, etc.

GARDENING



Serrated Trimmer Line:
- Commercial use.
- Covers a larger area and working with thicker weeds.
- Edges that act like teeth or a kitchen knife, the serrated line can quickly saw through grass blades and thick leaves, leaving a cleaner trim.



Twisted Trimmer Line:
- For heavy-duty use in yards with thick, heavy weeds.
- The twisted trimmer line adds strength, improves efficiency, and reduces noise.
- Impacts concrete and hard surfaces with durability.
- Reduces trimmer vibrations and noise levels while giving you a clean, even cut.

LINE DIAMETERS:

Trimmer line comes in many different line weights and diameters. A larger diameter will increase your cutting power and durability against thicker grasses and weeds. For areas with a minimum of weeds, a lighter weight should be used. It is important to check your owner's manual for specific recommendations for your model of trimmer. Each trimmer can only handle a certain line diameter.

GARDENING

- Light Work: Residential front and back lawns with lighter weeds.
- Medium Work: Larger back and front lawns or lawns with heavier weeds and light commercial work.
- Heavy Work: Industrial landscaping, large yards, golf courses and other areas that need a large amount of trimming.

DIAMETER SIZE:

- Light-Medium Work: 0.65mm - 2mm
- Medium-Heavy Work: 2.1mm - 2.6mm
- Very-Heavy Work: 2.7+mm

CONCLUSION:

When choosing trimmer line determine the thickness of your weeds and the line recommendations in your owner's manual. With the right trimmer line choice, you will get a clean, even cut in half the time.

(https://www.jackssmallengines.com/diy/choosing-the-best-trimmer-line-for-you/)

GARDENING

1. 

2. 

3. 

4. 

5. 

6. 

NUMBER	MODEL NUMBER	DESCRIPSION
1	RTS-200	2-STROKE OIL 200ml
2	RTS-500	2-STROKE OIL 500ml
3	RTS-5000	2-STROKE OIL 5L
4	RFS-530	4-STROKE OIL SAE 30 500ml
5	RFS-130	4-STROKE OIL SAE 30 1L
6	RFS-5030	4-STROKE OIL SAE 30 5L

RYOBI.

GARDENING

7.



8.



9.




10.



NUMBER	MODEL NUMBER	DESCRIPSION
7	RCB-500	CHAINSAW BAR LUBRICATION 500ML
8	RCB-100	CHAINSAW BAR LUBRICATION 1L
9	RCB-5000	CHAINSAW BAR LUBRICATION 5L
10	RCO-100	COMPRESSOR OIL 1L

RYOBI.

RYOBI®



GUARANTEE
2-YEAR
GUARANTEE

WELDING

MMA-140



140AMP METAL ARC INVERTER WELDER

- Powerful, lightweight and easy to use MMA inverter welder
- Variable amperage of 20-140A and regulated DC power output
- 80% Duty cycle with thermal overload protection and anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-140	5.3kVa	20 – 140A	80%	2.5 - 3.2mm	3.8kg

MMA-160



160AMP METAL ARC INVERTER WELDER

- Powerful, lightweight and easy to use MMA inverter welder
- Variable Amperage of 20-160A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-160	7.6kVAa	20 - 160A	80%	2.5 - 3.2mm	4.3kg

WELDING

MMA-200



200AMP METAL ARC INVERTER WELDER

- Powerful, lightweight and easy to use MMA inverter welder
- Variable Amperage of 20-200A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-200	8.7kVa	20 – 200A	80%	2.5, 3.2 & 4mm	5.8kg

MMA-400



400AMP INVERTER WELDER + VRD

- Powerful and easy to use MMA inverter welder
- 100% duty cycle with thermal overload protection, anti-stick protection
- With lift-TIG function, with VRD function
- Set includes electrode holder (3m cable), earth clamp (2m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	APPLICABLE ELECTRODE	NETT WEIGHT
MMA-400	21kVa	20 - 400A	100%	1.6 - 6mm	25.0kg

WELDING

MMA-500



500AMP MANUAL METAL ARC INVERTER WELDER + BUILD IN V.R.D

- Powerful and easy to use MMA inverter welder
- Variable Amperage of 20-500A, with regulated DC power output
- 100% duty cycle with thermal overload protection, anti-stick protection
- With lift-TIG function, with VRD function
- Set includes electrode holder (3m cable), earth clamp (2m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	APPLICABLE ELECTRODE	NETT WEIGHT
MMA-500	29kVa	20 - 500A	100%	1.6 - 6mm	25.8kg

MIG-180



180AMP METAL INERT GAS WELDER

- Powerful yet flexible gas/gasless MIG welder with burn back control
- IGBT multi process inverter technology provides stable arc and reliable performance
- Suitable for general site use, automotive repairs and more accurate fabrication, can also function as an MMA arc welder
- 60% duty cycle with thermal overload protection
- Set includes 3m MIG torch, 2.5m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-180	6.9kVa	30 – 180A (MIG), 10 – 160A (MMA)	60%	2.5 - 4mm (MMA) 0.6 - 1mm (MIG)	12.8kg

WELDING

MIG-250



250A COMPACT METAL INERT GAS WELDER CC/CV + VRD

- Powerful Flexible Gas/Gasless Mig Welder with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance
- Suitable for general workshop and site use, automotive repairs and more accurate fabrication
- MMA and TIG Modes with VRD function, with 100% duty cycle with thermal overload protection, anti-stick protection
- Set includes MB25 Mig Torch, 3m Earth Clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-250	6.7kVa	30 - 250A (MIG), 15 - 250A (MMA,TIG)	100%	0.8 - 1mm (MIG) | 1.6 - 6.0mm (MMA), 1.0 - 3.2mm (TIG)	46.5kg

MIG-300



300AMP COMPACT METAL INERT GAS WELDER CC/CV + VRD

- Powerful Flexible Gas/Gasless Mig Welder with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance
- Suitable for general workshop and site use, automotive repairs and more accurate fabrication
- MMA and TIG Modes with VRD function, with 100% duty cycle with thermal overload protection, anti-stick protection
- Set includes MB25 Mig Torch, 3m Earth Clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-300	14.3kVa	30 - 300A (MIG), 10 - 250A (MMA,TIG)	100%	0.8 - 1.2mm (MIG) | 1.6 - 6.0mm (MMA), 1.0 - 3.2mm (TIG)	48.0kg

WELDING

MIG-350



350A HEAVY DUTY METAL INERT GAS WELDER CC/CV + VRD

- Powerful Flexible Gas/Gasless Mig Welder with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance
- Suitable for general workshop and site use, automotive repairs and more accurate fabrication
- MMA and TIG Modes with VRD function, with 100% duty cycle with thermal overload protection, anti-stick protection
- Set includes MB25 Mig Torch, 3m Earth Clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-350	16.4kVa	50 - 350A (MIG), 20 - 350A (MMA,TIG)	100%	0.8 - 1.2mm (MIG) | 1.6 - 6.0mm (MMA), 1.0 -3.2mm (TIG)	56.0kg

MIG-500



500AMP HEAVY DUTY METAL INERT GAS WELDER CC/CV + VRD

- Powerful and easy to use MMA inverter welder
- 100% duty cycle with thermal overload protection, anti-stick protection
- With lift-TIG function, with VRD function
- Set includes electrode holder (3m cable), earth clamp (2m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	APPLICABLE ELECTRODE	NETT WEIGHT
MIG-500	25.7kVa	50 - 500A (MIG), 20 - 500A (MMA,TIG)	100%	1.0 - 1.6mm (MIG) | 1.6 - 6.0mm (MMA), 1.0 - 3.2mm (TIG)	62.0kg

WELDING

KIT-424



200AMP METAL ARC INVERTER WELDER KIT

- Kit Includes: MMA-200 inverter welder, RWH-100 welding helmet, gloves 50mm , wire brush, and 5kg electrodes
- Powerful, lightweight and easy to use MMA inverter welder
- Variable Amperage of 20-200A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Helmet offers full protection against welding UV radiation and heat resistant

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	HELMET LENS SIZE	NETT WEIGHT
KIT-424	8.7kVa	20 – 200A	80%	2.5, 3.2 & 4mm	108 x 51mm	6.0kg

KIT-425



180AMP METAL INERT GAS WELDER KIT

- Kit Includes: MIG-180 welder, gloves 50mm, 5kg Mig wire, and RWH-200 welding helmet
- Powerful yet flexible gas/gasless MIG welder with burn back control and 60% duty cycle with thermal overload protection
- IGBT multi process inverter technology provides stable arc and reliable performance
- Suitable for general site use, automotive repairs and more accurate fabrication, can also function as an MMA arc welder
- Helmet is powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	HELMET LENS SIZE	NETT WEIGHT
KIT-425	6.9kVa	30 – 180A (MIG), 10 – 160A (MMA)	60%	2.5 - 4mm (MMA) 0.6 - 1mm (MIG)	90 x 34mm	13.1kg

WELDING

TIG-180



180AMP TUNGSTEN INERT GAS WELDER

- Powerful, versatile inverter welder with digital LED display, can also function as an MMA arc welder
- 80% duty cycle with thermal overload protection
- Easy to use with precise control, suitable for detailed fabrications
- Superior TIG welding performance using the latest high grade IGBT technology
- Set includes 4m TIG torch, 2.5m earth clamp and accessories

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-180	6.7kVa	10 – 180A (TIG), 10- 160A (MMA)	80%	1.6 - 2.4mm (MMA), 2.5 - 4mm (TIG)	7.2kg

TIG-200P



200AMP PULSE TIG WELDER

- Powerful flexible TIG DC PULSE welder, with IGBT multi process inverter technology provides stable arc and reliable performances
- Suitable for general site use, automotive repairs and more accurate fabrication
- Digital Display, 2T mode & 4T mode and can also function as an MMA arc welder, with VRD function
- 70% duty cycle with thermal overload protection
- Set includes WP-26 Tig Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-200P	6.9kVa	10 – 180A (MMA) 10 – 200A (TIG)	70%	1.6 - 4.0mm (MMA), 1.0 - 3.2mm (TIG)	8.0kg

WELDING

TIG-200PAD



200AMP PULSE TIG WELDER AC/DC

- Powerful flexible TIG AC/DC PULSE welder, with IGBT multi process inverter technology provides stable arc and reliable performances
- TIG spot welding, 2T & 4T mode and tungsten size setting facility
- Welding torch mode selection button, digital display and is suitable for general site use, automotive repairs and more accurate fabrication
- Can function as an MMA arc welder, with VRD function and 100% duty cycle with thermal overload protection
- Set includes WP-26 TIG Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose), Foot control

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-200PAD	6.9kVa	10 - 160A (MMA) 5 - 200A (TIG)	100%	1.6 - 4.0mm (MMA), 1.0 - 3.2mm (TIG)	13.7kg

TIG-315PAD



315AMP PULSE TIG WELDER AC/DC

- Powerful flexible TIG AC/DC PULSE welder, with IGBT multi process inverter technology provides stable arc and reliable performance.
- Digital data displays, TIG welding parameter indicators, TIG function selection and MMA welding parameter indicators
- Remote control selection and water tank control selection
- Can function as an MMA arc welder, with VRD function and 100% duty cycle with thermal overload protection
- Set includes WP-26 TIG Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose), Foot control

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-315PAD	12.8kVa	10 - 270A (MMA), 10 - 315A (TIG),	100%	1.6 - 5.0mm (MMA)	27.8kg

WELDING

PLASMA-40



40AMP PLASMA CUTTER

- Powerful and compact plasma cutting machine with 8mm mild steel cutting capacity
- Ideal for cutting steel, stainless, galvanized steel, aluminium, copper and brass
- IGBT inverter soft-switch technology with digital LED display
- HF arc Ignition mode for easy start, with post-flow function
- 80% duty cycle with thermal overload protection, set includes 5m cutting torch, 3m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-40	6.4kVa	20 - 40A	80%	Clean Cut 8mm Sever 12mm	0.35 - 0.55Mpa	7.8kg

PLASMA-60



60AMP PLASMA CUTTER

- Powerful and compact plasma cutting machine with 20mm mild steel cutting capacity
- Ideal for cutting steel, stainless steel, galvanized steel, aluminium, copper and brass
- IGBT inverter technology with digital LED display and HF arc ignition mode for easy start, with post-flow function
- 100% duty cycle with thermal overload protection
- Set includes P80 cutting Torch (5m cable), 2.5m earth clamp

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-60	10kVa	20 - 60A	100%	Clean cut 20mm, Sever 30mm	0.4 - 0.6Mpa	17.0kg

WELDING

PLASMA-80



80AMP PLASMA CUTTER

- Powerful and compact plasma cutting machine, with clean cut 16mm stainless steel and 25mm mild steel cutting capacity – Piercing 35mm
- Ideal for cutting steel, stainless steel, galvanized steel, aluminium, copper and brass
- IGBT inverter technology with digital LED display
- 2T/4T, OH/OC, protection Euro connector and HF arc ignition mode for easy start, with post-flow function
- 100% duty cycle with thermal overload protection, set includes cutting torch (5m cable), earth clamp (2.5m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-80	14.5kVa	20 - 80A	100%	Clean Cut 25mm, Sever 35mm	0.4 - 0.6Mpa	17.5kg

RWH-100



WELDING HELMET

- The RYOBI Flip front helmet is a polypropylene welding helmet for MIG, TIG and ARC welding
- It offers full protection against welding UV radiation and heat resistant.
- The helmet has a fully adjustable headgear

MODEL NUMBER	LENS SIZE	FIELD OF VISION	COMPLIANCE	NETT WEIGHT
RWH-100	108 x 51mm	99 x 48mm	EN379	0.2kg

WELDING

RWH-200A



SHADED WELDING HELMET

- Powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)
- Conforms with standards CE, EN379 and EN175
- Fully automatic light (DIN3) to dark (DIN11) in 5/10 000 second

MODEL NUMBER	VIEW AREA	LIGHT SHADE	DARK SHADE	SWITCH TIME	OPPERATING TEMPERATURE	ARC SENSOR	NETT WEIGHT
RWH-200A	90 x 34mm	DIN 3	DIN 11	5/10 000sec	-5 to 55°C	2	0.35kg

RWH-500F



VARIABLE SHADE CONTROL WELDING HELMET

- The RYOBI Flip front helmet is a polypropylene welding helmet for MIG, TIG and ARC welding
- It offers full protection against welding UV radiation and heat resistant.
- The helmet has a fully adjustable headgear

MODEL NUMBER	VIEW AREA	LIGHT SHADE	DARK SHADE	SWITCH TIME	OPPERATING TEMPERATURE	ARC SENSOR	NETT WEIGHT
RWH-500F	92.5 x 42.5	DIN 4	DIN 9 – 13	3/10 000sec`	-20 to 65°C	2	0.45kg

WELDING

RWH-800A



WELDING HELMET

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise and lower helmet during usage, lightweight and comfortable with a weight of 500g
- 1/10 000 second light to dark response time, with 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEW AREA	LIGHT SHADE	DARK SHADE	SWITCH TIME	OPPERATING TEMPERATURE	ARC SENSOR	NETT WEIGHT
RWH-800A	100 x 59.5mm	DIN 4	DIN 5, 9 – 13	1/10 000sec	-20 to 65°C	4	0.5kg

RWH-800AX1



WELDING HELMET, WITH GRAPHIC

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise and lower helmet during usage, lightweight and comfortable with a weight of 500g
- 1/10 000 second light to dark response time, with 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEW AREA	LIGHT SHADE	DARK SHADE	SWITCH TIME	OPPERATING TEMPERATURE	ARC SENSOR	NETT WEIGHT
RWH-800AX1	100 x 59.5mm	DIN 4	DIN 5, 9 – 13	1/10 000sec	-20 to 65°C	4	0.5kg

WELDING

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RW-SWAA	SPECTACLES, WRAP AROUND AMBER
2	RW-SWAC	SPECTACLES, WRAP AROUND CLEAR
3	RW-MGG	GOGGLES, SAFETY MONO
4	RW-BGLF	GOGGLES, BRAZING FRONT LIFT

RYOBI.

WELDING

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RWM-PSMER701508	PROSTRIKE MIG WIRE - ER70S-6 X 0.8mm x 15KG
2	RWM-PSMER701509	PROSTRIKE MIG WIRE - ER70S-6 X 0.9mm x 15KG
3	RWM-PSMER70151	PROSTRIKE MIG WIRE - ER70S-6 X 1.0mm x 15KG
4	RWM-PSMER701512	PROSTRIKE MIG WIRE - ER70S-6 X 1.2mm x 15KG

RYOBI.

WELDING

1.



2.



3.



4.



5.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RWE-SSE6013125	SUPERSTRIKE MILD STEEL ELECTRODE - E 6013 2.5mm x 1KG
2	RWE-SSE6013525	SUPERSTRIKE MILD STEEL ELECTRODE - E 6013 2.5mm x 5KG
3	RWE-SSE60131325	SUPERSTRIKE MILD STEEL ELECTRODE - E 6013 3.25mm x 1KG
4	RWE-SSE60135325	SUPERSTRIKE MILD STEEL ELECTRODE - E 6013 3.25mm x 5KG
5	RWE-SSE601354	SUPERSTRIKE MILD STEEL ELECTRODE - E 6013 3.50mm x 5KG

RYOBI.

WELDING

1.



2.



3.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RWM-SSE71T11095	SUPERSTRIKE MIG WIRE - E71T-11 0.9mm x 5KG (GASSLESS)
2	RWM-SSE71T1095	SUPERSTRIKE MIG WIRE - E71T-1 0.9mm x 5KG
3	RWM-SSER316085	SUPERSTRIKE MIG WIRE - ER316 0.8mm x 5KG

RYOBI.

WELDING

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RWA-MT1508094	MIG TORCH BNZ 15 0.8 - 0.9mm x 4m
2	RWA-MT2508094	MIG TORCH BNZ 25 0.8 - 0.9mm x 4m
3	RWA-MT361164	MIG TORCH BNZ 36 1 - 1.6mm x 4m
4	RWA-MLB0609	MIG LINERS BLUE 0.6 - 0.9mm x 4m

RYOBI.

WELDING

1.



2.



3.



4.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RW-CT606	CONTACT TIP, M6 x 0.6mm
2	RW-CT608	CONTACT TIP, M6 x 0.8mm
3	RW-CT609	CONTACT TIP, M6 x 0.9mm
4	RW-CT610	CONTACT TIP, M6 x 1.0m

WELDING

1.



2.



3.



4.



5.



6.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RWE-PSE6013125	PROSTRIKE WELDING ELECTRODE - E6013 2.5mm x 1KG
2	RWE-PSE6013525	PROSTRIKE WELDING ELECTRODE - E6013 2.5mm x 5KG
3	RWE-PSE60131325	PROSTRIKE WELDING ELECTRODE - E6013 3.25mm x 1KG
4	RWE-PSE60135325	PROSTRIKE WELDING ELECTRODE - E6013 3.25mm x 5KG
5	RWE-PSE601354	PROSTRIKE WELDING ELECTRODE - E6013 4.0mm x 5KG
6	RW-ER1625	ELECTRODE ROD 25-PACK - E6013 1.6 x 300mm

RYOBI.

WELDING

7.



8.



9.



10.



11.



12.



NUMBER	MODEL NUMBER	DESCRIPSION
7	RW-ER1650	ELECTRODE ROD 50-PACK - E6013 1.6 x 300mm
8	RW-ER2025	ELECTRODE ROD 25-PACK - E6013 2.0 x 300mm
9	RW-ER2050	ELECTRODE ROD 50-PACK - E6013 2.0 x 300mm
10	RW-ER2525	ELECTRODE ROD 20-PACK - E6013 2.5 x 300mm
11	RW-LH25	LOW HYDROGEN ROD 20-PACK - E7018-1 2.5 x 350mm
12	RW-LH32	LOW HYDROGEN ROD 12-PACK - E7018-1 3.2 x 350mm

RYOBI.

WELDING

13.



14.



15.



16.



NUMBER	MODEL NUMBER	DESCRIPSION
13	RW-SS125	STAINLESS STEEL ROD 10-PACK - E308L-16 2.5 x 350mm
14	RW-SS132	STAINLESS STEEL ROD 15-PACK - E308L-16 3.2 x 350mm
15	RW-SS225	STAINLESS STEEL ROD 10-PACK - E316L-16 2.5 x 350mm
16	RW-SS232	STAINLESS STEEL ROD 15-PACK - E316L-16 3.2 x 350mm

WELDING

1.



2.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RW-EH300	ELECTRODE HOLDER, 300A KD
2	RW-EHO400	ELECTRODE HOLDER, 400A OPTI

WELDING

1.



2.




3.



4.



5.



6.



NUMBER	MODEL NUMBER	DESCRIPSION
1	RW-CH	CHIPPING HAMMER
2	RW-WB	WIRE BRUSH STAINLESS STEEL 5 ROW
3	RW-CA	CUTTING ATTACHMENT
4	RWA-FLA	FLINT LIGHTER ASSÝ, WITH 3 REPLACEMENT FLINT
5	RW-NC	NOZZLE CLEANER
6	RW-PS	SHANK

WELDING

7.



8.



9.



10.



11.



12.



NUMBER	MODEL NUMBER	DESCRIPSION
7	RW-WP02	STANDARD COLLET WP9/20 10N22 (2-PACK)
8	RW-WP03	STANDARD COLLET BODY WP17/18/26 10N26 (2-PACK)
9	RW-WP01	CERAMIC SHIED CUP
10	RW-WP04	MB15 STARTER KIT
11	RW-WP06	MB15 STARTER KIT
12	RW-WPKIT	1.6MM TIG KIT

RYOBI.

RYOBI

KNOWLEDGE IS POWER

For expert advice on the use and the maintenance of your Ryobi power tools, go to www.ryobi.co.za

If more assistance is needed, simply click on the "Ask An Expert" tab and one of our in-house specialists will be in contact with you within 24 hours!



ABOUT US

STEVENS & COMPANY CELEBRATES ITS 35TH ANNIVERSARY IN 2023!

Ryobi's full product range includes industrial and DIY power tools, cordless tools, generators, gardening and cleaning equipment. Ryobi began operations in Japan over 60 years ago, manufacturing die cast components. Since that time the company has grown to become one of the world's largest and most advanced aluminium die cast component suppliers.

Ryobi has accumulated innovative technologies and produces die cast components for numerous industries, including automotive, computer, telecommunications and electronic manufacturers. Ryobi power tools meet a wide array of needs from handheld drills, planers, grinders and stationary saws, to lawnmowers, hedge trimmers, cordless tools, generators and door closers. Ryobi also offers a comprehensive selection of power sources, giving consumers a choice of electric, cordless or petrol-powered models designed to meet specific market needs. Stevens & Co is the sole distributor of Ryobi in Southern Africa. No other distributor can offer such a comprehensive range of volume selling power equipment with such strong market acceptance.

We have gone to great lengths to gain the trust of users by creating safe, easy-to-use products that are highly functional and durable. With over 350 different models catering for all power equipment categories, Ryobi's range can satisfy the needs of both trade professionals and DIY enthusiasts alike.

Ryobi Strike Force also known as the Retail Store Support Team was implemented by Mr John Stevens, the Managing Director of Stevens and Company Pty Ltd (agent for Ryobi in South Africa) in October 2018. The Ryobi Strike Force is for dedicated teams that 'Strike' a store in a strategic manner to engage in conversations with the store manager or owner to create action plans to turn around stock quicker. The Strike Force team also negotiates with the store on the acquisition of space - be it gondola ends, shelving, display stands, snake aisles, promotional bulk space, and so much more. This allows for clever and clear merchandising of all products and their accessories. Resulting in more sales for the retailer as newly delivered and older products are merchandised in such a way to ensure convenience for the customers and sales for the retailers.

The Strike Force teams come into the stores in a planned manner to help sell the products. The teams can sell a combination of slow-moving items at the same time as promoting the better moving products. This is achieved by making a "bang" when they "strike" the store armed with music, demos and advice for the customers.

The aim here is to create a stir, engage in conversations with the consumer, listen to their needs and educate them on choosing the right product for the correct application, also upselling by advising regarding spare parts and accessories. The consumer is engaged rather than intimidated and leaves the store educated and confident with the right product for their needs. This has the knock-on effect of turning over more stock benefitting both the retailer and Ryobi. Happy customers are also returning customers. The strike force can assist with After-sale service, pick-up and drop off of machines as well as assess and troubleshoot products as required.

Currently Ryobi has 10 Strike Force Teams servicing stores throughout the country, and will be expanding. The Strike Force teams are easy to identify as all members share a team identity and strike the store in the same corporate outfit. The teams also travel around in branded vehicles with enough packing space to properly service the stores.

The introduction of Strike Force has also proved a great motivator for Ryobi sales and support staff - they are at the coal face of the business and intricately involved in the entire sales channel - from warehouse to store to consumer- each member of the team is highly skilled and understand the intrinsics of the tools they represent and are able to assemble /demonstrate /answer questions on all the Ryobi products.

The concept has ensured that there is a constant channel between the store owner and Ryobi the company - it has also ensured greater efficiency as everything is done at store level - issues are picked up on the day and feedback given the same day. The value of The Strike Force concept is one that has ensured a Fast, Flexible and Focused service coupled with energized and motivated Ryobi staff, energized and motivated Ryobi retailers and last but not least Happy End Users.

Ryobi will be expanding this service as needed and are working on implementing the next phase of this exciting force shortly. More info on this will be made available soon. For any questions regarding the Strike Force please contact us on 011 357 9600.

BRANCHES



JOHANNESBURG

604, 16th Road, Randjespark,
Midrand, 1685
TEL: (011) 357 9600



PORT ELIZABETH

151 Heugh Rd, Walmer,
Gqeberha, 6065
TEL: (041) 001 1030



CAPE TOWN

Unit 2, 30 Montague Drive,
Montague Gardens, Cape
Town, 7441
TEL: (021) 551 9882



NELSPRUIT

Unit 1, Riverside Circle, 9
Water Lilly Cres, Riverside
park, Mbombela, 1201
TEL: (013) 590 6587



DURBAN

10 Meridian Dr, Umhlanga
Ridge, Umhlanga, 4319
TEL: (031) 263 0505



NAMIBIA

531A Dante Street,
Prosperita Windhoek,
Namibia
TEL: (083) 331 5407

RYOBI.